

Ningbo Deli Tools Co.,Ltd. www.delitoolsglobal.com



FaceBook



LinkedIn



Youtube



Instagram

deli

YOUR
POWERFUL
MATE



2022 DELI TOOLS PRODUCTS CATALOGUE

COMPANY PROFILE



Deli Group, established in Ninghai, Zhejiang Province in 1981, is the largest industrial group specializing in office and school supplies in China. As an advocate and leader of integrated solutions for multiple professional settings, Deli is committed to providing the most cost-effective products for global consumers, making their work and study more efficient.



















2800+
Wide range of products: 2800+ SKU

No MoQ
One carton minimum per SKU

7_{day}

Fast Delivery with Down to 7 days' lead time

500+

Consistent R&D investment: 500+ SKU new products/year

Mission

 To develop products and services that meet the needs, exceeding the expectation of customers across the globe.

Vision

 Gain the trust of consumers worldwide with products and services accessible for everyone.





DELI TOOLS IN CHINA

NO.2
Hand Tools Brand

250 Territory Partners 10,000 Nationwide Retailers

CONTENTS

1 PLIERS

01-06

05 MEASURING TOOLS

32-37

Combination Pliers Long Nose Pliers Diagonal Pliers Mini Pliers Circlip Pliers Slip-Joint Pliers

Water Pump Pliers Carpenter's Pincers Pipe Wrench Locking Pliers Punch Pliers Other Pliers Steel Tape Measures Spirit Levels Vernier Calipers Steel Ruler/Steel Try Square/Triangle Ruler Oil Gauging Tapes Feeler Gauges Outside Micrometers Other Measuring Tools

12 SOCKETS & WRENCHES

07-13

06 MEASURING & LAYOUT TOOLS

38-57

Adjustable Wrenches Combination Wrench Set Wrench Sets Ratchet Wrenches Other Wrenches Sockets and Accessories Socket Sets Laser Range Finders Infrared Thermometers Multimeters Laser Levels Wall Scanners Other Testers

03 FASTENING TOOLS

14-25

Screwdrivers
Riveters
Staple Guns
Hex Keys
Precision Screwdriver
Screwdriver Set

07 ELECTRICAL TOOLS

58-69

Voltage Tester Cutting Nippers Ethernet Crimpers Wire Strippers Heat Guns Hot Melt Glue Guns Electrical Tapes Soldering Irons Soldering Guns Soldering Stations Soldering Wires Hot Melt Machines Extension Sockets Power Plug

04 TOOL SETS

26-31

Household Tool Sets Telecom Tool Sets Multi-purpose Tool Sets

08 GARDENING TOOLS

70-77

Pruning Shears
Bypass Pruning Shears
Hedge Shears
Loppers
Saws

Gardening Sets Sprayers Chain Saws Grass Trimmer

19 CUTTING TOOLS

78-85

Utility Knife
Utility Knife Blade
Pipe Cutters
Aviation Snip
Putty Knife
Scraper

Craft Knife
Tin Snips
Cable Cutter
File Set
Hack Saws
Hydraulic Crimper

13 OTHER TOOLS

94-101

Insulated Tools Hammers Axes Caulking Gun Glass Suction Cup Jaws PUller Packing Tools Ink Lines/Plump Bobs Cable Ties Paint Spray Guns Hydraulic Punch Drivers U-locks

10 PROTECTIVE EQUIPMENT 86-87

Protection Goggle Protection Gloves Helmet Mask

14 POWER TOOLS

102-139

Electric Screwdriver
Electric Drill
Impact Drill
Impact Wrench
Rotary Hammer
Demolition Hammer
Angle Grinder

Circular Saw
Electric Chain Saw
Impact Wrench
Multi-function Tools
Electric Drywall Sander
Air Compressor
Other Accessories

11 SOLDERING TOOLS

88-89

Electrode Holder Welding Mask/Gloves

15 AUTOMOTIVE TOOLS

140-149

Auto Repair Kits

Oil Guns

Grease Guns

Auto Repair Wrenches

Auto Repair Wrenches

Tire Pressure Gauges

Blow Guns/PU Hoses

Pullers

Jacks

Oil Pumps

Car Wash Tools

Vacuum Cleaners

Other Automotive Tools

12 STORAGE TOOLS

90-93

Tool Boxes Tool Bags Tool Belt Bag Tool Boxes

16 OUTDOOR EQUIPMENT

150-153

Hand Lamp Flashlights Laser Pointers Folding Ladders Folding Buckets Folding Chairs Picnic Pads Hammocks



Combination Pliers





- High-frequency quenched cutting edges with a hardness up to 54
 -62/HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue

Item #	Spec.	Max. Cutting Capacity	Pack Qty
EDL2006	6"	Copper Wire: 2.0 Iron Wire: 2.4 Steel Wire: 1.6	1/10/100
EDL2007	7"	Copper Wire: 3.0 Iron Wire: 2.4 Steel Wire: 1.6	1/10/100
EDL2008	8"	Copper Wire: 3.0 Iron Wire: 2.8 Steel Wire: 1.8	1/10/80

Long Nose Pliers





- High-frequency quenched cutting edges with a hardness up to 54-62HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue

Item #	Spec.	Max. Cutting Capacity	Pack Qty
EDL2106	6"	Copper Wire: 2.0 Iron Wire: 2.4 Steel Wire: 1.6	1/10/100
EDL2108	8"	Copper Wire: 3.0 Iron Wire: 2.8 Steel Wire: 1.8	1/10/100

Diagonal Cutting Pliers

55#



- High-frequency quenched cutting edges with a hardness up to 54
 -62/HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue

Item #	Spec.	Max. Cutting Capacity	Pack Qty
EDL2206	6"	Copper Wire: 2.0 Iron Wire: 2.4 Steel Wire: 1.6	1/10/100
EDL2207	7"	Copper Wire: 3.0 Iron Wire: 2.4 Steel Wire: 16	1/10/100

Combination Pliers



Professional



- Industrial alloyed cutting edges with a hardness over 55HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue
 Special cutting edge with polished surface after black finish for better
- anti-rust performance

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL2006Z	6"	Copper Wire: 3.0 Iron Wire: 2.8 Steel Wire: 1.8	1/6/60
DL2007Z	7"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 1.8	1/6/60
DL2008Z	8"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 2.0	1/6/60

Long Nose Pliers

Cr-V



- Industrial alloyed cutting edges with a hardness over 55HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue
 Special cutting edge with polished surface after black finish for better
- anti-rust nerformance

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL2106Z	6"	Copper Wire: 3.0 Iron Wire: 2.8 Steel Wire: 1.6	1/6/60
DL2108Z	8"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 1.8	1/6/60

Diagonal Cutting Pliers

Cr-V

Professional

Professional

(400

E)



- Industrial alloyed cutting edges with a hardness over 55HRC and strong cutting capability
 Two color handle with ergonomic design and eco-friendly material for easy grip and less fatigue
 Special cutting edge with polished surface after black finish for better
- anti-rust performance

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL2206Z	6"	Copper Wire: 3.0 Iron Wire: 2.4 Steel Wire: 1.6	1/6/60
DL2207Z	7"	Copper Wire: 4.0 Iron Wire: 2.4 Steel Wire: 1.8	1/6/60

Combination Pliers









- Cutting edge with special heat treatment
 Eccentric structure design of pivot makes cutting more labor-saving


Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL0004	6"	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.0	1/6/60
DL0005	8"	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.3	1/6/60

Long Nose Pliers











- Cutting edge with special heat treatment
 Eccentric structure design of pivot makes cutting more labor-saving

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL0103	6"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 1.8	1/6/60
DL0104	8"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 2.0	1/6/60

Diagonal Cutting Pliers











- Cutting edge with special heat treatment
- Eccentric structure design of pivot makes cutting more labor-saving

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL0204	6"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 2.0	1/6/60





Tools

Combination Pliers Labor-saving

- Cutting edge with special heat treatment
 Eccentric structure design of pivot makes cutting more labor-saving

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL100106	6"	Copper Wire: 4.0 Iron Wire: 3.0 Steel Wire: 2.0	1/6/60
DL100107	7"	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.3	1/6/60
DL100108	8"	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.3	1/6/60



- Cutting edge with special heat treatment
 Eccentric structure design of pivot makes cutting more labor-saving

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL101106	6"	Copper Wire: 4.0 Iron Wire: 3.0 Steel Wire: 2.0	1/6/60
DL101108	8"	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.0	1/6/60



Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL102106	6"	Copper Wire: 4.0 Iron Wire: 3.0 Steel Wire: 2.0	1/6/60
DL102107	7*	Copper Wire: 4.0 Iron Wire: 3.4 Steel Wire: 2.0	1/6/60






- Support wire stripping with core diameters from 1.0-2.6mm Support wire crimping with 4-5mm

Item #	Spec.	Max. Cutting Capacity	Pack Qty
DL100008	8.5"	Copper Wire: 4.0 Iron Wire: 2.8	1/6/60



- oupport wire chimping with 4 onlin						
Item #	Spec.	Max. Cutting Capacity	Pack Qty			
DL101008	9"	Copper Wire: 4.0 Iron Wire: 2.8 Steel Wire: 1.8	1/6/60			






8" Combination Pliers 6" Long Nose Pliers

6" Diagonal Pliers

1/6/24








EDL2008-3


PLIERS






















E.)


Pack Qty

1/10/50

EDL0343

Outdoor Equipment

Other Tools Power Tools Automotive Tools



		h black finish for better and e for comfortable and durabl	
Item #	Snec	Circlin Range(mm)	Pack Oty


19-60

1/6/60

External Bent Circlip Pliers Cr-V Polished surface with black finish for better and elegant apprearance Dipped plastic handle for comfortable and durable grip Circlip Range(mm) Pack Qty











Item #	Spec.	Max. Jaw Opening(mm)	Pack Qty
EDL2001-7	7"	40	1/10/60
EDL2001	10"	50	1/10/60





95

1/10/40





EDL20011

11"

PLIERS

Chain Clamp Locking Pliers





- The jaws are forged with high quality carbon steel to offer good toughness and prevent deformation
 The handle are formed with alloyed steel to prevent deformation
 Easy adjustment of opening size with a fine adjustment screw

Item #	Spec.	Chain Length(mm)	Pack Qty
DL20018	18"	450	1/5/30

Pipe Pliers



- Precision worm knurled nuts, smooth to use, easy to adjust, flexible and durable
 Overall heat treatment, high hardness, high torque, strong toughness
 Ergonomical handle with environment-friendly materials for
 comfortable and anti-slip grip

Item #	Spec.	Max. Jaw Opening(mm)	Pack Qty
EDL2508	8"	27	1/-/72
EDL2510	10"	33	1/-/48
EDL2512	12"	42	1/-/36
EDL2514	14"	48	1/-/24
EDL2518	18"	60	1/-/12
EDL2524	24"	73	1/-/6
EDL2536	36"	102	1/-/4
EDL2548	48"	141	1/-/2

Slip Joint Pliers



- Applicable Pipe Diameter(mm):4-25
 Double-position adjustment for flexible clamping
 Support cutting and clamping functions
 Coarse teeth clamping: stable and antislip

Item #	Spec.	Applicable Pipe Diameter(mm)	Pack Qty
EDL25506	6"	4-25	1/10/100
EDL25508	8"	5-30	1/10/80
EDL25510	10"	8-40	1/6/60

Water Pump Pliers



- Seven-position adjustment: flexible clamping
 Coarse teeth clamping: stable and non-slip

Item #	Spec.	Applicable Pipe Diameter(mm)	Pack Qty
EDL2610	10"	8-55	1/10/60
EDL2612	12"	12-65	1/6/36
EDL2616	16"	15-105	1/6/12

G-Clamp



- Advanced structure design for effective anti-bending and anti-twisting performance
 T-shaped rotating handle provides greater torque and fastening force

Item #	Spec.	Pack Qty
DL-G202	2"	1/12/120
DL-G203	3"	1/8/80
DL-G204	4"	1/5/50
DL-G205	5"	1/6/36
DL-G206	6"	1/5/30
DL-G208	8"	1/5/20

Bench Vice



- Precision casting to ensure high tensile strength
 Enhanced base design, and the jaws with heat treatment that are made of high quality carbon steel to ensure high accuracy

Item #	Spec.	Max. Jaw Opening(mm)	Clamping Force	Pack Qty
DL2904Z	4"	110	20KN	1/-/1
DL2905Z	5"	130	25KN	1/-/1
DL2906Z	6"	160	30KN	1/-/1
DL2908Z	8"	200	40KN	1/-/1
DL2910Z	10"	220	45KN	1/-/1
DL2912Z	12"	310	50KN	1/-/1





















E.)













Adjustable Spanner



- Laser-etched scale dictation for easier reading
 The screw nut opens freely, and the operation is convenient and labor-saving
 Chrome plated surface for an elegant appearance and rust prevention
 Integrally quenched and forged high quality steel

Item #	Spec.	Max. Jaw Opening	Pack Qty
EDL006A	6"	22mm	1/5/100
EDL008A	8"	28mm	1/5/100
EDL010A	10"	30mm	1/5/50
EDL012A	12"	36mm	1/5/40
EDL015A	15"	46mm	1/2/20
EDL018A	18"	55mm	1/2/10
EDL024A	24"	62mm	1/-/6

Adjustable Wrench



- Laser-etched scale for easier opening size riding
 knurl mechanism for flexible open adjust and labor-saving operation
 Chrome plated surface appearance and corrosion resistance
 TPR coated handle for a comfortable grip

Item #	Spec.	Max. Jaw Opening	Pack Qty
EDL30108	8"	28mm	1/6/60
EDL30110	10"	33mm	1/6/48

12PCS Combination Spanner Set

Cr-V



 Matt chrome-plated surface for beautiful look and rust resistance
 Oxford polyester cloth bag packaging can be amortized for use and rolled up for storage

EDL130012A	1/4/8		
6mm,8mm,10mm,11mm,12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm			
EDL130014A 1/4/8			
6mm,7mm,8mm,9mm,10mm,11mm,12mm,13mm,14mm,15mm,17mm,19mm, 22mm,24mm			
EDL130014B 1/4/8			

10mm,11mm,12mm,13mm,14mm,16mm,17mm,18mm,19mm,21mm,24mm,27mm,30mm,32mm

12PCS Double Offset Ring Spanner Set





- Matt chrome-plated surface for beautiful look and rust resistance
 Oxford polyester cloth bag packaging can be amortized for use and
- rolled up for storage

Item #	Pack Qty
EDL150012A	1/4/8

6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm, 21X23mm,24X27mm,25X28mm,30X32mm

12PCS Double Open End Spanner Set





- Matt chrome-plated surface for beautiful look and rust resistance
 Oxford polyester cloth bag packaging can be amortized for use and
 wheal up for other ref.
- rolled up for storage

Item #	Pack Qty	
EDL160012A	1/4/8	
6x7mm,8x9mm,30x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm, 21X23mm,24X27mm,25X28mm,30X32mm		

8PCS Combination Spanner Set





- Matt chrome-plated surface for beautiful look and rust resistance
- · Plastic pack for easy carry

Item #	Pack Qty		
EDL130008A	1/5/20		
6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm			

































Pliers

Fastening Tools

Tool Sets

Measuring Tools Measuring & Layout Tools

ening

Protective Equipment

Soldering Tools Storage

Tools Other Tools Power

Automotive Tools

Tools

Outdoor Equipment

8PCS Double Offset Ring Spanner Set Cr-V Matt chrome-plated surface for beautiful look and rust resistance Plastic pack for easy carry

Pack Otv

1/5/20



- Matt chrome-plated surface for beautiful look and rust resistance
 Plastic pack for easy carry

Item #	Pack Qty
EDL160008A	1/5/20
6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	



- Phosphated treatment surface
 Metallurgical manufacture of ratchet commutator, two-way adjustment, easy to use
 Pointed tail for multiple purposes operation

Politica tali foi malcipie parposes operacion		
Item #	Spec.	Pack Qty
DL4195	14x17mm	1/2/40
DL4185	16x18mm	1/2/40
DL4186	17x19mm	1/2/40
DL4188	19x22mm	1/2/40
DL4189	22x24mm	1/2/32
DL4194	24x27mm	1/2/32
DL4190	27x30mm	1/2/20
DL4191	30x32mm	1/2/20
DL4192	32x36mm	1/2/12
DL4196	34x36mm	1/2/12
DL4193	36x41mm	1/2/12
DL4197	41x46mm	1/2/12

7PCS Rathcet Wrench Set

FDI 150008A

Cr-V Flex-head



6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm

- Ratchet material made of 50BV30, strong and durable
 72-tooth ratchet design, can be twisted by rotating 5°
 Chrome-plated and polished surface for beautiful outlook and rust resistance

Item #	Spec.	Pack Qty
DL4107	8,10,12,13,14,17,19mm	1/2/12

7PCS Rathcet Wrench Set

Cr-V



- Ratchet material made of 50BV30, strong and durable
- 72-tooth ratchet design, can be twisted by rotating 5°
 Chrome-plated and polished surface for beautiful outlook and rust resistance
- The ratchet head can rotate by 180°

Item #	Spec.	Pack Qty
DL4207	8,10,12,13,14,17,19mm	1/2/12

Combination Ratchet Spanner Cr-V

- Material: 50BV30
- Matte surface Chrome Plating
 72 Tooth Ratchet Copper Plating
- Pack Oty DI 34308 8mm 1/12/240 DL34310 DL34312 12mm 1/12/240 DL34313 13mm 1/12/240 DL34314 14mm 1/12/120 DI 34315 15mm 1/12/120 DL34316 1/12/120 DL34317 1/12/60 17mm DI 34318 18mm 1/12/60 1/12/60 DL34319 19mm DL34321 21mm 1/5/50 DL34322 1/5/50 DL34324 1/5/40 24mm DL34327 27mm 1/5/30 DL34330 1/4/24 DL34332 32mm 1/4/24

Multifunctional Wrenchs



- Tight tooth pattern design with strong fastenting, not easy to slip
- . Two-color TPR handle for comfortable grip

Item #	Spec.	Pack Qty
DL932-21	22-32mm	1/12/48
DL932-22	9-22mm	1/24/96
DL932-2	9-32mm	1/15/30

Multifunctional Wrench Sets



- Double-sided bite teeth for strong fasteningg and no easy to slip
 Large opening range makes diversified usage
 The tail design can be used as a simple crowbar
- Rubber handle for comfortable grip

Item #	em# Spec. Pack Qty	
DL1421	13-60mm	1/6/24

Multifunctional Wrench Sets



- Double-sided bite teeth for strong fasteningg and no easy to slip
 Large opening range makes diversified usage
 The tail design can be used as a simple crowbar

- · Rubber handle for comfortable grip

Item #	Spec.	Pack Qty	
DL932-2A	9-32mm	1/15/30	

Torque Wrench



- Chrome surface for rust proof
 Knurling handle to avoid slip
- Cr-V head for high hardness and long durability

Item #	Spec.	Torque Range	Pack Qty
EDL300	1/2"	0-300N.M	1/-/20

Rachet Wrenches





- Handle forged with 40# chrome steel
 Ratchet and driving heads are forged with 42 Cr-Mo steel
 45T ratchet head with reversing paddles and quick removal

Item #	Spec.	Teeth	Pack Qty
EDL2323	6.3mm	45	1/6/36
EDL2421	10mm	45	1/6/36
EDL2521	12.5mm	45	1/6/24

Rachet Wrench with Bent Handle







- Handle forged with chrome steel
 Ratchet and driving heads are forged with 42 Cr-Mo steel
 72T ratchet head with reversing paddles and quick removal
 Bent and ergonomic handle to effectively protect finger joints

Item #	Spec.	Teeth	Pack Qty
EDL2324	6.3mm	72	1/6/36
EDL2422	10mm	72	1/6/36
EDL2522	12.5mm	72	1/6/24

Impact Sockets And Accessories





- Made of 40Cr-V alloy steel, integral heat treatment and sandblasting surface
- . Magnetic steel in the inner hole

Item #	Spec.	Pack Qty
DL4810	10mm	1/5/60/600

1/4" 12PCS Scoket Set

1/4"



- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric Input power, auto repair industries
- sturdy and durable, easy to carry

Item #	Pack Qty
EDL0012T	1/6/42
12pcs sockets set : 1x4" extension ro 10pcs 6.3mm series sockets (5, 6, 7, 8	

1/2" 12PCS Socket Set

1/2"



- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric Input power, auto repair industries
- · sturdy and durable, easy to carry

Item #	Pack Qty
EDL2012T	1/6/12
12pcs sockets set : 1x4" extension 10pcs 6.3mm series sockets (10, 11, 12	

































1/4" 10PCS Socket Set

SOCKETS & WRENCHES

Pliers

Tool Sets

Measuring Measuring & Layout Tools

ning

Soldering

Other Tools Power

Storage Tools

> Tools Auton



1/4"



- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric Input power, auto repair industries
- . Sturdy and durable, easy to carry

Item #	Pack Qty
EDL2010T	1/1/12

10pcs sockets set :

9ncs 12 5mm series socket (10, 12, 13, 14, 17, 19, 21, 22, 24mm) 1x 250mm joint rod

1/2" 24PCS Socket Set

1/2"



- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric Input power, auto repair industries
- . Sturdy and durable, easy to carry

Item #	Pack Qty
EDL2024T	1/1/4
24ncs sockets set :	

17pcs 12.5mm series socket

(10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 24. 27. 30. 32mm)

2x 125mm extension rod 1x 250mm extension rod

1x 12.5mm augmentation rod 380mm

1x12.5mm sliding joint rod 250mm

1x universal iointer

1x 45T ratchet wrench

46PCS 6.3MM Sockets Set







- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric input power, auto repair industries
 High-quality plastic box, sturdy and durable, easy to carry

FDI 1046 1/4" 46ncs sockets set: Incs 1/4" unversial joint 1pcs 1/4" sliding bar lpcs 6.3mm Rotating joint lpcs 1/4" ratchet wrench lpcs 6.3mm rotating rod 4ncs hex key (1.27.15. 2 . 2.5mm)

Incs 1/4" joint rod 2pcs 1/4" extension bar(2".4")

13pcs 1/4" socket (4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm)

2lpcs 1/4" bit socket Pozi: PZ1,PZ2,PZ3 Philips: PH1,PH2,PH3 Torx: TI0,TI5,T20,T25,T30,T40 Hex: H3,H4,H5,H6,H7,H8

Material:CR-V(50BV30), heat treated

21PCS 10MM Socket Set







- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- High-quality plastic box, sturdy and durable, easy to carry

12pcs 3/8" Cr-V metric sockets: 6.78.9.10.11.12.13.14.15.16.1718.19mm

DL1021T 1/-/4 3/8" 21ncs sockets set:

4pcs Cr-V metric deep sockets(12,13,17,19mm) 1pcs 3/8" Cr-V spark plug socket: 150mm lpcs 3/8" ratchet handle

58PCS 10MM Socket Set









- 50BV30 material chrome-plated treatment, widely used in mining
- metallurgy, shipbuilding, electric power, auto repair industries

 High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL1058T	1/-/2

3/8" 58pcs sockets set:

18pcs 3/8" Cr-V sockets:6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24mm 9pcs 3/8" Cr-V metric deep sockets (8,10,11,12,13,14,15,17,19mm) 5pcs 3/8" Phillips: PHIX2,PH2X2,PH3 3pcs 3/8" Slot: 5.5,6.5, 8mm 7pcs 3/8" Hex: 3, 4, 5, 6, 7, 8,10mm lpcs 1/2" Cr-V 3-way adaptor 9pcs 3/8" Torx: T10, T15, T20, T25, T30, T40,T45,T50,T55

2pcs 3/8" spark plug socket: 16,21mm lpcs 3/8" Cr-V universal joint 2pcs 3/8" Cr-V extension bar: 75,250mm lpcs 3/8" ratchet handle

20PCS 12.5MM Socket Set









- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DI 2020T	1/-//

1/2" 20ncs sockets set:

12pcs 1/2" Cr-V metric sockets: 10,11,12,13,14,15,16,17,18,19,22,24mm 4pcs Cr-V metric deep sockets(13,17,19,16mm)

lpcs Cr-V 1/2" universal joint lpcs Cr-V 1/2" extension bar: 250mm lpcs Cr-V 3/8" 3-way adaptor lpcs 1/2" ratchet handle

26PCS 12.5MM Socket Set









- 50BV30 material, chrome-plated treatment, widely used in mining.
- metallurgy, shipbuilding, electric power, auto repair industries

 High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL2026T	1/-/4
1/2" 26pcs sockets set:	
001/010-1/	

20pcs 1/2" Cr-V metric sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25, 26.27.30.32mm

lpcs Cr-V spark plug socket: 21mm

1pcs Cr-V 1/2" universal joint

2pcs Cr-V 1/2" extension bar: 125mm, 250mm

Incs Cr-V 1/2" Thandle

lpcs 1/2" ratchet handle

32PCS 12.5MM Socket Set









- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric Input power, auto repair industries
- . High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty	
EDL1032	1/-/5	
1/2" 32 pcs sockets set:		
lpcs 1/2" 3-way sliding joint		
1pcs 1/2" universal joint		
2pcs 1/2" extension bar(5",10")		
lpcs 1/2"ratchet wrench		
2pcs 1/2" spark plug socket(16,21mm)		
6pcs 1/2" duodecagon socket(10,12,14,15,17,19mm)		
19pcs 1/2" socket		

58PCS 12.5MM Socket Set











- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- . High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL2058T	1/-/2

1/2" 58pcs sockets set:

17pcs 1/2" sockets:10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm 8pcs 1/2" metric deep sockets: 10. 11. 12. 13. 14. 15. 17. 19mm

25ncs socket hits Cr-V material

Phillins: PHIX2 PH2X2 PH3X2 PH4X2 Slot: 8, 10, 12mm

Torx: T20, T25, T30, T40,T50,T55 Hex: H4.H5.H6. H8. H10.H12.H14mm 2pcs 1/2" spark-plug: 16.21mm lpcs 1/2" Cr-V universal joint 2ncs 1/2" Cr-V extension bar: 125.250mm Incs 1/2" Cr-V jointer8mm

lpcs 3/8" Cr-V 3-way adaptor: 25mm

86PCS 6.3MM+12.5MM Socket Set

















- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL3086T	1/-/2

3/8"+1/2" 86Pcs sockets set

14pcs 3/8" metric sockets (3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm) 14pcs 1/2" metric sockets (10,13,15,16,17,18,19,20,21,22,24,27,30,32mm) 8pcs 3/8" metric deep sockets (6,7,8,9,10,11,12,13mm) 4pcs 1/2" deep metric sockets (14,16,17,19mm)

15pcs 8mm series 30mm long bit: Slotted (8,10,12mm)

Philips(PH3×2,PH4×2),Torx (T40,T45,T50,T55),Hex(H8,H10,H12,H14mm) 17pcs 3/8" socket bit: Torx(T8,T10,T15,T20,T25,T30),Hex(H3,H4,H5,H6mm), Philips(PH1,PH2),Pozi(PZ1,PZ2),Slot(4,5.5,6.5mm)

2pcs 1/2" spark-plug socket (16,21mm)

2pcs universal joint(6.3mm,12.5mm) 1pcs 6.3mm series screw handle lpcs 3/8" 3-way adaptor(10mm square holex12.5mm square bit) lpcs 12.5mm series jointer(8mm) lpcs 1/4" T Sliding bar 2pcs 1/4" extension bar (2",4") 2pcs 1/2" extension bar(5",10") 2pcs quick release ratchet wrench (6.3mm,12.5mm)

150PCS 6.3MM+10MM+12.5MM Socket Set







(8.9.10.11)2.13.14.15.16.17.18.19.20.21.22.24.27.30.32mm)









- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL3150T	1/-/1

llncs 3/8"metric sockets (9.10.11.12.13.14.15.16.17.18.19mm) 8pcs 3/8" Torx sockets (E8,E10,E11,E12,E14,E16,E18,E20)

4pcs 1/2" imperial dodecagon sockets (15/16",1",1-1/16",1-1/4") 6pcs 1/2" metric deep sockets (10,12,13,14,17,19mm)

7pcs 1/2" metric dodecagon sockets (20,21,22,24,27,30,32mm)

4pcs 1/2" metric impact sockets(17.19.21.23mm)

22pcs 3/8" Scokets: Torx(T20,T30,T40),50mm Long Torx (T45,T50,T55, T60),Hex(H3,H4,H5,H6,H8,H10),Philips(PH1×2,PH2×2,PH3×2),SL(4,5.5,6.5) 7pcs 1/4" 25mm long Torx bits (T10,T15,T20,T25,T27,T30,T40)

2pcs 3/8" spark plug socket(16,21mm)

3pcs ratchet wrench (6.3mm,10mm,12.5mm)

3pcs universal joint (6.3mm,10mm,12.5mm) lpcs 1/4" jointer lpcs 1/4"extension bar 100mm 2pcs 3/8" extension bar (3",6") 3pcs polished double ring offset ratchet wrench (8x10,12x13,17x19mm) 10ncs Long Hex Key(1.5, 2, 2.5, 3, 4, 5, 5.5, 6.8, 10mm)

26PCS 19MM Socket Set









- 50BV30 material, chrome-plated treatment, widely used in mining, metallurgy, shipbuilding, electric power, auto repair industries
- High-quality plastic box, sturdy and durable, easy to carry

Item #	Pack Qty
DL1026B	11/-/1

3/4" 26pcs sockets set

3/4" duodecagon socket

(21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 50mm 1" duodecagon socket:55,60,65mm

3/4 ":extension bar, ratchet head, bent handle ,sliding bar, extension rod,large slider

(mm)







Precautions:

- 1. Before use, please wipe off the oil on the screwdriver and the port to avoid slipping and accidents during work.
- 2. Please select the screwdriver specification that matches the notch on the bolt or screw. If the mouth end is too thin and easy to break, if it is too thick, it cannot be completely embedded in the groove, which is easy to damage the knife edge or the bolt notch.
- 3. Screwdrivers cannot be used as pry bars or chisels.
- 4. This product cannot be used as a substitute for impact screwdrivers.
- 5. The blade of the screwdriver is damaged, deformed, the handle is cracked and damaged, please stop using it.



Matte-finished shank to avoid reflection of strong light		
Item #	Spec.	Pack Qty
EDL6330751	3x75mm	1/12/480
EDL6331001	3x100mm	1/12/480
EDL6331501	3x150mm	1/12/480
EDL6350751	5x75mm	1/12/240
EDL6351001	5x100mm	1/12/240
EDL6351251	5x125mm	1/12/240
EDL6351501	5x150mm	1/12/240
EDL6360381	6x38mm	1/12/240
EDL6361001	6x100mm	1/12/120
EDL6361251	6x125mm	1/12/120
EDL6361501	6x150mm	1/12/120
EDL6362001	6x200mm	1/12/120
EDL6382001	8x200mm	1/12/120
EDL6382501	8x250mm	1/12/120
EDL6383001	8x300mm	1/12/120



PH3x200mm

PH3x300mm

1/12/120

1/12/120

1/12/120

EDL638200

EDL638300



Plastic Handle Slotted Screwdriver



deli

Pliers

Tool Sets

Measuring Tools Measuring & Layout Tools

Gardening

Protective Equipment

Soldering Tools Storage Tools


Other Tools Power Tools

Automotive Tools

Plastic Handle Phillips Screwdriver Cr-V


- Strong magnetic bits
 Cr-v shank, high hardness, good toughness
 Engraved shank with material,model, and spec details for easy management

Item #	Spec.	Pack Qty
EDL623075	PH0x75mm	1/12/480
EDL623100	PH0x100mm	1/12/480
EDL623150	PH0x150mm	1/12/480
EDL625075	PHlx75mm	1/12/240
EDL625100	PH1x100mm	1/12/240
EDL625125	PH1x125mm	1/12/240
EDL625150	PH1x150mm	1/12/240
EDL625200	PH1x200mm	1/12/240
EDL626038	PH2x38mm	1/12/240
EDL626100	PH2x100mm	1/12/120
EDL626125	PH2x125mm	1/12/120
EDL626150	PH2x150mm	1/12/120
EDL626200	PH2x200mm	1/12/120
EDL626250	PH2x250mm	1/12/120
EDL626300	PH2x300mm	1/12/120
EDL628200	PH3x200mm	1/12/120
EDL628250	PH3x250mm	1/12/120
EDL628300	PH3x300mm	1/12/120



- Parallel bits, suitable for deep hole operations
 Rubber-plastic bi-material handle for comfortable grip
 SUPII shank, high hardness, good toughness, durability and longer life
 Strong magnetic bits
 Anti-slip handle with rough surface


And-slip flatfule with fought surface		
Item #	Spec.	Pack Qty
DL2640751	4.0x75mm	1/12/360
DL2641001	4.0x100mm	1/12/360
DL2641501	4.0x150mm	1/12/360
DL2650751	5.0x75mm	1/12/240
DL2651001	5.0x100mm	1/12/240
DL2651501	5.0x150mm	1/12/240
DL2661001	6.0x100mm	1/12/120
DL2661501	6.0x150mm	1/12/120
DL2662001	6.0x200mm	1/12/120
DL2681501	8.0x150mm	1/12/120



- Two-color bi-material handle made of Engineering material PP and high-grade TPR for comfortable and soft grip
 S2 shank, 58HRC hardness, good toughness, durability and longer life
 Anti-rotation bumps on the front of handle to prevent the tool from rolling
 Black finish end for scratch and corrosion resistance, strong magnetic bits

- Matte-finished shank to avoid reflection of strong light

Item #	Spec.	Pack Qty
DL3440	3x75mm	1/12/480
DL3441	3x100mm	1/12/480
DL3442	3x150mm	1/12/480
DL3443	5x75mm	1/12/240
DL3444	5x100mm	1/12/240
DL3445	5x150mm	1/12/240
DL3446	6x38mm	1/12/240
DL3447	6x100mm	1/12/120
DL3448	6x125mm	1/12/120
DL3449	6x150mm	1/12/120
DL3450	6x200mm	1/12/120
DL3451	8x200mm	1/12/120
DL3452	8x250mm	1/12/120



S2 Phillips Screwdriver





- Two-color bi-material handle made of Engineering material PP and high-grade TPR for comfortable and soft grip
 S2 shank, S8HRC hardness, good toughness, durability and longer life
 Anti-rotation bumps on the front of handle to prevent the tool from rolling
 Black finish end for scratch and corrosion resistance, strong magnetic bits

- · Matte-finished shank to avoid reflection of strong light

Item #	Spec.	Pack Qty
DL3453	PH0x75mm	1/12/480
DL3454	PH0x100mm	1/12/480
DL3455	PH0x150mm	1/12/480
DL3456	PH1x75mm	1/12/240
DL3457	PH1x100mm	1/12/240
DL3458	PH1x150mm	1/12/240
DL3459	PH2x38mm	1/12/240
DL3460	PH2x100mm	1/12/120
DL3461	PH2x125mm	1/12/120
DL3462	PH2x150mm	1/12/120
DL3463	PH2x200mm	1/12/120
DL3464	PH3x200mm	1/12/120
DL3465	PH3x250mm	1/12/120

Slotted Screwdriver with Pass-thru Shank





- Hexagonal shank with pass thru design, suitable for knocking use
 Quenched Cr-V shank for high hardness, good toughness, long durablity
 Engraved shank with material,model, and spec details for clear identity
- . Matte treated shank does not reflect the strong light

Item #	Spec.	Pack Qty
EDL6270041	6*100mm	1/12/120
EDL6270061	6*150mm	1/12/120
EDL6270081	8*200mm	1/12/120
EDL6270101	8*250mm	1/12/120
EDL6270121	9.5*300mm	1/12/72

Philipps Screwdriver with Pass-thru Shank





- Hexagonal shank with pass thru design, suitable for knocking use
 Quenched Cr-V shank for high hardness, good toughness, long durablity
 Engraved shank with material,model, and spec details for clear identity
 Matte treated shank does not reflect the strong light

Fracce cleated shark does not follow the strong light		
Item #	Spec.	Pack Qty
EDL627004	PH2x100mm	1/12/120
EDL627006	PH2xl50mm	1/12/120
EDL627008	PH3x200mm	1/12/120
EDL627010	PH3x250mm	1/12/120
EDL627012	PH4x300mm	1/12/72

2-in-1 Ratchet Screwdriver









- Three-way adjustable high-torque ratchet to improve work efficiency
 Interchangeable bit with adjustable length
 PP&TPR bi-material handle for comfortable grip and long durability
 Quenched Cr-V shank for high hardness, good toughness, long durability
 Anti-droping design, one press and pull for easy use

Item #	Spec.	Pack Qty	
EDL626010	6/PH2x85mm	1/24/240	
EDL626011	6/PH2x180mm	1/12/144	

2-in-1 Screwdriver









- Engineering plastic handle for firm, grease-resistant and scratch
- -resistant performance
 Quenched Cr-V shank for high hardness, good toughness and long durability
- . 6" PH2 Interchangable bits for versitile uses

Item #	Spec.	Pack Qty
DL626002	6/PH2x75	1/12/240

2-in-1 Screwdriver







- Rubber-plastic bi-material handle for comfortable grip, delicate surface
- Rubber-plastic bi-material handle for comfortable grip, delicate surface treatment for good resistant of slip, scratch and grease
 Quenched Cr-V shank for high hardness, good toughness and long durability
 Interchangable bits for versitile uses, integrally magnetized for stong and long magnets
 Anti-drop design

Item #	Spec.	Pack Qty
DL636002	6/PH2x38mm	1/12/240
DL625100S	5/PH1x100mm	1/12/120
DL625150S	5/PH1x150mm	1/12/120
DL626075S	6/PH2x75mm	1/12/120
EDL626001	6/PH2x100mm	1/12/120
DL626125S	6/PH2x125mm	1/12/120
EDL626150S	6/PH2x150mm	1/12/120































Tool

Outdoor

T-Type 2-in-1 Ratchet Screwdriver





- Three-way adjustable high-torque ratchet, effectively improving work
- Three-way adjustable high-torque ratchet, effectively improving work efficiency and saving effort
 PP and TPR bi-material torped-shaped handle for comfortable grip and good resistance of slip and grease
 Interchangeable bits with adjustable shank to meet versatile uses
 T-shaped handle for high torque applications
 Quenched Cr-V shank for high hardness, good toughness and long durability

Item #	Spec.	Pack Qty
DL626012	6/PH2x160	1/6/120

16-in-1 Ratchet Screwdriver



- PP and TPR bi-material handle for comfortable grip and good resistance
- of slip and oi

 Cr-V steel bits for long durability

 Three-way adjustable high-torque ratchet, effectively improving work efficiency and saving effort
- Self-containing design at the tail end for easy carry

Item #	Pack Qty
DL260016	1/-/48

Spec.: 1 pcs 6/15* 2-in-1 bits:PH3-8.0mm 1 pcs double end socket: 1/4*-6/15* 6 pcs 1/4* 2-in-1 bits:PH2-6mm;PH1-5mm T5-T20;H20-H30;T25-T30;H40-H5.0

21pcs Multifuncation Screw Sets







- 20 different specifications batch head can be used in multiple environments
 Rubber and plastic dual material hand perch, three feel comfortable, surface fine leather treatment, anti-slip, anti-scratch, good oil
- resistance performance
 The front end of the grip is designed to prevent the tool from rolling in
- Spin tool head with magnetic, with magnetic operation, convenient and quick

Item # Pack Otv DI 260021 1/12/96

Spec.: 1xMulti-use Screw Handle 4×Slotted: 3,4,5,6 5×Torx: T10,T15, T20,T25,T30

4×Hexagon: 3.0.4.0.5.0.6.0 4×Phillips: PH0,PH1, PH2, PH3 3×Pozidriv: PZ0,PZ1,PZ2

7pcs Multifuncation Screwdriver Sets



- Material: CR-V
 With 6 different sizes of double-ended bars and a total of 12 bits, a set

of tools that can be easily matched to your daily needs		
Item #	Pack Qty	
DL260007	1/12/72	

Spec.: 1xMulti-use Screw Handle PH0-3,PH1-5,PH2-6,T15-T20,T25-T30,H4-H5

9pcs Interchangeable Screwdriver Sets



- 8-in-1 function, set of tools to cope with the daily needs
 Rubber and plastic dual material handle, comfortable to the touch, the surface of the fine leather treatment, non-slip, scratch-resistant, good oil resistance
- The screwdriver head is chrome vanadium steel, with magnetic Beautiful transparent plastic box packaging, convenient storage

EDL636009	1/-/30
Spec.: 1xInterchangeable Plastic Handle 3x Phillips: PH0, PH1, PH2 3xSlotted: 3mm, 5mm, 6mm 1xSpecial: Point Shape Y shape	
DL636009B	1/-/48

Spec.: 1×Interchangeable Plastic Handle 4×Slotted:2mm, 3mm, 4mm, 5mm 4×Phillips, PH00, PH0, PH1, PH2

6-in-1 Screwdriver



- 6-in-l is suitable for a variety of environments
 Cr-v material, stable performance
- . TPR coated rubber handle, comfortable and non-slip

Item #	Pack Qty
DL260106	1/12/240

Spec.: 1xInterchangeable Rubber Handle 2xScredriver bits: PH2-6mm,PH1-5mm 1×Socket: 1/4"-3/8"

7pcs Ratchet Screwdriver Sets



- 6-in-1 is suitable for a variety of environments Cr-v material, stable performance
- TPR coated rubber handle, comfortable and non-slip

iteiii#		Pal	JK QLY
DL260307		1/1	2/144
nec : 3vDhilline: DH0 DH1 DH2	3×Sintted:	4mm 5mm 6mm	1x1/4 Screw Handle

13pcs Collapsible Ratchet Screwdriver Sets



- 6-in-l is suitable for a variety of environments
 Cr-v material, stable performance
- . TPR coated rubber handle, comfortable and non-slip

item#	Pack Qty
DL260313	1/12/48
Spec.: 4×Phillips: PH0,PH1,PH2,PH3 4×Torx:T10,T15,T20,T25	otted: 3mm,4mm,5mm,6mm Screw Handle

6pcs Precision Screwdriver Sets



- Rotatable cap
- · Nickel-plated handle for rust resistance and durability

Black-finished shank for corrosion-resistance
 Suitable for the repair and maintenance of toys, watches, glasses, instruments, household appliances and various precision equipment

Item #	Pack Qty
EDL3206	1/12/96
Spec.: 2×Phillips: PH1,PH0 4× Slotte	ed:1.4mm,2.0mm,2.4mm,3.0mm

6pcs Precision Screwdriver Sets







- Rotatable cap
 Nickel-plated handle for rust resistance and durability
 Black-finished shank for corrosion-resistance
 Sultable for the repair and maintenance of toys, watches, glasses, instruments, household appliances and various precision equipment

Item #		Pack Qty	
DL3206A		1/10/100	
Spec.: 2×Phillips:PH1,PH0	4×Slotted	1.4mm,2.0mm,2.4mm,3.0mm	

6pcs Precision Screwdriver Sets





- Cr-V shank with black finish and harden surface
 Rotating rainbow tail for eas take and use
- Suitable for repaire of electronic products, small home appliances, clocks,etc.

Item #	Pack Qty	
DL240006		1/10/100
Spec.: 2×Phillips:PH0,PH00	4×Slotted:1.4	4mm,2.0mm,2.4mm,3.0mm

2pcs Screwdriver Sets







- Rubber-plastic bi-material handle for comfortable grip, delicate surface
- treatment for good resistant of slip, scratch and grease

 Quenched Cr-V bits for high hardness,good toughness and long durability
- Strong magnetic bits

Item #			Pack Qty
DL260002B			1/12/96
Spec.: 1×Slotted 6.0x100mm		1×Phi	llips PH2x100mm

13pcs Impact Screwdriver Sets












- Forged with alloyed steel for durability and strong function
 Turn the locked screw by tapping the top of handle, and then loosen
- the screw
- 13pcs interchangeable bits to meet different applications

	Item #	Pack Qty
	DL8901	1/-/20
Spec.: 1xInterchangable handle 4xPhillips bits:PHI,PH2x2,PH3,PH4		

25pcs Precision Screwdriver Sets





- Cr-V bits with chrome-plated surface for wear-resistant and rust-proof
 Aluminum alloy shank with rotating design and bearing included
 Multiple bits in one box for versatile uses

DL240025A	1/24/96
Spec.: 5×Phillips bits: PH000,PH00,PH 4×Slotted bits: 1.5mm,2mm,3.mm,4m	m 4×Torx bits: T2,T3,T4,T5

2×Special bits: U-shape(U2.6), Y-shape	1× Triangle bits: 2.3 1×Screwdriver Shank
DI 240025B	1/24/96

Spec.: 5×Phillips bits: PH000,PH0,PH0,PH1,PH2 2×Star bits: 0.81.2
4×Slotted bits: 1.5mm,2mm,3mm,4mm 4×Torx bits: T2,T3,T4,T5
4×Middle hold borx bits:T8H7,BH,T3H,T3H 2×Hexagor: H15,H2.0
2×Special bits: U-shape(U26), Y-shape 1xTriangle bits: 2.3 1xScrewdriver Shank

21pcs Precision Screwdriver Sets





- Two-color bi-material handle made of Engineering material PP and high-grade TPR for comfortable and soft grip
 Packed with TPR box for easy storage
 Cr-V alloyed steel bits with heat treatment and chrome-plated surface for rust proof

Item #		Pack Qty
DL1021D		1/12/72
nec : 1vRi-material handle	/ivSlotted	hits: 15mm 2mm 3mm /mm

Spec.: IxBi-material handle 4xSlotted bits: 15mm,2mm,3mm,4mm 5xPhillips bits: PH000,H00,PH0,PH12 6xTorx bits:T4,T5,T6,T8,T10,T15 2xHexagon bits:H15,H2 3xSpecial bits:Y-shape(2.5), U-shape(2.6),Star(0.8)



















E)













ening

Storage

85pcs Precision Screwdriver Sets





- Two-color bi-material handle made of Engineering material PP and high-grade TPR for comfortable and soft grip
 Packed with TPR box for easy storage
- Cr-V alloyed steel bits with heat treatment and chrome-plated surface for rust proof
- Completed configuration with a magnet charger for complex applications

Item #	Pack Qty	
DL1085D	1/6/36	
pec.: 14×Slotted bits,0.8mm]nm*2: 1.5mm*2,2mm*2,2.5mm*2: mm*2,3.5mm*2,4mm		

9xPhillips bits: PH000*2PH00*2PH0*2PH1*2PH2
12xTox bits: IT12T314T51E17E18T310_T15T20
7xMedium Hole Torx bits:T617T619310_T15T20
9xHex bits:H0.7H0.9H1.3H1.5H2.H2.5H3.0H3.5H4.0
5xY-shape bits:0.81.52.3,4
2xVI-shape bits:2.3.2.6.3
3xSockett M25.M3.0M3.5,M4.0M4.5M5.M55
2xCylinder: 0.81
4xPozidrity:P200p20p.zlp.z2
kRubber handle, kTelescopic rod, kTweezers, kSoft rod

11pcs Precision Screwdriver Sets





- 45mm length bits suitable for deep hole operation
 Quenched Cr-V bits with high hardness
 Nickle-plated suiface for rush resistance
 Packed with TPR-coated plastic box that can be held by one hand, for neat and easy storage

Item #	Pack Qty
DL240011L	1/12/72

Spec.: 1×Aluminum Alloy Handle 2×Slotted bits:1.5mm,3mm 2×Phillips bits:PH00,PH1 1×Star bit:0.8 5×Torx bits: T4,T5,T6,T8,T10

25pcs Precision Screwdriver Sets







- 45mm length bits suitable for deep hole operation.

- Quenched Cr-V bits with high hardness
 Nickle-plated surface for rush resistance
 Packed with TPR-coated plastic box that can be held by one hand,

for neat and easy storage

Item # Pack Otv DI 240025I 1/6/48 Spec.: IxAluminum Alloy Handle 4xSlotted bits:1.5mm,2mm,3mm,4mm 5xPhillips bits:PH000,PH00,PH0,PH1,PH2 6xTorx bits: T3,T4,T5,T6,T8,T10,T15 3xHex:H1,5,H2,H3 kY-shape:2.5 k/U-shape:2.6 k/Triangle:2.3 2x Star:0.8,12

29pcs Precision Screwdriver Sets







- Quenched Cr-V steel bits and 50BV30 sockets for high strengt
 PP and TPR bi-material handle for comfortable grip and good resistance of slip and oi
 T-shaped wrench, providing two holding positions
 Three-way adjustable high-torque ratchet, effectively improving work efficiency and saving effort

 29-in-1 tools set to meet daily needs

Item #	Pack Qty
DL1129	1/6/36

 Spec.: 6 pcs bits(S6.3×25mm): 2 pcs pozidriv.PZI,PZ2

 3 pcs slotted.4,5,6mm
 4 pcs Torx.T10,T15,T20,T25

 3 pcs U type.46,8mm
 1 pcs 25mm connector.

 1 pcs ratchet screwdriver handle
 1 pcs 50mm socket connector

 4 pcs Philips:PHD,PHI,PEPH
 1 pcs T-wrench

 9 pcs 6.3mm socket: 4,5,6,78,9,10,12,13mm

30pcs Precision Screwdriver Sets



Cr-V



- Quenched Cr-V steel bits and 50BV30 sockets for high strengt
 PP and TPR bi-material handle for comfortable grip and good resistance.
- Para in the diffraction handle for commonators grip and good resistant of slip and oil
 Three-way adjustable high-torque ratchet, effectively improving work efficiency and saving effort
 30-in-1 tools set to meet daily needs

Item #	Pack Qty
DL1130	1/6/48

Spec.: 8pcs Screwdriver bitS4×28mm): 3×Phillips:PH00.PH0.PH1,
3×Slotted:2,3.4mm 2×7orx:Tl0,Tl5
3pcs Screwdriver bitsS8.3×25mm; 3×Slotted:4,5.6mm
2×PozidrivPZ0.PZI 3×Phillips:PH0.PHI.PH2 2×Star:T20,T25
3×HexH4.H5.H6 6pcs 6.3mm socket: 5,67.8.9.10m
1pcs Ratchet Screwdriver Handle 2pcs Connector

6.3mm Series 45pcs Screwdriver Bit Sets



Cr-V



- Suitable for a variety of manual, electric and air screwdrivers (equipped with 6.3mm joint), used to loosen or tighten fasteners of corresponding specifications
 Cr-V steel bits
- Complete configuration for easy storage

	Item #	Pack Qty
	DL250045	1/12/48
Spec.: 10pcs Slotted: 3mm*2,4mm*2,5mm*2,6mm*2,7mm*2		5mm*2.6mm*2.7mm*2

6.3mm Series 39pcs Screwdriver Bit Sets







- Complete configuration including some long bits, suitable for complex applications
 Quenched S2 steel bit with high hardness
 Quick-detachable extension bar

- Color mark on bits for easy identification and taking

Item #	Pack Qty
DL250039	1/-/36
16pcs 25mm Screwdriver bits: 4xPhillips bits: PHI;PH2*2;PH3 8xMedium Hole Torx TIO:TI5:T20*2;T25:T27/T30,T40 4xHex bits:H3;H4;H5;H6 4xPozidiv;PZI;PZ2;PZ3 2xY-shape:2mm,3mm kTriangle:23mm IxU-shape:2.6mm 4xSlottedbits:3mm,4mm,5mm,6mm	6pcs 50mm Screwdriver bits: hs8lotted bits:5mm 2xPhillips bits:PH,PH2 3xMedium Hole TorxT15,T20,T25 hsPozidiv:PZ2 hxQuick-detachable Extension hz5mm Extension Rod 3xSockets: 6mm,8mm,10mm

65pcs Precision Screwdriver Sets





- 65 in 1 function to meet the daily needs
- 72T ratchet handle, easy to use
 Quenched bits with chrome plated surface for high hardness, good
- toughness, long durability

 Rubber-plastic bi-material handle for comfortable grip, delicate surface treatment for good resistance of slip, scratch and grease

Item #	Pack Qty
EDL3565	1/6/24
4.0 Series: 4pcs Slotted: 11.5.2,2.5 3pcs Phillips: 12.3 5pcs Torx: 74,75:161,7 T8 3pcs Hexagon: 0.91.31.5 1pcs V-shape: V2. 1pcs Tiangle: 2.3 1pcs U-shape: 2.6 2pcs Star: 0.81.2 1pcs 4mm Extension rod 1pcs 4mm Handle	6.3 Series: 4pcs Slotted: 4.5.6.7 4pcs Phillips: 4.5.6.6.5 9pcs 6.3mm Sockets: 4pcs Pozidirv: PZI-PZ2-PZ3 3pcs Pozidirv: PZI-PZ2-PZ3 1pcs 6.3mm Extension Rod 1pcs 6.3mm Ratchet Wrench 1pcs Y-shape: Y3 2pcs U-shape: 6.8 6pcs Hexagon: 2.2.5.3.4.5.6 1pcs Iorx: T4,T5,T6,T718,T9,T10,T15,T20,T25,T30

33pcs Precision Screwdriver Sets





- 33 in 1 function to meet the daily needs
- Extension rod included for complicated applications
 Quenched bits with chrome plated surface for high hardness, good
- toughness, long durability

 Rubber-plastic bi-material handle for comfortable grip, delicate surface treatment for good resistance of slip, scratch and grease

ı		
	EDL1033D	1/25/100
	Spec.: 5pcs Slotted(SL15,SL2,SL2,SL3,SL3,SL1) [pcs Tweezers 115mm [pcs Tinaple 2.0mm [pcs U-shape 2.6mm [pcs U-shape 2.6mm [pcs Stension Rod Id4x60mm [pcs Phillips(15,22,5,3,3,5mm) [pcs Anti-slip Screwdriver Handle [pcs Hex Key (H.13,H.15,H2,H2,5,H3,H4) [pcs Torx(13,74,15,16,1718,19,110,115,120)	lpcs Star 0.8mm

25pcs Precision Screwdriver Sets

















- Aluminum alloy shank with rotating design
 Press and pull-out design, convenient and flexible in use
 Aluminum alloy shell, high-precision molding process, rounded arc edge for comfortable grip
- Sandblasted surface with anodized treatment, anti-sweat and anti-corrosion

Item #	Pack Qty	
EDL3525	1/24/96	
	2pcs Star (P2,P5) 3pcs Torx (T2,T3,T4) pcs Hex Key(H1.5,H2.0) 1pcs Triangle (2.3)	

6.3mm Series 25mm Long Bit Sets





- Material: S2
 Nnickel-plated surface for rush resistance
- 20pcs/box

Item #	Spec.	Pack Qty
DL250106	SL6.0*25mm	1/20/200/4000
DL250202	PH2*25mm	1/20/200/4000

6.3mm Series 50mm Bit Sets





- Material: S2
- Nnickel-plated surface for rush resistance
 10pcs/box

Qty
0/2000
0/2000
0/2000
0/2000
0/1200
0/1200
0/2



































Power

6.3mm Series 50mm Bit Sets







- Material: S2
 Nnickel-plated surface for rush resistance
- 10pcs/box

Item #	Spec.	Pack Qty
DL251303	H3*50mm	1/10/100/2000
DL251304	H4*50mm	1/10/100/2000
DL251305	H5*50mm	1/10/100/1200
DL251306	H6*50mm	1/10/100/1200

6.3mm Series 50mm Bit Sets





- Material: S2
 Nnickel-plated surface for rush resistance
 10pcs/box

Pack Qty /10/100/2000
/10/100/2000
/10/100/2000
/10/100/2000
/10/100/2000
/10/100/2000
1/10/100/1200
1/10/100/1200
֡

6.3mm Series Screw Bit Sets





- S2 steel bits with up to 58-60HRC harness for long durability
 Sand blasted surface for rust resistance and improving friction
 Engraved shank with material,model, and spec details for easy management

_		
Item #	Spec.	Pack Qty
DL6901	PH2x50mm	1/10/120/1200
DL6902	PH2x65mm	1/10/120/1200
DL6903	PH2x100mm	1/10/120/1200
DL6907	PH2xl50mm	1/10/120/720

Single-arm Riveter



- 20Cr alloy steel for better riveting performance
 Replaceable nose for convenient operation
 Coated handle for comfortable grip, labor-saving and convenient

Item #	Spec.	Noozle	Pack Qty
EDL236910	10.5"(265mm)	Nose piece specifications: 2.4-3.2-4.0-4.8mm	1/10/40

Single-arm Riveter Set



- 20Cr alloy steel for better riveting performance
 Replaceable nose for convenient operation
 Coated handle for comfortable grip, labor-saving and convenient

16 //	0	No sele	Darel Otto
Item #	Spec.	Noozle	Pack Qty
EDL236910T	10.5"(265mm)	Nose piece specifications: 2.4-3.2-4.0-4.8mm Four type of rivets included 15pcs each	1/-/24

Single-arm Riveter



- Cr-Mo alloy steel for better riveting performance
 Aluminum alloy shell for light weight and long lasting
 Replaceable nose for convenient operation
- Coated handle for comfortable grip, labor-saving and convenient

Item #	Spec.	Noozle	Pack Qty
EDL236911	10.5"(265mm)	Nose piece specifications: 2.4-3.2-4.0-4.8mm	1/-/24

Duoble arm Riveter



- Cr-Mo alloy steel for better riveting performance
 Replaceable nose for convenient operation
- Coated handle for comfortable grip, labor-saving and convenient

Item #	Spec.	Noozle	Pack Qty
EDL236913	13"(330mm)	Nose piece specifications: 2.4-3.2-4.0-4.8-6.4mm	1/-/12

Hand Riveter sets



- The claw adopts Cr-Mo alloy steel for better riveting performance
 Aluminum alloy body and ergonomic handle for comfortable grip
 Mulitiple adjustable guide nozzle for different workplaces

Item #	Spec.	Pack Qty
DL2313	M5,M6,M8,M10,M12	1/-/6

3-in-1 Hand Riveter



- 3-in-1 multifunctions for a wide range of use, and easy carry
 Reasonable structure design, easy and labor-saving
- TPR rubberized handle for comfortable grip

Item #	Pack Qty
DL236031	1/-/6
Spec.: Noozle: φ 2,4/3.2/4.0/4.8/6.4 Reaming · Arc Square Socket etc	Nut: M3/M4/M5/M6/M8/M10







Flat End Hex Key Set

Cr-V



Long Ball End Hex Key Set

Sprayed surface: beautiful and anti-rust

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Material: cr-v

DL232509



Pack Qty

1/6/60



Flat End Hex Key Set

EDL3080



EDL3011







- High quality Cr-V steel for excellent performance
- Ingriquality of seen for better appearance and easy carry
 Laser marking, clear and wear-resistant; chrome-plated surface, beautiful and rustproof


Item #	Spec.	Pack Qty
EDL3089	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/48



- CR-V material, superior performance, complete specifications and configurations and universal applications
 Atomization-treated and nickel-plated surface for good appearance
- and rust resistance
- Laser-printed marking, clear and wear-resistant

Item #	Spec.	Pack Qty
EDL3088	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1/6/60







Floddet surface black fillish deathern, better and last performance		
Item #	Spec.	Pack Qty
EDL231209H	1.5,2,2.5,3,4,5,6,8,10mm	1/6/60





1.5,2,2.5,3,4,5,6,8,10mm

1/6/60

EDL232209H





E)











11pcs Household Tool Sets



Item #	Pack Qty
EDL1011J	1/-/24
Tool Set Includes:	

- 1 x test pen
- 1 x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm
- 1 x 18mm utility knife with plastic handle
- 1 x tane measure 2m
- 1 x electrical tape
- 1 x 5pcs hex key set (2.3.4.5.6)

8pcs Household Tool Sets



Item #	Pack Qty
EDL1008J	1/-/20
Tool Set Includes:	

- 1 x test penelectrical tape
- 1 x long nose pliers 160mm (6 ")
- 1 x tape measure 2m
- 1x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm 1 x 18mm utility knife with plastic handle
- 1 x 18mm utility knife (10 pieces)

18pcs Household Tool Sets



Item #	Pack Qty
EDL1018J	1/-/12

Tool Set Includes:

- 1 x test pen 1 x electrical tape 1 x long nose pliers 160mm (6 ")
- 1x tane measure 2m 1x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm
- 1 x 18mm utility knife with plastic handle
- 1 x 18mm utility knife (10 pieces) 1 x steel pipe handle claw hammer
- 1 x 0.25kg parts box (cement nails, self-tapping screws)
- 1x 8ncs hex key set (15. 2. 25. 3. 4. 5. 5.5. 6)

28pcs Household Tool Sets



Item #	Pack Qty
EDL1028J	1/-/10
To all Oat to all orders	

- Tool Set Includes
- 1 x test pen
- 1 x electrical tape
- 1 x long nose pliers 160mm (6 ")
- 1 x tape measure 2m
- 1 x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm 1 x 18mm utility knife with plastic handle
- 1 x 18mm utility knife (10 pieces)
- 1 x claw hammer with steel pipe handle
- 1 x 0.25kg parts box (cement nails, self-tapping screws)
- 1 x 8pcs hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
- 1 x adjustable wrenches
- 1 x raw tape
- 1 x tweezer
- 1 x cable tie
- 1 x 6pcs precison screwdriver set (PH00, PH0, PH1, 1.0, 1.2, 1.6mm)

38pcs Household Tool Sets



Item #	Pack Qty
EDL1038J	1/-/8

- 1 x test pen 1 x electrical tape 1 x long nose pliers 160mm (6 "es)
- 1 x tape measure 3m 1 x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm
- 1 x 18mm utility knife with plastic handle
- 1 x 18mm utility knife (10 pieces)
- 1 x steel pipe handle claw hammer
- 1 x 0.25kg parts box (cement nails, self-tapping screws)
- 1 x 8pcs hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
- 1 x Adjustable wrenches
- 1x Raw tape 1x Tweezer
- 1 x Cable tie
- 1 x 6pcs precison screwdriver set (PH00, PH0, PH1, 1.0, 1.2, 1.6mm) 1 x Scissors
- 1 x spirt level (100mm)
- 1 x 6.3mm socket handle
- 1 x 7pcs 6.3mm Scokets Set (4.5.6.7.8.9.10mm)

48pcs Household Tool Sets



EDL1048J 1/-/8	

- 1 x test pen 1 x electrical tape 1 x long nose pliers 160mm (6 ")
- 1 x tape measure 3m 1 x slotted screwdriver 5x75mm
- 1 x phillips screwdriver PH1x75mm
- 1 x 18mm utility knife with plastic handle
- 1 x 18mm utility knife (10 pieces)
- 1 x steel pipe handle claw hammer
- 1 x 0.25kg parts box (cement nails, self-tapping screws)
- 1 x 8pcs hex key set (1.5, 2, 2.5, 3, 4, 5, 5.5, 6)
- 1 x adjustable wrenches
- 1 x raw tape 1 x tweezer 1 x cable tie 1 x scissors
- 1 x spirt level (100mm)
- 1 x 6.3mm socket handle
- 1 x 7pcs 6.3mm Scokets Set (4,5,6,7,8,9,10mm)
- 1 x water pump pliers 200mm(8 ")
- 1 x rotating handle 4mm
- 14pcs 4mm screwdriver bits 7pcs*2

































7pcs Hot Melt Glue Gun Sets

Item #	Pack Qty	
DL1007R	1/-/20	
Tool Set Includes:		
1 x 20W hot melt gun		
1 x 7*200mm glue stick (20pcs/bag)		
1 x 200mm steel ruler		
1 x 2m tape measure		
1 x 18mm utilityknife		
I x A4 cutting plate		
1x scissors		



Item #	Pack Qty
DL5971	1/-/48

Tool Set Includes

- 1x spinner handle 1x thin-tipped tweezers 1x curved tweezer
- 1 x 25mm(5") long nose pliers 1 x philips screwdriver; PH0, PH1
- 1 x slotted precision screwdriver : 1.4mm, 2.0mm, 2.4mm, 3.0mm
- 1 x 8pcs flat end hex key set:1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- 1 x 10pcs screwdriver bit set: (slotted:1/8", 5/32", 3/16",1/4"
- phillips: PH1, PH2, PH3/Pozidriv: PZ1, PZ2, PZ3)
- 1 x 10pcs screwdriver bit set: (hex:1/8", 5/32", 3/16", 1/4" torx: T10, T15, T20, T25, T30, T40)



- 1 x slotted screwdriver 6×100
- 1 x 200mm (8 ") adjustable wrench
- 1 x digital electrical tester pen
- 1 x utility knife
- 1 x phillips screwdriver PH2×100
- 1 x 160mm combination pliers (6 ")
- 1x eletrical tape

11pcs Household Tool Sets



Item #	Pack Qty
DL5962	1/-/10
Tool Set Includes:	
1 x utility knife	
1 x eletrical tape	
1 x slotted screwdriver 6×100	
1 x 160mm Combination pliers (6 *)	
1 x 0.25kg claw hammer	
1 x digital electrical tester pen	
1 x scissors	
1 x 2m tape measure	
1 x phillips screwdriver PH2×100	
1 x flashlight	
1 x 200mm (8 ") adjustable wrench	

27pcs Household Tool Sets



DL5963	1/-/8
Tool Set Includes:	
1 x slotted screwdriver 3×100 1 x ph	illips screwdriver PH0×10
1 x slotted screwdriver 6×100 1 x ph	illips screwdriver PH2×100
1 x digital display electric pen 1 x u	tility knife
1 x adjustable wrench 200mm (8 ") 1	x 8pcs ball-end hex key set
1 x combination pliers 160mm (6 ")	
1 x scissors	
1 x tape measure 2m	
1 x electrical tape	
1 x flashlight	

1 x claw hammer 0.25kg 1 x 6 pcs precison screwdriver set Pack Qty

30pcs Household Tool Sets



Item #	Pack Qty
DL5964	1/-/6
Tool Set Incudes:	
1 x tape measure 2m 1 x digital di	splay electric pen
1 x saw frame 160mm (6 ") 1 x utilit	y knife 1 x teflon tape
1 x 6pcs precison screwdriver set	1 x slotted screwdriver 3×100
1 x phillips screwdriver PH0×100	1 x slotted screwdriver 6×100
1 x phillips screwdriver PH2×100	1 x long nose pliers 160mm (6 °)
1 x combination pliers 160mm (6 ")	1 x 8pcs ball-end hex key set
1 x water pump pliers 200mm (8 *)	
1 x adjustable wrench 200mm (8 ")	
1 x claw hammer 0.25kg	
1 x electrical tape	
1 x 502 glue	

112pcs Household Tool Sets



DL5965	1/-/5
Tool Set Includes:	
1x tape measure 3m 1x mini spirit	level 1 x claw hammer 0.25kg
1 x utility knife blade(10pcs) 1 x utilit	y knife 1 x saw frame 160mm (6 "
1x digital display electric pen 1x	water pump pliers 200mm (8 ")
1 x combination pliers 160mm (6 ")	x long nose pliers 160mm (6 ")
1x 8pcs ball-end hex key set 1x	adjustable wrench 200mm (8 ")
1 x Teflon tape 1 x electrical tape	1 x phillips screwdriver PH0×50
1x Slotted precision screwdriver 3x5	0 1 x Slotted screwdriver 6×100
1 x phillips screwdriver PH2×100	

8pcs Household Tool Sets



DL5970	1/-/20
Tool set Includes:	
1 x digital electrical tester pen	
1 x eletrical tape	
1 x utility knife	
1 x 3m tape measure	
1 x 150mm (6") adjustable wrench	
1 x 0.25kg claw hammer with short h	andle
1 x 160mm combination pliers (6 ")	

Pack Qty

31pcs Household Tool Sets



Item #	Pack Qty
DL5972	1/-/12
Tool Set Includes:	

- 1 x 3m tape measure 1 x 0.25kg claw hammer with steel handle
- 1x scissors 1x utility knife 1x digital electrical tester pen
- 1 x 160mm (6 ") combination pliers 1 x 150mm (6 ") adjustable wrench
- 1x electrical tape 1x 6.3mm socket handle
- 1 x phillips precision screwdriver: PHO PHI
- 1 x slotted precision screwdriver: 2.4,3.0mm
- 1 x 8pcs flat end hex key set : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- 1 x 10pcs screwdriver bit set/slotted: 1/8", 5/32", 3/16", 1/4" phillips: PHI, PH2, PH3/Pozidriv: PZI, PZ2, PZ3)

116pcs Household Tool Sets

Pozier: PZI, PZ2, PZ3/Torx:T20, T25)

1 x screwdriver bit set 10pcs (cross: PH1, PH2, PH3, 4, 6



Item #	Pack Qty
DL5973	1/-/10
Tool Set Includes:	
1 x 3m tape measure 1 x 160mm (3 ") combination pliers
1 x 160mm (6 ") long nose pliers 1	x ratchet screwdriver
1x utility knife 1x spirit level 1x	digital electrical tester pen
1 x Accessories box(76 pieces) 1 x	electrical tape
1 x 160mm (6 ") saw frame 1 x 0.25	5kg fiberglass claw hammer

- 1 x 200mm(8 ") adjustable wrench 4 x precision screwdriver (1.4mm, 3mm, PH00, PH0)
- 1 x 10pcs screwdriver bit set: (slotted: 1/8", 5/32",3/16", 1/4") phillips: PH1, PH2, PH3 (Pozidriv: PZ1, PZ2,PZ3)
- 1 x 10pcs screwdriver bit set: (hex: 1/8", 5/32",3/16", 1/4") torx: T10, T15, T20, T25, T30, T40
- 1 x 8pcs flat end hex key set: (1.5, 2, 2.5, 3, 4, 5, 5.5,6mm)

12pcs Household Tool Sets

1 x 2-in-1 screwdriver 6/PH2*75mm



DL1012	1/-/10
Tool Set Includes:	
1 x utility knife	
1 x scissor	
1 x eletrical tape	
1 x 2m tape measure	
1 x slotted screwdriver 5×75	
1 x phillips screwdriver PH1×75	
1 x 160mm combination pliers (6 ")	
1 x flashlight	
1 x 0.25kg claw hammer	
1 x 200mm (8 °) adjustable wrench	

1 x digital electrical tester pen

Pack Qty

21pcs Household Tool Sets



Item #	Pack Qty
DL1021	1/-/10
Tool Set Includes:	
1 x 6pcs precision screwdriver set (PH00,PH0,PH1,1.0,1.2,1.6mm)	
1 x 502 super glue 1 x digital electrical tester pen	
1 x 160mm (6 ") saw frame 1 x slotted screwdriver 5×75	
1 x phillips screwdriver PH1×75 1 x slotted screwdriver 6×38	

- 1 x phillips screwdriver PH2×38 1 x utility knife 1 x200mm (8 ") water pump pliers
- 1 x200mm (8 ") adjustable wrench
- 1 x0.25kg claw hammer
- 1 x eletrical tape
- 1 x 3m tape measure
- 1 x 160mm(6 ") combination pliers
- 1 x160mm (6 ") long nose pliers































42pcs Telecom Tool Sets



Item #		Pack Qty
DL1042		1/-/5
Tool Set Includes:		
1 x 3m tape measure	1 x	slotted screwdriver 5×75
1 x phillips screwdriver PH1×75	1 x	slotted screwdriver 6×38
1 x phillips screwdriver PH2×38	1>	slotted screwdriver 6×100
1 x phillips screwdriver PH2×100	1 >	slotted screwdriver 3×75
1 x phillips screwdriver PH0×75	1)	x slotted screwdriver 3×150
1 x phillips screwdriver PH0×150		
1 x multi meter		
1 x tin wire		
1 x tin pump		
1 x digital electrical tester pen		
1 x 200mm (8 ") adjustable wrenc		
1 x 0.25kg fiberglass claw hamme	r	
1 x flashlight		
1 x eletrical tape		
1 x 160mm (6 ") saw frame		
1 x tweezers		
1 x utility knife		
1 x 160mm combination pliers (6 ")		
1 x 160mm (6 ") long nose pliers		
1 x 160mm (6 ") diagonal pliers		
1 x 180mm (7 ") wire stripper		
1 x 5pcs hex key set(2,3,4,5,6)		
1 x soldering iron	· (D	1100 DI 10 DI 111 0 1 0 1 0)
1 x 6pcs precision screwdriver se	L (P	HUU,PHU,PHI,I.U,I.Z,I.6MM)
1 x 6.3mm spinner handle	101	(2mm)
7 x 6.3mm hex socket(4,4.5,6,8,10,	ız,l	Jillill

50pcs Telecom Tool Sets




Item #		Pack Qty
DL1050		1/-/5
Tool Set Includes:		
1 x phillips screwdriver PH2×38	1>	slotted screwdriver 6×100
1 x phillips screwdriver PH2×100	1>	slotted screwdriver 3×75
1 x phillips screwdriver PH0×75		
1 x slotted screwdriver 3×150		
1 x phillips screwdriver PH0×150		
1 x flashlight		
1 x eletrical tape		
1 x multi meter		
1 x 5pcs hex key set(2 3 4 5 6)		
1 x tweezers		
1 x 160mm (6 ") long nose pliers		
1 x 160mm (6 ") diagonal pliers		
1 x utility knife		
1 x 200mm (8 ") adjustable wrend	cn	
1 x 502 super glue 1 x digital electrical tester pen		
1 x tin pump		
1 x tin wire		
1 x 40W soldering iron		
1 x 3m tape measure		
1 x 180mm (7 ") wire stripper		
1 x 10pcs screwdriver bit set (Slo	tted	1/8".5/32".3/16".1/4".
phillips: PH1.PH2.PH3. Pozidriv: F		
12 x 6.3mm hex socket(4,4.5,5,5.5	,	, .,,
1 x 6.3mm spinner handle		
1 x 6.3mm bit adaptor		

118pcs Telecom Tool Sets



Item #	Pack Qty
DL5968	1/-/5
Tool Set Includes:	
1 x 3m tape measure	1 x slotted screwdriver 5×75
1 x phillips screwdriver PH1×75	1 x slotted screwdriver 6×38
1 x phillips screwdriver PH2×38	1 x slotted screwdriver 6×100
1 x phillips screwdriver PH2×100	1 x slotted screwdriver 3×75
1 x phillips screwdriver PH0×75	1 x slotted screwdriver 3×150
1 x phillips screwdriver PH0×150	1 x 6pcs precision screwdriver set
1 x multi meter	
1 x tin wire	
1 x tin pump	
1 x digital electrical tester pen	
1 x eletrical tape	
1 x tweezers	
1 x 76pcs accessories box set	
1 x 40W soldering iron	
1 x tool brush	
1 x 200mm (8 ") adjustable wrench	
1 x 0.25kg claw hammer	
1 x flashlight	
1 x 160mm (6 ") saw frame	
1 x utility knife	
1 x 160mm Combination pliers (6 ")	
1 x 160mm (6 ") long nose pliers	
1 x 160mm (6 ") diagonal pliers	
1 x automatic wire stripper	
1 x 6.3mm spinner handle	
7 x 6.3mm hex socket (4,4.5,6,8,10,	12,13mm)



79pcs Multi-purpose Tool Sets




Item #	Pack Qty
DL1079	1/-/5
Tool Set Includes:	
1 x 8pcs hex key set(1.5,2,2.5,3,4,5,5.5,6)	x 0.04-0.3mm feeler gauge
1 x 200mm (8 ") water pump pliers	x spinner handle
1 x 0.25kg fiberglass claw hammer 6	x 2-in-1 wrench(10,13,14,15,17,19mm)
1 x slotted screwdriver 6×38	x phillips screwdriver PH2×38
1 x slotted screwdriver 5×75	phillips screwdriver PH1×75
1 x 3m tape measure	(160mm (6 ") long nose pliers
1 x eletrical tape	utility knife
1 x 160mm (6 ") saw frame 1 >	200mm (8 ") adjustable wrench
1 x digital electrical tester pen 13	x 180mm (7 ") Combination pliers
1 x 220mm (10 ") locking pliers	
1 x 10pcs screwdriver bit set (Slotted:/1/8",5/32", 3/16	6",1/4",phillips: PH1,PH2,PH3, Pozidriv: PZ1,PZ2,PZ3)
1 x 10pcs screwdriver bit set (hex: H1/8",H5/32",H3/16"	, H1/4", torx: T10,T15,T20,T25,T30,T40)
1 x 6.3mm quick release ratchet wrench 13	x 6.3mm hex socket (4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm)
1 x 6.3mm spinner handle 1 x	6.3mm bit adaptor
1 x 12.5mm quick release ratchet wrench 9 x	(12.5mm hex socket(10,12,13,14,15,16,17,19,22mm)
1 x 12.5mm extension rod 5 "(125mm) 1 x	12.5mm spark plug socket 16mm


155pcs Multi-purpose Tool Sets



Item #	Pack Qty
DL5967	1/-/5
Tool Set Includes:	
1 x 3m tape measure	1 x 8pcs ball end hex key set
1 x feeler gauge	1 x 200mm (8 ") water pump pliers
1 x 160mm (6 ") long nose pliers	1 x 180mm (7 ") combination pliers
1 x 220mm (10 ") locking pliers	1 x 0.25kg claw hammer
6 x 2-in-1 wrench (11,13,14,15,17,19mm)	1 x 200mm (8 ") adjustable wrench
1 x slotted screwdriver 6×38	1 x phillips screwdriver PH2×38
1 x slotted screwdriver 6×100	1 x phillips screwdriver PH2×100
1 x eletrical tape	1 x utility knife
1 x 160mm (6 ") saw frame	1 x digital electrical tester pen
1 x teflon tape	1 x 76pcs parts box set
1 x spinner handle	1 x 6.3mm quick release ratchet wrench
1 x 12.5mm quick release ratchet wrench	1 x 6.3mm spinner handle
1 x 6.3mm bit adaptor	1 x 12.5mm extension rod 5 "(125mm)
1 x 10pcs screwdriver bit set (slotted: 1/8",5/32",3/16	6",1/4", phillips: PH1,PH2,PH3, Pozidriv: PZ1,PZ2,PZ3)
1 x 10pcs screwdriver bit set (hex: H1/8",H5/32",H3/1	16",H1/4", torx: T10,T15,T20,T25,T30,T40)
12 x 6.3mm hex socket (4,4.5,5,5.5,6,7,8,9,10,11,12,13m	nm)
9 x 12.5mm hex socket (10,12,13,14,15,16,17,19,22mm)	1 x12.5mm*16mm spark plug socket







Steel Tape Measure



- High quality steel blade, sprayed white matte paint for abrasion and scratch resistance, and Mn-steel spring enable flexible stretch of blade
 High-strength ABS shell to enhance crash resistance
 Zero point auto-correct hook, Accurate measurement starting from zero

Item #	Spec.	Accuracy	Pack Qty
EDL9002B	2m×13mm	П	1/12/240
EDL9003B	3m×16mm	П	1/12/180
EDL9035B	3.5m×16mm	П	1/12/180
EDL9005B	5m×19mm	П	1/12/120
EDL9025B	5m×25mm	П	1/12/120
EDL9075B	7.5m×25mm	П	1/12/60
EDL9010B	10m×25mm	П	1/12/48

Steel Tape Measure

Metric



 Simple design, round and compact shape
 Ruler with environmentally friendly water-based paint, uniform and clear scale printing

Item #	Spec.	Accuracy	Pack Qty
EDL280316Y	3m×16mm	п	1/12/180
EDL280519Y	5m×19mm	п	1/12/120
EDL280525Y	5m×25mm	п	1/12/120
EDL287525Y	7.5m×25mm	п	1/6/60
EDL281025Y	10m×25mm	п	1/6/48

Steel Tape Measure

Imperial



- High quality steel blade, sprayed white matte paint for abrasion and scratch resistance, and Mn-steel spring enable flexible stretch of blade
 High-strength ABS shell to enhance crash resistance
- Zero point auto-correct hook, Accurate measurement starting from zero

Item #	Spec.	Accuracy	Pack Qty
EDL9003Y	3m/10ft×16mm	II	1/12/180
EDL9005Y	5m/16ft×19mm	II	1/12/120
EDL9075Y	7.5m/25ft×25mm	П	1/12/60
EDL9010Y	10m/33ft×25mm	П	1/12/48

Steel Tape Measure







- High quality steel blade, sprayed white matte paint for abrasion and scratch resistance, and Mn-steel spring enable flexible stretch of blade
 High-strength ABS shell to enhance crash resistance
- Zero point auto-correct hook, Accurate measurement starting from zero

Item # Spec.		Accuracy	Pack Qty	
	EDL3795Y	3m/10ft×16mm	II	1/12/180
	EDL9025Y	5mx25mm	II	1/12/120
	EDL3796Y	5m/16ft×19mm	П	1/12/120
	EDL3797Y	5m/16ftx25mm	II	1/12/120
	EDL3798Y	7.5m/25ft×25mm	П	1/6/60
	EDL3799Y	10m/33ft×25mm	П	1/6/48

Steel Tape Measure

шш



- High quality steel blade, sprayed white matte paint for abrasion and scratch resistance, and Mn-steel spring enable flexible stretch of blade
 Soft rubbercoated case fits your palm comfortable
 Auto locking button allows for retraction of blade by a pressing
 Thickened case is made of high-strength ABS plastics,increasing shock proof performance
 Zero point auto-correct hook ensures inside and outside

- measurements start from zero

	Item #	Spec.	Accuracy	Pack Qty	
	DL3800	3m×16mm	I	1/12/144	
	DL3801	5m×19mm	I	1/12/72	
	DL3802	7.5m×25mm	I	1/6/48	

Steel Tape Measure

THE PARTY



- Soft rubbercoated case fits your paim comfortable
 Auto locking button enables flexible stretch and retraction of the blade
 Carbon steel blade provides high stiffness,less vulnerable to bending
 Extended Mn-steel spring provides more uniform retraction making the

Item #	Spec.	Accuracy	Pack Qty
DL270316G	3m×16mm	I	1/12/180
DL270519G	5m×19mm	I	1/12/120
DL270525G	5m×25mm	I	1/12/120
DL277525G	7.5m×25mm	I	1/6/60
DL271025G	10m×25mm	I	1/6/48



E)



Pliers

Sockets & Wrenches

Tool Sets

Measuring & Layout Tools

Gardening Tools

Tools Soldering

> Storage Tools Other Tools

Power Tools

Automotive Tools Outdoor Equipment **Steel Tape Measure**





- High-performance transparent PC case provides a pleasing look and shock-proof structure
 Locking mechanismslide knob+botttom button,convenient for fixing and retracting of the tape,improving work efficiency
 High-performance steel blade provides Class II accuracy.High stiffness and steady meansurement

Item #	Spec.	Accuracy	Pack Qty
DL270316T	3m×16mm	п	1/12/180
DL270519T	5m×19mm	П	1/12/120
DL270525T	5m×25mm	П	1/12/120
DL277525T	7.5m×25mm	П	1/6/60
DL271025T	10m×25mm	П	1/6/48



- High strength ABS case


Item #	Spec.	Accuracy	Pack Qty
DL9810	10m×12.5mm	п	1/10/60



• IFK elicapsulation			
Item #	Spec.	Accuracy	Pack Qty
EDL9820ZY	20m×14.5mm	П	1/10/40
EDL9830ZY	30m×14.5mm	П	1/10/40
EDL9850ZY	50m×14.5mm	П	1/5/20

Long Tape Ruler












 Π

1/-/10





Π

1/-/10

DL98100B

100m×14.5mm


DL9150

50m×12.5mm

Long Tape Ruler

- Blade is made of carbon steel
 Retract at about 3 times faster than normal tape measure for quick storage
- Engineering plastic frame, light and durable

Item #	Spec.	Accuracy	Pack Qty
DL9030G	30m×12.5mm	П	1/-/20
DL9050G	50m×12.5mm	П	1/-/20
DL9100G	100m×12.5mm	П	1/-/10



Steel Ruler 2Crl3 stainless steel ruler body, sturdy and durable · Chemical corrosion scale, accurate and wear-resistant

Item #	Spec.	Pack Qty
EDL8015Y	150mm	1/50/600
EDL8020Y	200mm	1/50/500
EDL8030Y	300mm	1/50/400
EDL8050Y	500mm	1/10/200
EDL8100Y	1000mm	1/20/60



River thangle reinforcement, rightly connected, not easy to rail on			
Spec.	Pack Qty		
150mm	1/6/60		
200mm	1/6/60		
250mm	1/6/60		
	Spec. 150mm 200mm		







Triangle Rule

- The ruler body is made of stainless steel and the base is made of die-cast aluminum, which is sturdy and durable
 Double-sided scale, surface finishing, precise and clear measurem

- Boabio Glada G	raio, carraco milorinig, procios ana	olodi illododioliloric
Item #	Spec.	Pack Qty
EDL303150	150mm	1/10/60
EDL303200	200mm	1/10/60



deli

Pliers

Sockets & Wrenches

Tool Sets

Measuring & Layout Tools

Gardening

Protective Equipment

Soldering Tools Storage

> Other Tools Power Tools

Tools

Automotive Tools

Spirit Level



- · Magnet for easy operation

- Oxidation treated surface
 Leveling vials comes with Imm/m accuracy
 Soft rubber molded on both ends, crash resistance
 High-precision vials, CNC machining processed internal face for a smooth surface and uniform curving rate

Item #	Spec.	Accuracy	Pack Qty
EDL700400B	400mm	lmm/m	1/-/50
EDL700600B	600mm	lmm/m	1/-/50
EDL700800B	800mm	lmm/m	1/-/50
EDI ZODIDOOR	1000mm	lmm/m	1/-/50

Spirit Level with View Windows



- Three bubbles with Class I accuracy
 Rubber cover on two ends for shock proof
 Thickeded body and milled bottom for stable measurement
 Two-way reading with 90° bubble design for convenient meansurement
- of wall corner

Item #	Spec.	Accuracy	Pack Qty
DL290600S	600mm	0.5mm/m	1/-/50

Spirit Level with Fine Milled Base



- 3-in-1 function: horizontal, vertical, 45° measurement
 Spirit Level with 0.5mm/m accuracy
 CNC fine milling for flat surface and accurate measusrement
 Thickened cover of two ends for impact and shock reistance
- Clear scale on the body for convenient lineation and measurement

Item #	Spec.	Accuracy	Pack Qty
EDL290300	300mm	0.5mm/m	1/10/60
EDL290400	400mm	0.5mm/m	1/10/60
EDL290500	500mm	0.5mm/m	1/10/60
EDL290600	600mm	0.5mm/m	1/10/60
EDL290800	800mm	0.5mm/m	1/10/60
EDL291000	1000mm	0.5mm/m	1/5/30

Levels with Aluminum Diecast Casing



- Aluminum body with thickness over 3mm for high strength
 High accuracy with Class I Level vail (0.5mm/m)
 Shockproof and UV-proof bubble ensures no leakage, no discoloration, and accuracy decrease
 CNC fine milling for flat surface and accurate measusrement

•	CIAC LILIE LLIIII	iig iui iiat suiiace	and accurate measusiem	10
•	Rubber cover	on both ends for	crash and shock reistance	Э

Item #	Spec.	Accuracy	Pack Qty
DL290301	300mm	0.5mm/m	1/-/50
DL290601	600mm	0.5mm/m	1/-/30
DL291001	1000mm	0.5mm/m	1/-/20

Folding Spirit Level



- Foldable design for two-way measurement
 Soft rubber molded on both ends, crash resistance
 Thickened body to ensure high strength, long lasting measure
- CNC milled bottom to ensure the flatness and accuracy of measurement

Item #	Spec.	Accuracy	Pack Qty
DL290600Z	600mm	0.5mm/m	1/-/30

Professional Spirit Level



- 3-in-1 function:Horizontal, Vertical, 45°
 Horizontal bubble accuracy can reach0.5mm/m
 More accurate measurement: CNC precision milling ensures that the measuring surface is more straight

Item #	Spec.	Accuracy	Pack Qty
DL290300G	300mm	0.5mm/m	1/10/60
DL290400G	400mm	0.5mm/m	1/10/60
DL290500G	500mm	0.5mm/m	1/10/60
DL290600G	600mm	0.5mm/m	1/10/60
DL290800G	800mm	0.5mm/m	1/10/60
DL291000G	1000mm	0.5mm/m	1/5/30

Vernier Caliper



- Four-in-one measurement of outer size, inner size, depth, and step, suitable for a wide range of scenarios
- · Laser engraving, clear and wear-resistant

Item #	Spec.	Accuracy	Division Value	Pack Qty
EDL92150	0-150mm	≤±0.08	0.02mm	1/5/30

Plastic Caliper



- Digital display screen, quick display
 one-click switch, one-click public English switch, one-click zero clearance
 PA66 nylon material , lightweight and convenient


Item #	Spec.	Accuracy	Division Value	Pack Qty
DL90150	0-150mm	±0.3	0.1mm	1/10/60

Vernier Caliper



- Four-in-one measurement of outer size, inner size, depth, and step, suitable for a wide range of scenarios
 Laser engraving, clear and wear-resistant

+ Edoci crigidaning, cicar and wear resistant						
Item #	Spec.	Accuracy	Division Value	Pack Qty		
EDI 00000	0.000	.000	0.00	1/5/00		



±0.03


EDL91150

0-150mm







Item #	Spec.	Accuracy	Division Value	Pack Qty
DL9325	0-25mm	±0.004	0.01mm	1/-/50
DL9350	25-50mm	±0.004	0.01mm	1/-/50



0.01mm

1/-/30








E)

deli **Laser Range Finders Infrared Thermometers Multimeters** Laser Levels **Wall Scanners** Other Testers 06 MEASURING & LAYOUT TOOLS











- Laser enhancement point, fine beam, easy and convenient
 Angle ±3°, automatic alarm if exceed the range, and self-leveling in 5s

Item #	Spec	Laser	Accuracy	Pack Qty
EDL332302	2 Lines	LD515nm	±1.5mm/7m	1/-/8
EDL332303	3 Lines	LD515nm	±1.5mm/7m	1/-/8
EDL332305	5 Lines	LD515nm	±1.5mm/7m	1/-/8

em #	EDL332302	EDL332303	EDL332305
Spec.	2 Lines	3 Lines	5 Lines
Accuracy	±1.5mm/7m	±1.5mm/7m	±1.5mm/7m
Line Width	≦2.5mm/7m	≦2.5mm/7m	≦2.5mm/7m
Levelling Angle	3°	3°	3°
Levelling Time	≤5s	≤5s	≤5s
Working Time	≥8h	≧6h	≧4h
Working Temperature	-10~ 50 °C	-10~ 50 °C	−10~ 50 °C
Storage Temperature	-20~ 70 °C	−20~ 70 °C	-20~ 70 °C
Laser Type	CLASS II , Power < 5mW	CLASS II , Power < 5mW	CLASS II , Power < 5mW
Laser Tube (including wavelength)	Sharp515nm	Sharp515nm	Sharp5l5nm
Included Accessories	Laser Level, Shoulder Strap, User Manual, 2400mAh Lithium Battery*1, 1m Power Charger, Plastic Box	Laser Level, Shoulder Strap, User Manual, 3000mAh Lithium Battery*1, 1m Power Charger, Plastic Box	Laser Level, Shoulder Strap, User Manual, 4000mAh Lithium Battery*2, Im Power Charger, Plastic Box

































Pliers

Storage Tools

Other Tools Power Tools

Infrared Thermometer with Color Screen



- Quick measurement in less than 0.5s
 *C/°F measurement unit conversion
- High definition LCD color display screen
 Adjustable emission rate: 0.1-1

Item #	Measuring Range	Pack Qty
EDL333550	-40°C~600°C	1/5/60

Item #	EDL333550
Measuring Range	-30 °C ~550 °C
Accuracy	-30 ℃~0℃: ±3℃/0℃~550℃: ±2.0%/±2
Response Time	0.5s
Response Wave Length	8~14um
Emissivity	0.95 default , 0.10~1.00 adjustable
Working Temperature	0°C~40°C (32°F~104°F)
Relative Humidity	10%RH~90%RH
Storage Temperature	-20°C~60°C (-4°F~140°F)
D:S	12: 1
Resolution	0.1°C or 1°F
Infrared Point	13 Points
Laser Type	CLASS II , Power < 5mW
Display	LCD Color Screen
Max/Min Value	Max
Measuring Unit	°C/°F

Digital Multimeter



- Max 1999 display; CAT III; Manual Ranging
 Main measurement functions: AC and DC voltage, DC current, resistance
 With data retention, dlode, on-off, low voltage indication, automatic shutdown, LCD backlight and other functions

Item #	Max Reading	Auto/Manual	Pack Qty
EDL334301	1999	Manual Ranging	1/10/40





Replacable Battery

Mulitiple Functions

Item #	EDL334301
Туре	Digital
Max Reading	3 1/2 Way 1999
Manual/Auto Ranging	Manual
Safety Level	CAT III 600V
DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	20V/200V/600V
DC Current	20mA/200mA/10A
Resistance	$200\Omega/2k\Omega/20k\Omega/200k\Omega/2M\Omega/20M\Omega$
Diade Test	•
Alarm for Short Circuit	(<u>•</u>
Data Hold	(•
Auto-off	•
LCD Backlight	:•
D Backlight	,







Division Value Accuracy Pack Qty $\pm 2\%$ or $\pm 2^{\circ}$ C (whichever is greater) 1/5/60

- D:S = 12:1
- Quick measurement in less than 0.5s
- °C/°F measurement unit conversion
- High definition LCD display screen

Storage Tools

TRMS Digital Multimeter



• Max 5999 display; CAT III; auto ranging

- Main measurement functions: AC and DC voltage, AC and DC current, resistance, capacitance, frequency, duty cycle, temperature
 With data retention, NCV, diode, on-off, TRMS, Live, low voltage indication, automatic
- shutdown, LCD dual-color backlight, flashlight, etc

Item #	Measuring Range	Division Value	Accuracy	Pack Qty			
EDL334303	-30-380°C	0.1°C/0.1°F	±2% or ±2°C (whichever is greater)	1/-/60			

Item #	EDL334303	
Туре	Industrial/Auto	
Max Reading	3 5/6 Way 5999	
Manual/Auto Ranging	Auto	
Safety Level	CAT IV 600V CAT III 1000V	
DC Voltage	600mV/6V/60V/600V/1000V	
AC Voltage	600mV/6V/60V/600V/750V	
DC Current	600µA/6000µA/60mA/600mA/10A	
AC Current	600µA/6000µA/60mA/600mA/10A	
Resistance	$600\Omega/6 k\Omega/60 k\Omega/600 k\Omega/6 M\Omega/60 M\Omega$	
Capacitance	10nF/100nF/1000nF/10µF/100 µF/1000 µ F/10mF/100mF	
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz	
Duty Ratio	*	
Temperature	•	
Diade Test	•	
Alarm for Short Circuit	•	
NCV	•	
Live Mode	•	
T-RMS	∧•	
Max/Min Value	•	
Data Hold	•	
Simulation Model	•	
Auto-off	100	
LCD Backlight	•	
Torch	•	
LED Indicator	•	

Clamp-on Digital Multimeter



- Max 1999 display; CAT III; auto ranging
 Clamp size 25mm

- Main measurement functions: AC and DC voltage, AC current, resistance
 With data retention, diode, on-off, low-voltage indication, automatic shutdown, LCD dual-color backlight, etc

Item #	Max Reading	Auto/Manual	Pack Qty
EDL334201	1999	Auto Ranging	1/10/40

Measuring Functions:	Ranging	Resolution	Accuracy
	200mV	0.1mV	
	2V	0.001V	
DC Voltage	20V	0.01V	± (0.5%+5)
	200V	0.1V	
	600V	1V	
	2V	0.001V	
AC Voltage	20V	0.01V	000000000000000000000000000000000000000
AC VOICAGE	200V	0.1V	± (1.0%+5)
	600V	1V	
DC Current		No	
	2A	0.001A	
AC Current	20A	0.01A	± (2.5%+8
	200A	0.1A	
	200 Ω	0.1Ω	
	2kΩ	0.001kΩ	
	20kΩ	0.01kΩ	
Resistance	200kΩ	0.1kΩ	±(1.0%+5)
	2ΜΩ	0.001M Ω	
	20M Ω	0.01M Ω	
Alarm for Short Circuit		Yes	
Diade Test		Yes	
Max/Min Value		Max	
Data Hold		Yes	
Backlight		Yes	
Auto-off		Yes	
Safety Level		CATIII 600V	
Battery		1.5V X 2 AAA	
Size	1	9.3cm x 7cm x 3cm	



Item #	EDL334302	
Туре	TRMS/Auto	
Max Reading	3 3/4 Way 3999	
Manual/Auto Ranging	Auto	
Safety Level	CAT III 600V	
DC Voltage	400mV/4V/40V/400V/600V	
AC Voltage	4V/40V/400V/600V	
DC Current	400µA/4000µA/40mA/400mA/4A/10A	
AC Current	40µA/4000µA/40mA/400mA/4A/10A	
Resistance	$400\Omega/4k\Omega/40k\Omega/400k\Omega/4M\Omega/40M\Omega$	
Capacitance	4nF/40nF/400nF/4µF/40µF/400µF/4mF	


Diade Test	(·	
Alarm for Short Circuit		
NCV	•	
Live Mode	•	
Battery Test	•	
T-RMS	•	
Max/Min Value	Max	
Data Hold	•	
Auto-off	•	
LCD Backlight	•	
Torch	7.	

Pliers

Sockets & Wrenches

Soldering Tools

Power



- . Compact design for easy carrying
- . LD laser with high visibility and efficiency
- Accuracy: ±3mm/10m
- . Gravity pendulum for automatic setting within 4° angle
- · Projecting oblique beams for various working conditions

	Item #	Specification	Laser Type	Accuracy	Pack Qty
Ī	DL332102	2 Beam	Red beam	±3mm/10m	1/-/30
	DL332202	2 Beam	LD green beam	±3mm/10m	1/-/30



4 inch LCD large screen display
 Duoble 7 battery power supply for long time use, up to 12 months
 humidity division to 0.1 degrees, accuracy ± 1 °C

-10-60 C

Item # Temperature Range | Humidity Range | Screen Size | Accuracy1 | Accuracy2

1/-/8

1/-/8

4 inch

10%RH~99%RH

Pack Qty

1/12/96

±5%RH



DL336001

DL4161-2


1.2m




Item #	DL332708	DL332712	DL332716
Spec.	8Lines	12Lines	16Lines
Laser Type	LD515nm	LD515nm	LD515nm
Accuracy	±1.5mm/5m	±1.5mm/5m	±1.5mm/5m
Pack Qty	1/-/8	1/-/8	1/-/8



Portable rocker, rotary swing handle design			
Item #	Spec.	Product Weight	Pack Qty
DL332001A	1.5m	1.2kg	1/-/20





1.2kg

1/-/20

Pliers

Tool

Measuring Tools

Storage Tools

Power Tools

Mini Multimeter



- Small machine body; carry it along with you
 Flap machine body; easy storage
 LCD displays 3 3 / 4 bit, maximum reading Number 3999
 Main Features of : A DC Current, AC DC voltage, resistance, frequency, capacitor, open break and diode test
 Contain NCV,data retention and automatic shutdown functions

Item #	Max. Readout	Auto/Manual Ranging	Pack Qty
DL334005	3999	Auto Ranging	1/10/40
Measuring Funcation	Measuring Range	Resolution	Accuracy
	400mV	0.1mV	± (0.8%+5)
	4V	0.001V	± (0.5%+5)
DC Voltage	40V	0.01V	
	400V	0.1V	± (0.8%+5)
	600V	1V	
	4V	0.001V	
	40V	0.01V	± (1.0%+5)
AC Voltage	400V	0.1V	± (1.070+3)
	600V	1V	
DC Current	40mA	0.01mA	± (1.2%+5)
DC Current	400mA	0.1mA	1 (1.27010)
AC Current	0.01mA	0.01mA	± (1.5%+5)
AC CUITEIIL	0.1mA	0.1mA	= (1.07010)
	400Ω	0.1Ω	± (1.2%+5)
	4kΩ	0.001kΩ	
Resistance	40kΩ	0.01kΩ	± (1.0%+5)
	400kΩ	0.1kΩ	
	4ΜΩ	0.001ΜΩ	± (1.2%+5)
	40ΜΩ	0.01ΜΩ	± (1.5%+5)
	4.000nF	0.001nF	± (5.0%+20)
	40.00nF	0.01nF	
	400.0nF	0.1nF	± (3.5%+5)
Capacitance	4.000µF	0.001µF	100000000000000000000000000000000000000
	40.00µF	0.01µF	
	400.0µF	0.1µF	± (5.0%+10)
	4.000mF	0.001mF	
	4.000Hz	0.001Hz	
	40.00Hz 400.0Hz	0.01Hz 0.1Hz	
_	4.000kHz	0.001kHz	± (1.0%+5)
Frequency	40.00kHz	0.001kHz	± (1.070+3)
	400.0kHz	0.1kHz	
	4.000MHz	0.001MHz	
Duty Cycle	4.00011112	NO NO	
Temperature		NO NO	
Short Circuit Buzzer		YES	
Diode Test		YES	
Triode Test		NO NO	
Other Features		NCV	
Date Retention		YES	
Back Light		NO	
Automatic shut-down		YES	
CAT Grade		CAT II 600V	
Battrey		1.5V×1 AAA	
Size (mm)		11.3cm×6cm×2.5cm	
Weight (G)		110y	
The state of the s		142 CM PC	

Large Screen Multimeter



- 5 inch large screen; clearly display
 Smart and light; easy to carry
 Fully automatic measuring range; quick identification
 LCD displays 3 5 / 6 bit, maximum reading number 5999
 Main features of: AC / DC voltage, resistance, capacitance, disconnection and diode test
 Contain NCV, lighting, data retention, zero firewire measurement, true effective value measurement, and automatic shutdown functions

Item #	Max. Readout	Auto/Manual Ranging	Pack Qty
DL334006	5999	Auto	1/10/40
Measuring Funcation	Measuring Range	Resolution	Accuracy
DC Voltage	600V	100mV	± (0.8%+5)
AC Voltage	600V	100mV	± (1.0%+5)
DC Current		NO	
AC Current		NO	
	6kΩ	ΙΩ	
Danistana.	60kΩ	10Ω	± (1.5%+2)
Resistance	600kΩ	100Ω	1 (1.070+2)
	6ΜΩ	lkΩ	
	60ΜΩ	10kΩ	± (3.0%+5)
Capacitance	NO		
Frequency	NO		
Duty Cycle	NO		
Temperature	NO		
Short Circuit Buzzer	YES		
Diode Test	YES		
Relative Mode Test		NO	
Other Features	NCV.	Live Flashlight ilumination	
Date Retention	YES		
Back Light	NO		
Automatic shut-down	YES		
CAT Grade		CAT III 600V	
Battrey		1.5V×2 AAA	
Size (mm)		148mm×76mm×21mm	
Weight (G)		167g	

Digital Display Multimeter



- Easy to carry, small and portable
 Light lighting, dark unobstructed
 Fully automatic measuring range, quick identification
 Two-way display, rotating the screen
 Main features of : AC DC voltage, AC DC current, frequency, resistance, capacitance, disconnection and diode tast.
- Main Teacures or . In a business of the second second

Item #	Max. Readout	Auto/Manual Ranging	Pack Qty
DL334007	5999	Auto	1/10/40
Measuring Funcation	Measuring Range	Resolution	Accuracy
	600mV	100μV	± (0.5%+5)
DO Malka wa	6V	1mV	
DC Voltage	60V	10mV	± (0.8%+5)
	600V	100mV	
	6V	lmV	
AC Voltage	60V	10mV	± (1.0%+3)
	600V	100mV	1
	60mA	10µА	± (1.0%+2)
DC Current	600mA	100µA	± (2.0%+2)
	60mA	10µА	± (1.0%+5)
AC Current	600mA	100µА	± (2.0%+5)
	600Ω	0.1Ω	± (0.8%+5)
	6kΩ	1Ω	
Resistance	60kΩ	10Ω	± (0.8%+2)
Resistance	600kΩ	100Ω	
	6ΜΩ	lkΩ	
	60ΜΩ	10kΩ	± (3.0%+5)
	6nF	1pF	± (5.0%+5)
	60nF	10pF	
	600nF	0.1nF	
Capacitance	6µF	1nF	± (3.0%+5)
oupuoitanoo	60µF	10nF	
	600µF	100nF	
	6mF	lμF	± (3.5%+10)
	60mF	10µF	± (3.5%+10)
Frequency	40Hz~6MHz	Hz	± (1.0%+5)
Duty Cycle		NO	
Temperature		NO	
Short Circuit Buzzer		YES	
Diode Test		YES	
Relative Mode Test		NO NO	700
Other Features	NCV. Live mode.	Flashlight,180°Spin Scree	n、Logic Level
Date Retention		YES	
Back Light		YES	
Automatic shut-down		YES	
CAT Grade		CAT III 600V	
Battrey		1.5V×2 AAA	
Size (mm)		19.8cm×5.1cm×3.2cm	
Weight (G)		110y	

Metal Detector



- Dual alarm mode, vibration alarm, audible and optical alarm
 It is suitable for a variety of occasions and detecting a variety of metal devices
 Adjustable sensitivity

Item #	DL333401	
Detect Distance	① Big Head Pin 2~3cm; ②Blade 5~10cm ③ 64 Pistol 10~15cm ④Diameter 20mm Steel Ball 8~10cm	
Detection Indicate	Sound/Vbration	
Detection Frequency	25kHz	
Work Temperature	-20°C~50°C	
Size	41cm×85cm×4.5cm	
Battrey	9V Dry Cell	

Power Monitor



- Plug and Play, smart measurement
- Small machine body, easy to use
 Measure power, current, electricity, voltage, power, time, frequency, etc.

Item #	DL333501	
Rated Voltage	250V~	
Max. Current	10A	
Max. Power	2500W	
Work Temperature	0°C~50°C	
Voltage Range	180V~260V~	
Countdown Range	0~9999hours	
Pack Qty	1/10/60	

































Pliers

Protective Equipment

Soldering Tools

Storage Tools Other Tools

Power Tools

Automotive Tools

NCV Digital Multimeter

DL334304



- Main measurement functions: AC and DC voltage, AC and DC current, resistance
 Other functions: NCV, diode test, continuity test, data retention, battery test, low
- voltage indication, automatic shutdown, backlight, flashlight lighting

tem #	DL334304
Max. Readout	1999
CAT Grade	CAT III 600V
Auto/Manual Ranging	Manual
True Value/Average Value	Average Value
DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	20V/600V
DC Current	200mA/10A
AC Current	200mA/10A
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2ΜΩ/20ΜΩ
NCV Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
Battery Test 1.5V/9V	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Flashlight	•
Battery	1.5V AAA Battery ×2
Pack Qty	1/10/40

Multi-function Manual Digital Multimeter



- \bullet Main measurement functions: AC and DC voltage, AC and DC current, resistance, frequency, duty ratio

 Other functions: live wire detection, NCV, diode test, continuity test, maximum and
- minimum measurement, data retention, true effective value, battery test, low voltage indication, automatic shutdown, backlight, LED indication for sockets, flashlight lighting

Item #	DL334305
Max. Readout	5999
CAT Grade	CAT IV 600V CAT III 1000V
Auto/Manual Ranging	Manual Ranging
True Value/Average Value	True Value
DC Voltage	600mV/6V/60V/600V/1000V
AC Voltage	600mV/6V/60V/600V/750V
DC Current	60µA/60mA/600mA/10A
AC Current	60mA/600mA/10A
Resistance	600Ω/6κΩ/60κΩ/600κΩ/6ΜΩ/60ΜΩ
Capacitance	10nF/100nF/1000nF/10µF/100µF/1000µF/10mF/100mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Analog Strip	•
Fire Detection	•
NCV oltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
Battery Test 1.5V/9V	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Input LED indication	•
Flashlight	•
Battery	1.5V AA Battery ×2
Pack Qty	1/10/40

Digital Multimeter With Large Screen



 Main measurement functions: AC and DC voltage, resistance, capacitance, frequency
 Other functions: Firewire detection, NCV, diode test, continuity test, data retention, true effective value, low voltage indication, automatic shutdown, backlight, flashlight lighting

tem #	DL334501
Max. Readout	3999
CAT Grade	CAT III 600V
Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	24 inch
DC Voltage	4V/40V/400V/600V
AC Voltage	4V/40V/400V/600V
Resistance	4000Ω/40kΩ/400kΩ/4ΜΩ/40ΜΩ
Frequency	4Hz/40Hz/400Hz/4kHz/40kHz/200kHz
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	
Flashlight	•
Battery	1.5V AAA Battery×2
Pack Qty	1/10/40

Digital Multimeter With Large Screen

DL334502





- Main measurement functions: AC and DC voltage, resistance, capacitance, frequency
 Other functions: Firewire detection, NCV, diode test, continuity test, data retention, true effective value, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	DL334502
Max. Readout	3999
CAT Grade	CAT III 600V
Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	2.4 inch
DC Voltage	400mV/4V/40V/400V/600V
AC Voltage	4V/40V/400V/600V
Resistance	400Ω/4ΚΩ/40ΚΩ/400ΚΩ/4ΜΩ/40ΜΩ
Capacitance	4nF/40nF/400nF/4µF/40µF/400µF/4mF
Frequency	4Hz/40Hz/400Hz/4kHz/40kHz/400kHz/4MH;
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Flashlight	•
Battery	15V AAA Battery×2
Pack Qty	1/10/40

































Pliers

Sockets .

Tools

ening

Measurin

Aeasuring & ...
Ayout Tools

Gardening

ools

orment

dering Storage Tools

Other Tools Power Tools

Tools

Outdoor

Fully Automatic Digital Multimeter
DL334503
COM

Main measurement functions: AC and DC voltage, AC and DC current, resistance
 Other functions: jack indicator, live wire detection, NCV, diode test, continuity test, data retention, true effective value, low voltage indication, automatic shutdown, backlight, flashlight lighting

em #	DL334503
fax. Readout	1999
AT Grade	CAT III 600V
uto/Manual Ranging	Auto Ranging
rue Value/Average Value	True Value
creen Size	2.8 inch
C Voltage	2V/20V/200V/600V
C Voltage	2V/20V/200V/600V
C Current	20mA/200mA/600mA
C Current	20mA/200mA/600mA
esistance	200Ω/2kΩ/20kΩ/200kΩ/2ΜΩ/20ΜΩ
ire Detection	•
ICV Non-contact Voltage Detection	•
iode Test	•
ontinuity Test	•
ata Retention	•
rue Value	•
ow Voltage Indication	•
utomatic shut-down	•
ack light	•
lashlight	•
attery	3V CR2032 Battery×2
ack Qty	1/10/40

Fully Automatic Digital Multimeter

DL334504





Main measurement functions: AC and DC voltage, AC and DC current, resistance
 Other functions: jack indicator, live wire detection, NCV, diode test, continuity test, data retention, true effective value, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334504	CAT III 600V	5999	1/10/40

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	2.8 inch
DC Voltage	60mV/600mV/6V/60V/600V
AC Voltage	60mV/600mV/6V/60V/600V
DC Current	6000µA/60mA/600mA
AC Current	6000µA/60mA/600mA
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6ΜΩ/60ΜΩ
Capacitance	6nF/60nF/600nF/6µF/60µF/600µF/6mF/60mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Flashlight	•
Battery	3V CR2032 Battery×2

Multi-function Digital Multimeter

DL334505



- Main measurement functions: AC and DC voltage, AC and DC current, resistance, capacitance, frequency, duty ratio, temperature
 Other functions: jack indicator, live wire detection, NCV, diode test, continuity test, true RMS, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334505	CAT III 600V	5999	1/10/40

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	3.1 inch
DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Current	600mA/6A/10A
AC Current	600mA/6A/10A
Resistance	600Ω/6κΩ/60κΩ/600κΩ/6ΜΩ/60ΜΩ
Capacitance	6nF/60nF/600nF/6µF/600µF/600µF/6mF/60mF
Frequency	6Hz/60Hz/600Hz/6kHz/60kHz/600kHz/6MHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
nput LED indication	•
Flashlight	•
Battery	1.5V AAA Battery×4

Multi-function Digital Multimeter

DL334506



- Main measurement functions: AC and DC voltage, AC and DC current, resistance, capacitance, frequency, duty ratio, temperature
- Other functions: jack indicator, live wire detection, NCV, diode test, continuity test, true RMS, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334506	CAT III 600V	5999	1/10/40

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	3.1 inch
DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Current	600mA/6A/10A
AC Current	600mA/6A/10A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6ΜΩ/60ΜΩ
Capacitance	6nF/60nF/600nF/6µF/600µF/6mF/60mF
Frequency	6Hz/60Hz/600Hz/6kHz/60kHz/600kHz/6MHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Input LED indication	•
Flashlight	•
Battery	15V AAA Battery×4

































Pliers

Soldering Tools

Storage Tools Other Tools

Power Tools

Multi-function	Digital	Multimeter
DL334507		



- •Main measurement functions: AC and DC voltage, AC and DC current, resistance,
- Other functions: Jack indicator, live wire detection, NCV, diode test, continuity test, true RMS, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334507	CAT IV 600V CAT III 1000V	9999	1/10/40

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Screen Size	3.5 inch
DC Voltage	100mV/1000mV/10V/100V/1000V
AC Voltage	100mV/1000mV/10V/100V/750V
DC Current	10mA/100mA/600mA/10A
AC Current	10mA/100mA/600mA/10A
Resistance	100Ω/1000Ω/10kΩ/100kΩ/1000Ω/10ΜΩ/100ΜΩ
Capacitance	10nF/100nF/1000nF/10µF/100µF/1000µF/10mF/100mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Diode Test	•
Continuity Test	•
Relative Value Measurement	•
Maximum/Minimum Measurement	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Input LED indication	•
Flashlight	•
Battery	15V AAA Battery×3

Automatic Digital Multimeter

DL334204



 Main measurement functions: AC and DC voltage, AC and DC current, resistance
 Other functions: NCV, diode test, continuity test, data retention, battery test, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334204	CAT III 600V	5999	1/10/40

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Clamping Size	30mm
DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
AC Current	6A/60A/600A
Resistance	$600\Omega/6k\Omega/60k\Omega/600k\Omega/6M\Omega/60M\Omega$
Capacitance	10nF/100nF/1000nF/10µF/1000µF/1000µF/10mF/100mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
NCV Non-contact Voltage Detection	•
LPF/Low Pass Filter	•
Lowz/Low Impedance	•
Diode Test	•
Continuity Test	•
Maximum/Minimum Measurement	•
Data Retention	• 8
True Value	•
Low Voltage Indication	•
Automatic shut-down	
Back light	•
Flashlight	•
Battery	15V AAA Battery×2

NCV Digital Multimeter

DL334205

1.5V AAA Battery×3



• Main measurement functions: AC and DC voltage, AC and DC current, resistance
• Other functions: NCV, diode test, continuity test, data retention, battery test, low
voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334205	CAT IV 600V CAT III 1000V	5999	1/10/20

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Clamping Size	40mm
DC Voltage	600mV/6V/60V/600V/1000V
AC Voltage	600mV/6V/60V/600V/750V
AC Current	60A/600A/1000A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6ΜΩ/60ΜΩ
Capacitance	10nF/100nF/1000nF/10µF/100µF/1000µF/10mF/100mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Lowz/Low Impedance	•
VFD/Inverter Signal Measurement	•
Inrush Current	•
Diode Test	•
Continuity Test	(•)
Maximum/Minimum Measurement	" ● 1
Data Retention	•
True Value	•
Low Voltage Indication	1.0
Automatic shut-down	**
Back light	•
Flashlight	•

NCV Digital Multimeter

DL334206

1.5V AAA Battery ×3



Main measurement functions: AC and DC voltage, AC and DC current, resistance
 Other functions: NCV, diode test, continuity test, data retention, battery test, low voltage indication, automatic shutdown, backlight, flashlight lighting

Item #	CAT Grade	Max. Readout	Pack Qty
DL334206	CAT IV 600V CAT III 1000V	5999	1/10/20

Auto/Manual Ranging	Auto Ranging
True Value/Average Value	True Value
Clamping Size	40mm
DC Voltage	600mV/6V/60V/600V/1000V
AC Voltage	600mV/6V/60V/600V/750V
DC Current	60A/600A/1000A
AC Current	60A/600A/1000A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6ΜΩ/60ΜΩ
Capacitance	10nF/100nF/1000nF/10µF/100µF/1000µF/10mF/100mF
Frequency	10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz/10MHz
Duty Cycle	•
Temperature (°C/°F)	•
Analog Strip	•
Fire Detection	•
NCV Non-contact Voltage Detection	•
Lowz/Low Impedance	•
VFD/Inverter Signal Measurement	•
Inrush Current	•
Diode Test	•
Continuity Test	•
Maximum/Minimum Measurement	•
Data Retention	•
True Value	•
Low Voltage Indication	•
Automatic shut-down	•
Back light	•
Flashlight	•

































Storage Tools Other Tools

NCV Digital M DL8491		
		COM VO N-+in
Other functions: N	ICV, diode test, continuity	voltage, AC and DC current, resistance y test, data retention, battery test, low acklight, flashlight lighting

tem #	DL8491
Max. Readout	1999
CAT Grade	CAT II 600V
auto/Manual Ranging	Auto
rue Value/Average Value	Average Value
OC Voltage	200mV/2V/20V/200V/600V
AC Voltage	2V/20V/200V/600V
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2ΜΩ/20ΜΩ
requency	10Hz/100Hz/10kHz/100kHz/1000kHz/5MHz
Diode Test	•
Continuity Test	•
Data Retention	•
ow Voltage Indication	•
Automatic shut-down	•
Flashlight	•
Battery	1.5V AAA Battery×2
Pack Qty	1/10/40







- M. Aluminum and iron dual purpose
 Self-calibration

Item #	DL333302
Measure Range	0-1700μm/67ml
Pack Qty	1/5/50





Strong chuck grip Flexible and versatile





Self-locking buckle design





Collet pad design Effective anti-skid

fine-tuning knob 360° rotation smoothly

- Strong holding
- Flexible and versatileStable and durable

Item #	Spec.	Pack Qty
DL332701	45cm	1/-/12









Photosensitive hole design

- Multifunctional measurement: length, area, volume, Pythagorean, secondary Pythagorean, etc.
- Aluminum alloy body, compact and convenient

Item #	DL331050M	DL331050Z
Spec.	50	50
Measure Range	0.05~50m	0.05~50m
Accuracy	±(3+5*10-5D) GGJ966 Class 1	±(3+5*10-5D) GGJ966 Class
Data Storage Laser Automatically Turns Off	30s	30s
Volume/Area/ Pythagorean Theorem	Yes	Yes
Battery	850mAh Lithium Battery	850mAh Lithium Battery
Pack Qty	1/12/72	1/12/72



































Laser Range Finder



Brand New Upgrade

1 horizonal bubble added Ensuring measuring accuracy
Data storage updated from 110 groups to 30 groups



- 30 groups of data storage1.7 inch display

- Dual laser projection
 Millimeter-level accuracy

Item #	EDL4168	EDL4169	EDL4170	EDL4171
Specifications	40m	60m	80m	100m
Pack Qty	1/-/50	1/-/50	1/-/50	1/-/50
Weight	260g	260g	260g	260g
Package Size	65x33.8x35cm	65x33.8x35cm	65x33.8x35cm	65x33.8x35cm
Measuring Range	0.05m-40m	0.05m-60m	0.05m-80m	0.05m-100m
Measuring Accuracy	±3mm	±3mm	±3mm	±3mm
Laser Power	<1mW	<1mW	<1mW	<1mW
Laser Class	Class II	Class II	Class II	Class II
Data Storage	30 groups	30 groups	30 groups	30 groups
Automatic Laser Shutdown	30s	30s	30s	30s
Automatic shutoff	3 min	3 min	3 min	3 min
Measurement of volume and area	Yes	Yes	Yes	Yes
Pythagorean theorem measurement	Yes	Yes	Yes	Yes
Add & Subtract Measurement	Yes	Yes	Yes	Yes
Continuous Measuring	Yes	Yes	Yes	Yes
Max and Min Measurement	Yes	Yes	Yes	Yes

Infrared Thermometer



- Adjustable emissivity: 0.1-1
- Quick measurement in less than 0.5s
 "C/"F measurement unit conversion
 High definition LCD display screen
- High/low temperature alarm

Item #	DL333380	
Measuring Range	-30 ℃~380 ℃	
Accuracy	±2 °C (±3 °F) or ±2%	
Response Time	0.5s	
Response Wave Length	5~14um	
Emissivity	0.95 default , 0.8 optional	
Working Temperature	0°C~40°C (32°F~104°F)	
Relative Humidity	10%RH~90%RH	
Storage Temperature	-20 °C~60 °C (-4°F~140 °F)	
D:S	8: 1	
Resolution	0.1°C or 1 °F	
Infrared Point	Single	
Laser Type	CLASS II, Power < 5mW	
Display	LCD	
Max/Min Value	Yes	
Measuring Unit	°C / °F	

Stud Finder/Wall Scanner



- Large LCD digital display
- Measuring range display and buzzer alarm
- . Up to 6 working hours
- Powered by 6F22 9V batteries
- 4-in-1 detection modes, suitable for ferrous metal, nonferrous metals, charged wire and wood

Item #	Detection Mode	Product Size	Max. Detection Depth	Pack Qty
DL9715	metal, charged wire and wood	145mm×65mm×25mm	80mm	1/-/20

Socket Tester



- Electric leakage detection, auto current recovery
- Comprehensive functions, one-button test
- Compact and portable
- · Features: PTC self-recovery
- Functions: check if socket misses out earth wire, null wire or live wire, if it is null-live reversely connected or live-earth reversely connected, if earth wire is missed

Item #	Applicable Voltage	Rated Current	Applicable Standards	Pack Qty	
DL333010	AC175~250V	10A	CAT II 300V	1/-/100	

Digital Socket Tester



- Electric leakage detection, auto current recovery
- LED screen displays voltage
- Comprehensive functions, one-press test
- Compact and portable
- · Features: PTC self-recovery
- Functions: check if a socket misses out earth wire, null wire or live wire, if it is null-live reversely connected or live-earth reversely connected, if earth wire is missed

Item #	Applicable Voltage	Rated Current	Applicable Standards	Pack Qty
DL333011	AC175~250V	10A	CAT II 300V	1/-/100

Optical Fiber Fault Locator



- Detection range: 10KM
- 3 Ports: FC, ST, SC
- Aluminum alloy coated for a dedicate look and corrosion resistance

ILCHI #	Detection distance	Putt Type	Output wavelength	Pack Uty	
DL335010	010km	FC, ST, SC	650nm	1/-/50	





































- Heat-treated and nickel-coated 40Cr steel shank, with a hardness over 50HRC for corrosion resistance and long-lasting durability
 Flat tip designed for inserting in narrow plug

Item #	Spec.	Measuring Range	Pack Qty
EDL8001	140mm	AC 100-500V	1/24/480
DL8002	190mm	AC 100-500V	1/24/480



- No battery required, convenient and economical
 Easy identification with LED display
 Induction breakpoint test function to easylly find the breakpoint position
- Suitable for 12/36/55/110/220V AC/DC voltage

Item # Spec.		Measuring Range	Pack Qty	
EDL8003	130mm	AC/DC 12-250V	1/24/480	



- Quick check if the tested object is live without stripping the wire or disassembling, safe and reliable
 Compact design and pen clip facilitate carrying
 Sound and light alam with buzzer and LED display for easy operation
 Lighting function for emergency use as torch in dark environment
 Detection of separated live and neutral wires and electromagnet radiation nearby

- Meet CAT IV 1000V AC safety class

Item #	Spec.	Measuring Range	Pack Qty
DL8008	155mm	AC 90-1000V	1/12/96



Item #	Spec.	Measuring Range	Pack Qty
EDL8011	162mm	12/48-1000V AC	1/12/96



Item #	Spec.	Pack Qty
EDL2705	4.5"(115mm)	1/12/144





- Forged 60CrV steel body with black finish and polish for rust resistance and long service life
 Overall heat treatment, laser-treated cutting edge with a hardness up to 60-644HRC for sharp cutting and long lasting
 Reset spring allows for flewble, fast and easy operation, improving efficiency
 Double-layer plastic coated handle for a dedicate look and confortable

- grip, and long-time operation

Item #	Item # Spec.	
DL0305	5"(125mm)	1/10/100
DL0306	6"(150mm)	1/10/100

Plastic Cutting Nippers High-quality stainless steel with overall heat treatment, and 48-52HRC hardness PP nad TPR coated handle for antislip and comfortable grip Suitable for cutting iron, copper and aluminum wires with a diameter less than 0,5mm Pack Qty Item





Item #	Spec.	Pack Qty
EDL2706	6"(150mm)	1/6/120



- 55# high carbon steel pliers body, cutting sharp
 High frequency quenching treatment of the edge, hardness up to 56-60HRC
 Reset spring design, shear labor-saving
 Dipping plastic handle, excellent anti-slip

Item #	Spec.	Pack Qty
EDL2715	5"(125mm)	1/6/120

Pliers

Sockets & Wrenches

Tool Sets

Measuring Tools Measuring & Layout Tools

Gardening

Protective Equipment

Soldering Tools

Tools Other Tools

Power

Tools

Storage

Automotive Tools

Outdoor Equipment

Plastic Cutting Nippers 8"



- Stainless steel forging shear body, surface heat treatment, hardness of 48-52HRC, shear sharp
- PP + TPR cover rubber, non-slip design, comfortable grip

Item #	Spec.	Pack Qty
EDL2908	8"(200mm)	1/6/72

Plastic Cutting Nippers 5"



- 55# high carbon steel pliers body, cutting sharp
 High frequency quenching treatment of the edge, hardness up to 56-60HRC
 Reset spring design, shear labor-saving
 PVC handle design, comfortable grip

-	FVC Hariule	ucaigii,	Commontable	Riih	

Item #	Spec.	Pack Qty
EDL0305A	5"(125mm)	1/6/120
EDL0306A	6"(150mm)	1/6/120

Ethernet Crimper



- Forged with cold-rolled steel plate, electrophoresis treated surface
 PVC handle for comfortable grip
- . Suitable for wire cutting, stripping and crimping

Item #	Spec.	Pack Qty
EDL2468	4P,6P,8P	1/6/48

Ethernet Crimper



- Stripping cutting pressure three in one, fully functional
 Cold-rolled steel plate clamp body, the surface blackening treatment, strong and durable, not easy to rust
 SK5 blade, shear sharp
 Single-color plastic handle, wear-resistant and non-slip

Item #	Spec.	Pack Qty	
EDL381008	8P	1/6/72	

Ethernet Crimper



- A3 steel pliers body, surface heat treatment, strong and durable
 PVC + TPR cover rubber handle, comfortable grip
 Ratchet force-saving mechanism, better crimping effect
 With cutting, stripping UTP / STP round twisted pair and flat telephone
 lines and other functions, full-featured

Item #	Spec.	Pack Qty
EDL4971	4P,6P,8P	1/6/72

Ethernet Crimpers



- 3-in-1 multi functions: cutting, stripping and crimping
 Forged with cold-rolled steel plate, electrophoresis treated surface
 PVC handle for comfortable grip

Item #	Spec.	Pack Qty
DL2468C	4P,6P,8P	1/6/48

Punch Down Tools



- Rotating tail structure to adjust punching force
 40Cr alloy steel tips with special treatment for abrasion resistance
 ABS handle for comfortable and antislip grip
 65Mn spring steel with high punching type
 blade guard included to protect the blade from damage

Item #	Spec.	Pack Qty
DL381005	5.5"	1/6/60

Wire Stripper



- Forged with cold-rolled steel plate, electrophoretic-treated surface
 Dual-color PVC handle for comfortable grip
 Wire stripping, cutting and crimping
 Crimping range of insulation terminal: 10-14,16-18,20-22
 Crimpin range of bare connector: 14-18,20-22,22-26,16-28

Item #	Spec.	Stripping Range	Pack Qty
DL383007	7.5"	0.6-2mm	1/6/60

Wire Stripper



- · Six-in-one multi-functional stripper: clamping, cutting, splitting, breaking,

- Skinning tripping
 rimping, stripping
 safety lock design
 wire splitting hole
 PPR coated handle for comfortable grip
- 40Cr steel body, strong and durable

Item #	Spec.	Stripping Range	Pack Qty
DL383009	9"	1-4mm	1/6/60



1.25-8mm

1/6/48

EDL2003


DL2002C



0.5-6mm

1/6/72





Adjustable Temperature Heat Gun

• Japan Mubachi motor, constant speed, stable airflow



Adjustable Temperature Heat Gun

Japan Mubachi motor, constant speed, stable airflow
 Dual heating core with overheat protection
 Two temperature adjustment levels for different applications

2000W

EDL391202

Temperature

Pack Otv

1/-/10









E)

Pliers

Sockets & Wrenches

Tool Sets Measuring Tools

Measuring & Layout Tools

ning

Protective Equipment Tools Soldering

> Storage Tools Other Tools

> > Power

Tools

Automotive Tools

Hot Melt Glue Gun



- PTC heating elements for stable glue melting
 Copper nozzle for long lasting
 Glue stop value to avoid glue overflow
 3C certified power cord, safe and reliable

Item #	Spec.	Applicable Glue Stick	Pack Qty
DL401100	100W	11mm	1/12/36

Hot Melt Glue Gun



- The glue outlet is made of aluminum and has a glue stop valve to prevent glue overflow
 Using PTC ceramic heating core, constant temperature heating, stable glue melting and smooth glue discharge
 Silicone anti-scalding mouth guard is used to effectively protect the safety of use

Item #	Spec.	Applicable Glue Stick	Pack Qty
EDL5044	20W	7mm	1/12/48
EDL2560	60W	11mm	1/6/36

Li-ion Hot Melt Glue Gun



- Ceramic heating element, melt glue quickly
 Aluminum alloy glue outlet, with glue stop valve to prevent glue dripping, and glue out smoothly
- Three-color indicator light, easy to distinguish working status

Item #	Spec.	Applicable Glue Stick	Pack Qty
EDL5045	3.6V	7mm	1/6/48

Hot Melt Glue Gun



- Colorful and novel appearance
 PTC heating elements for stable glue melting
 Environment-friendly shell, RoHS tested, non-toxic
 Silicone nozzle cover, safe and anti-scalding
 Glue stop value to avoid glue overflow
- 3C certified power cord, safe and reliable

Item #	Spec.	Applicable Glue Stick	Pack Qty
DL390020	20W	7mm	1/12/48

Hot Melt Glue Base



- PTC ceramic heating element for stable heating
 Aluminum alloy furnace mouth with Teffon treatment, not easy to stick glue
 3c certified power cord, safe and reliable
 High engineering plastic material with good insulation, safe and reliable
 Applications: fixation for hair extension, barge hair, silk flower, glue flower, Christmas flower, tree and all kinds of ornaments, color box, wooden products, toys, electronic package etc
- Preheating time: about 3 minutes; heating temperature: 180°C

Item #	Spec.	Applicable Glue Stick	Pack Qty
DL390960	60W	7&11mm	1/-/40

Hot Melt Glue Stick



- EVA environment-friendly resin, non-toxic (ROHS tested) Uniform melting and good adhesion
- Packed in PVC cans, easy to take and use

Item #	Spec.	Pack Qty
DL390055A	7x100mmx55pcs	1/12/72
DL390055B	7x100mmx55pcs	1/12/72
DL390055C	7x140mmx55pcs	1/12/72
DL390022A	11x200mmx22pcs	1/12/72

11x200mmx21pcs

1/12/72

Hot Melt Glue Stick



- · Strong adhesion
- Pure and free of impurities

Item #	Spec.	Pack Qty
EDL5042	7x200mmx10pcs	1/50/300
EDL5043	11x200mmx10pcs	1/30/120

Hot Melt GLue Stick



- EVA environment-friendly resin, RoHS tested, non-toxic and harmless . Suitable for furniture, leather, wood bonding, etc.
- DL390010A 7x160mmx30pcs 1/50/300 DL390050A 7x160mmx100pcs 1/10/60 DL390050B 11x270mmx55pcs 1/-/20

Electrical Insulating Tape



DL390021A



- High temperature flame retardant, safe to use
- · RoHS certification, eco-friendly material

Item #	Spec.	Pack Qty
EDL5261	0.13mm*18mm*9.15m (Black)	1/10/250



- Environment-friendly PVC material, tough and anti-aging
 RoHS certificated, lead-free, safe ang healthy
 flame-retandang, moisture-proof, abraion-resistant
 Good insulation f or electricity resistance, up to 600V voltage
- Temperature: 0-80°C

Item #	Spec.	Pack Qty
DL5261	0.13mmx18mmx10m (Black)	1/10/250
DL5262	0.13mmx18mmx10m(Red)	1/10/250
DL5263	0.13mmx18mmx10m(Yellow)	1/10/250
DL5265	0.13mmx18mmx10m (Blue)	1/10/250
DL5266	0.13mmx18mmx10m (Green)	1/10/250

Electical Tape

RoHS



- Environment-friendly PVC material, tough and anti-aging
 RoHS certificated, lead-free, safe ang healthy
 flame-retardang, moisture-proof, abrasion-resistant
 Good insulation f or electricity resistance, up to 600V voltage
- Temperature: 0-80°C

Item #	Spec.	Pack Qty
DL5261B	0.13mm*18mm*20m (Black)	1/10/200

Electical Tape

RoHS



- Environment-friendly PVC material, tough and anti-aging
 RoHS and REACH SVHC certificated, lead-free, safe ang healthy
 flame-retardang moisture-proof, abrasion-resistant
 Good insulation f or electricity resistance, up to 600V voltage

Item #	Spec.	Pack Qty
DL5271	0.13mmx18mmx10m (Black)	1/10/250

Electrical Tape

RoHS



- Environment-friendly PVC material, tough and anti-aging
 RoHS certificated, lead-free, safe ang healthy
 flame-retardang, moisture-proof, abrasion-resistant
 Good insulation f or electricity resistance, up to 600V voltage
- Temperature: 0-80°C

Item #	Spec.	Pack Qty
DL5264	0.13mmx18mmx10mx10pcs(8Black+Red+Yellow)	1/-/25
DL5261-10	0.13mmx18mmx10mx10pcs (Black)	1/-/25







- Environment-friendly PVC material, tough and anti-aging
- Environment-many PV: Internal, using a mal anti-aging RoHS certificated, lead-free, safe ang healthy
 flame-retardang, moisture-proof, abrasion-resistant Good insulation for electricity resistance, up to 600V voltage
 Temperature: 0-80°C

Item #	Spec.	Pack Qty
DI 5272	0.13mmx18mmx10mx10ncs(Black)	1/-/25

Teflon Tape



- High apparent density and good lateral ductility, good sealing
 High temperature and corrosion resistant

Item #	Spec.	Pack Qty
DL389115	0 • lmmxl5mmxl5m	1/50/600

Teflon Tape



- High apparent density and good lateral ductility, good sealing
- · High temperature and corrosion resistant

Item #	Spec.	Pack Qty
DL389515	0.1mmx15mmx15mx5pcs	1/10/120

Stainless Steel Tweezers 3pcs



- · Stainless steel material, strong clamping
- . Sharp, curved and flat three-in-one • Coated surface, anti-static

Item #	Spec.	Pack Qty
DL396003	140mm tip head 120mm flat head	1/24/360

Stainless Steel Tweezers 3pcs



- Stainless steel material, strong clamping
- Sharp, curved and flat three-in-one

Item #	Spec.	Pack Qty
DL396003B	140mm tip head 120mm flat head 120mm elbow head	1/24/360



































1/12/96

deli

Pliers

Sockets & Wrenches

Tool Sets

Measuring & Layout Tools

Tools Measuring

ning

Tools Soldering Storage

> Other Tools Power Tools

Tools

Automotive

Anti-static tweezer 3pcs



- Impedance coefficient: <10,000 Ω Sharp, curved and flat three-in-one
- · Coated surface, anti-static

Item #	Spec.	Pack Qty
DL396003F	120mm tip head 120mm flat head 120mm elbow head	1/24/360

Soldering Iron



- Nickel-chromium wire heating core, heating up quickly
 Natural mica sheet, good heat insulation effect
 PRT plastic handle, heat-resistant and flame retardant

Item #	Spec.	Pack Qty
EDL8830	30W	1/12/96
FDI 8840	40W	1/12/96

60W

Soldering Iron

- Built-in temperature sensor, accurate temperature control between
- 200-450°C
 Built-in ceramic heating core, rapid temperature rise
 Stainless steel shell, corrosion resistant
- Electroplated purple copper alloy soldering iron head, durable and

Item #	Spec.	Pack Qty
EDL8820	60W	1/6/48

Soldering Iron



- Built-in ceramic heating element for fast and stable heating, easy to replace
 Alloy electroplated copper soldering iron tip for corrosion resistance,
 easy to use with a foldable soldering iron stand
 High-quality stainless steel shell for fast heat dissipation
 PET engineering plastic handle better performance
 3C certified power cord, safe and reliable

	Item #	Spec.	Pack Qty	
	DL88035A	35W	1/6/96	
	DL88050A	50W	1/6/96	

Soldering Iron

EDL8860



- Double-layer mica heating element for fast and stable heating easy to replace
 Alloy electroplated copper soldering iron tip for corrosion resistance,
 easy to use with a foldable soldering iron stand
 High-quality stainless steel shell for fast heat dissipation
 PBT engineering plastic handle better performance

- 3C certified power cord, safe and reliable

Item #	Spec.	Pack Qty
DL88075	75W	1/10/50
DL88100	100W	1/10/50
DL88150	150W	1/10/50
DL88200	200W	1/5/40
DL88300	300W	1/5/30
DL88500	500W	1/-/20

Adjustable Soldering Iron



- Built-in temperature sensor, electronic temperature control panel for accurate temperature control
 Temperature can be controlled between 200-450°C, and be adjusted by rotating
 Built-in ceramic heating element for rapid and stable heating easy to replace
 Alloy electroplated copper soldering iron tip for corrosion resistance, easy to use with a foldable soldering iron stand
 High-quality stainless steel shell for fast heat dissipation
 Transparent PC handle, heat-proof and non-flammable
 Scentifical power cord

- . 3C certified power cord, safe and reliable

Item #	Spec.	Pack Qty
DL5071	60W	1/6/48

Soldering Iron



- Nickel-chromium wire heating core, heating up quickly
- Natural mica sheet, good heat insulation effect
 PRT plastic handle, heat-resistant and flame retardant

Item #	Spec.	Pack Qty
DL8830C	30W	1/12/96

Soldering Iron(Bent Head)



- Built-in temperature sensor, accurate temperature control between 200-450°C
- Built-in ceramic heating core, rapid temperature rise
 Stainless steel shell, corrosion resistant
- Electroplated purple copper alloy soldering iron head, durable and corrosion-resistant

Item #	Spec.	Pack Qty
DL8820W	60W	1/6/48

Internally Heated Soldering Gun



- One-hand operation to improve efficiency
 Automatic and smooth wire feeding, simple and easy to operate
 Nickel-chromium heating wire for rapid heating
 Certified power cord: safe and reliable
 Coppers soldering inon tip for rapid heating, safe and secure
 Arc-shaped tin-feeding trigger, easy to press

 Arc-shaped tin-feeding trigger, easy to press

- Removable tin coil

Item #	Spec.	Pack Qty
DL394045	45-65W	1/12/36

Externally Heated Soldering Gun



- One-hand operation to improve efficiency
 Automatic and smooth wire feeding, simple and easy to operate
 Nickel-chromium heating wire for rapid heating
 Certified power cord: Safe and reliable
 Copper soldering inor tip for rapid heating, safe and secure
 Arc-shaped tin-feeding trigger, easy to press

- · Removable tin coil

Item #	Spec.	Pack Qty
DL394060	30W	1/12/36

Soldering Gun



- Quantitative output tin/ adjustable temperature (100-500°C)s with 0-8 levels
 Flexible adjustment of the position of the arm
 Tin output: 1-11 level, stepless adjustment
 High-grade copper soldering iron ti with nickel-chromium heating wire for rapid heating
- Foot switch designed to free your hands and improve efficiency

Item #	Spec.	Pack Qty
DL394080	80W	1/-/12

Soldering Station



- Product Power: 40W
 Nylon handle for high temperature resistance and comfortable grip
 Sensor-closed circuit, microcomputer temperature control, for stability
 Digital display with temperature range: 200-480°C
 Soldering into ceramic heating element for quick and stable heating
 Grounding design to prevent electrostatic damage to components to be soldered 3C certified power cord and CQC certified transformer, safe and reliable

Item #	Spec.	Pack Qty
DL398040	24V	1/-/12

Digital Soldering Station



- Product Power: 60W
 Nylon handle for high temperature resistance and comfortable grip
 Senson-closed circuit, microcomputer temperature control, for stability
 Digital display with temperature range: 200-480°C
 Soldering iron ceramic heating element for quick and stable heating
 Grounding design to prevent electrostatic damage to components to be soldered
- 3C certified power cord and CQC certified transformer, safe and reliable

Item #	Spec.	Pack Qty
DL398060	24V	1/-/12

Desoldering Station



- Product Power: 700W
 Nickel-chromium wire heating element for uniform heating, and over-temperature protection
 Digital display temperature range: 100-500°C
 Adjustable air volume: 1201/min (may)
 Automatic cooling system: induction magnetron

- 3C certified power cord and CQC certified transformer, safe and reliable

Item #	Spec.	Pack Qty
DL398700	700W	1/-/12

Multi-function Soldering Station



- TotalpPower: 740W (soldering iron power: 40W, Hot air gun power: 700W)
 Nylon handle for high temperature resistance and comfortable grip
 Sensor-closed circuit, microcomputer temperature control, for stability
 Hot air gun digital display with temperature range: 100-480°C
 Adjustable air volume: 120L/min (max)
 Automatic cooling system for induction magnetron
 Soldering iron ceramic heating element with stainless steel shell: rapid and stable heating, easy to replace
 Grounding design to prevent electrostatic damage to components to be soldered
 3 C certified power cord and CQC certified transformer, safe and reliable

Item #	Spec.	Pack Qty
DL398740	700W(Heat Gun) 40W (Soldering Iron)	1/-/8

Solder Wire



- 30% tin connect with flux
 Less solder residue when welding, clean and full solder joints, bright and not corrosive.
 Small smoke and irritating smell when welding, ensure the safety of the operator and improve work efficiency

Item #	Spec.	Pack Qty
DL-XS-30081	0.8mm/100g	1/10/60
DL-XS-300825	0.8mm/250g	1/10/60

Solder Wire



- Wire diameter L0mm
 Tin content: 30%, good solderability, good wettability
 Incuded flux, cleaning-free
 Low melting point, fast welding

Item #	Spec.	Pack Qty
DL395100	1.0mm/100g	1/20/120
DL395250	1.0mm/250g	1/10/60

Solder Wire



- Wire diameter 0.8mm
 High purity, 99.3% tin content
 Lead-free soldering, environment-friendly and non-toxic
 Incuded flux, cleaning-free
- . Low melting point, fast welding

Item #	Spec.	Pack Qty
DL395075G	0.8mm/75g	1/20/120
DL395250G	0.8mm/250g	1/10/60































Pliers

Sockets & Wrenches

Fastening Tools

Tool Sets Measuring

Tools

Measuring & Layout Tools

Electrical Tools Gardening

Protective Equipment Soldering Tools

Storage

Tools Other Tools Power

Automotive Tools

Tools

Outdoor Equipment

Desoldering Pump



Aluminum alloy with good sealing performance
 High-quality PTFE nozzle with spring for quick abosortion of melted tin, high temperature resistance, and long service life

Item #	Spec.	Pack Qty
DL8720	20mmxl95mm	1/20/240

Pipe Hot Melt Machine



- UT support for easy pull out
 Aluminum heating plates
 Anti-blocking mold head
- 3C certificated power cord and plug, safe and reliable

Item #	Spec.	Power	Pack Qty
DL397032	20,25,32mm	800W	1/-/6
DL82032C	20,25mm	800W	1/-/6

Pipe Hot Melt Machine



- UT support for easy pull out
 Alluminum heating plates
 Anti-blocking mold head
 GC certificated power cord and plug, safe and reliable

Item #	Spec.	Power	Pack Qty
DL397132	20,25,32mm	1200W	1/-/6

Electronic Pipe Hot Melt Machine



- UT support for easy pull out
- Aluminum heating plates
 Electrionic and accurate control of temperature
- Anti-blocking mold head
- 3C certificated power cord and plug, safe and reliable

Item #	Spec.	Power	Pack Qty
DL397232	20,25,32mm	800W	1/-/6

Digital Display Pipe Hot Melt Machine



- UT support for easy pull out
 Aluminum heating plates
 Adjustable temperature between 100-320°C
 Faulty display function
- · Anti-blocking mold head
- 3C certificated power cord and plug, safe and reliable

Item #	Spec.	Power	Pack Qty
DL397132S	20,25,32mm	1200W	1/-/6

Pipe Hot Melt Machine



- UT support for easy pull out
 Aluminum heating plates
 Anti-blocking mold head
- 3C certificated power cord and plug, safe and reliable

DL397063 20,25,32,40,50,63mm 800W 1,	/-/6

Digital Display Pipe Hot Melt Machine



- UT support for easy pull out
 Alluminum heating plates
 Anti-blocking mold head
 GC certificated power cord and plug, safe and reliable

Item #	Spec.	Power	Pack Qty
DL397063S	20,25,32,40,50,63mm	800W	1/-/6

Power Plug



- Detachable design, easy to install and use
 Elastic anti-fall PVC shell, impact resistant and wear resistant
 High temperature resistance, flame retardant 750°C
 3C certificated, National safety certification passed


Item #	Spec.	Pack Qty
TI8296	2500W	1/20/960

Power Plug



- Detachable design, easy to install and use
 Elastic anti-fall PVC shell, impact resistant and wear resistant
 High temperature resistance, flame retardant 750°C
 3C certificated, National safety certification passed

Item #	Spec.	Pack Qty
T18297	2500W	1/10/480





3 Ports+2 USB(1.8m)


Pack Qty

1/24/48

T18265

Maximum power: 2500W

Item #



2 Ports(2m)





ELECTRICAL TOOLS

Pliers

Sockets & Wrenches

Fastening Tools

Tool Sets

Measuring Measuring & Layout Tools

Tools

Electrical Tools

Gardening

Protective Equipment Tools

Soldering Storage

Tools

Other

Tools Power Tools

Automotive

Outdoor

Extension Sockets

- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: Imm²
 Maydrum payer 2500MM

- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18251	2+2 Ports(2m)	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18251-03	2+2 Ports(3m)	1/12/48

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C , socket shell and inner core adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18252	2+3 Ports(2m)	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock
- for consumers
 High temperature resistant up to 750°C, socket shell and inner core
 adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
TI8274	3 Ports(2m)	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: Imm²

- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18253	4 Ports(3m)	1/12/48

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock
- For consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material and unplurified.
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18254	5 Ports(3m)	1/12/48

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C , socket shell and inner core
- Ingin temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
 Maximum power: 2500W

Item #	Spec.	Pack Qty
T18256	3+3 Ports(3m)	1/12/48
TI8257	3+3 Ports(3m)	1/12/36

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C, socket shell and inner core
- Ingir temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
 Maximum power: 2500W

Item #	Snoo	Pack Qty
ILEIII #	Spec.	Раск ціу
T18260	6 Ports(3m)	1/12/36
T18261	6 Ports(5m)	1/12/36

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: Imm²
 Marignum parts 750°CM

- Maximum power: 2500W

Item #	Spec.	Pack Qty	
TI8202	2+3 Ports(2m)	1/15/60	

ELECTRICAL TOOLS

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18203	4 Ports(3m)	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
TI8204	5 Ports(3m)	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
- High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
- 5000 times of normal plugging and unplugging
 Power cord conductor: lmm²
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18210	3+3 Ports(5m)	1/24/48

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor. Imm²
 Maximum power: 2500W

Item #	Spec.	Pack Qty
T18206	6 Ports(5m)	1/24/48

Power Sockets without Power Cord



- 3C certification, national safety certification
- Built-in protection door to effectively reducing the risk of electric shock for consumers
- for consumers

 High temperature resistant up to 750°C, socket shell and inner core
 adopt high temperature resistant material

 5000 times of normal plugging and unplugging

 Power cord conductor: Imm²

 Maximum power: 2500W

Item #	Spec.	Pack Qty
T18293	2+2 Ports	1/15/60

Power Sockets without Power Cord



- 3C certification, national safety certification
- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: Imm²
 Maximum power: 2500W

Item #	Spec.	Pack Qty
TI8292	3 Ports	1/15/60

Extension Sockets



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock
- for consumers

 High temperature resistant up to 750°C, socket shell and inner core
- Align temperature resistant up to 750°, socker adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 Power cord conductor: hmm²
 Maximum power: 2500W

Item #	Spec.	Pack Qty
T18248-03	8 Ports(3m)	1/12/36
T18248-05	8 Ports(5m)	1/12/24

Power Sockets without Power Cord



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 The product shell is made of elastic material, shock-proof, anti-fall and pressure-resistant

- Maximum power: 2500W

Item #	Spec.	Pack Qty
TI8298	1+1 Ports	1/15/60

Power Sockets without Power Cord



- 3C certification, national safety certification
 Built-in protection door to effectively reducing the risk of electric shock for consumers
 High temperature resistant up to 750°C, socket shell and inner core adopt high temperature resistant material
 5000 times of normal plugging and unplugging
 The product shell is made of elastic material, shock-proof, anti-fall and pressure-resistant
- Maximum power: 2500W

Item #	Spec.	Pack Qty
T18299	2+2 Ports	1/15/60





























GARDENING TOOLS



Pruning Shears(Simple Series)



- Alloyed cutter with heat treatment
 Spring deisgn for easy springback
 PP non-slip handle for comfortable grip

Item #	Spec.	Cutting Diamter	Pack Qty
EDL580101	8"	10mm	1/10/60

Pruning Shear



- Metal handle, strong and durable
- · Blade sharpness, not deformed

Item #	Spec.	Cutting Diamter	Pack Qty
EDL580200	8"	14mm	1/10/60

Pruning Shear



- Forged with 55# high carbon steel for long lasting
 Sandblasting carftmanship for better quality
 Max.Cutting Diameter: 15mm

Item #	Spec.	Cutting Diamter	Pack Qty
EDL580203	8.5"	15mm	1/6/60

Pruning Shear



- Teflon treated blade for smooth cutting, better appearance and rust proof
 Dipped plastic handle for comfortable grip
 Max.Cutting Diameter: 15mm

Item #	Spec.	Cutting Diamter	Pack Qty
EDL580204	8"	15mm	1/6/60

Pruning Shear



- Teffon treated blade for smooth cutting, better appearance and rust proof
 Dipped plastic handle for comfortable grip
 MaxCutting Diameter: 15mm

Item #	Spec.	Cutting Diamter	Pack Qty
EDL580205	8"	15mm	1/6/60

Pruning Shear



- Teflon treated blade for smooth cutting, better appearance and rust proof Max.Cutting Diameter: 15mm
- Cutting Diamte Pack Qty EDL580206

Pruning Shear



- The SK5 upper blade with Tefion-treated surface for sharp cutting and abrasion resistance
 The lower blade with electroplated surface for rust resistance
 Overall heat treatment with over 50HRC hardness
 TRR-coated rylon fiber handles for a comfortable grip, good abrasion

- and slip resistance

 Double cutting diameter available for hands with different sizes
- **Cutting Diamter** Pack Otv EDL2789A 18mm 1/6/60

Curved Jaw Pruning Shear



- Precision forged #55 carbon steel blade, with heat-treated surface for Precision rouged #55 carbon steel blade, with heat-deated sharp cutting
 Two color handle for a dedicate look and comfortable grip
 Used for pruning fruit trees, bonsai plants and garden plants
- Cutting Diamter Pack Qty EDL2778 10mm 1/6/60

Pruning shear



- PP handle, light and durableStainless steel scissor head
- Material Pack Qty DL580100A 1/10/60































Pliers

Sockets & Wrenches

Fastening Tools

Tool Sets Measuring Tools

Measuring & Layout Tools

Protective Equipment

Soldering Tools Storage

Tools






- Double pulley structure,for labor-saving operation
 Easy to operate with dual purposes as both a saw and scissors
 Retractable holding bar (180cm-286cm)

Item #	Spec.	Cutting Diamter	Pack Qty
DL580511	180~286cm	29cm	1/-/6






















Item #	Spec.	Cutting Diamter	Pack Qty
EDL2779	26.5"	30mm	1/10/20



GARDENING TOOLS



- Gardening tools set for different using scenarios
 Large shear for cutting diameter: 30mm
 Small shear for cutting diameter: 15mm

Item #	Spec.	Material	Pack Qty
EDL580002	200mm/745mm	55C	1/-/6



- Gardening tools set for different using scenarios
 Large shear for cutting thick branches with 30mm diameter
 Small shear for cutting twigs with 15mm diameter
 Hedge shear for pruning branches and leaf or 6mm twigs

Item #	Spec.	Material	Pack Qty
EDL580003	200mm/520mm/590mm	55C	1/-/6



- PP handle
 Serrated is 210mm long
 Applicable working conditions: wall board, gypsum board excavation

Item #	Spec.	Pack Qty
DL580701	210mm	1/24/96





- 65Mn steel blade with quenched saw teeth, for good toughness and high abrasion resistance; two-sided grinding teeth and double-row blades for sharp cutting
 Two-color b-material handle for a comfortable grip
 Come with jacket that can be buckled around the waist, easy to carry

Item #	Spec.	Saw Teeth	Pack Qty
DL6005	175mm	7TPI	1/6/60



Item #	Spec.	Saw Teeth	Pack Qty
EDL580933	330mm	7TPI	1/10/60



- Three-sides grinding teeth for sharp sawing
 Antislip coated handle for a comfortable grip

Item #	Spec.	Pack Qty
DL580924	240mm	1/2/48
DL580927	270mm	1/2/48



Item #	Spec.	Saw Teeth	Pack Qty
EDL580618	180mm	7TPI	1/10/60



- 65Mn steel blade with quenched saw teeth, for good toughness and
- high abrasion resistance; three-sided grinding teeth for sharp cutting

 Two-color bi-material handle for comfortable grip

 Magnetic jack package for better protection of teeth, safe and
- convenient use

Item #	Spec.	Pack Qty
EDL6840A	400mm	1/12/48
EDL6845A	450mm	1/12/48



- 65Mn steel material
 Hanging hole for easy storage
 TPR coated handle for comfortable grip
- Angled handle to assist in drawing lines

Item #	Spec.	Saw Teeth	Pack Qty
EDL6850	500mm	7TPI	1/12/48
EDL6840	400mm	7TPI	1/12/48

E.

Tools





31cm(narrow shovel) Cold rolled steel sheet

1/12/48











GARDENING TOOLS















E)

Sockets & Wrenches

Fastening Tools

Sets Measuring Tools

Too

Measuring & Layout Tools

ctrical Gar

Tools

Fauipment

Soldering

Storage Tools Other Tools

ols Automotive

Cutdoor

Lithium-lon Garden Shears DL582004

Specification:
Voltage:
Cutting diameter:
Battery Capacity:
Pack Qty:

Pruning branches

trim flowers

picking fruit



Gas Chain Saw DL585022



Specification: Power: 2400W Chain Speed: 2800rpm Bar length: 10° Max. Cutting 200mm Diameter: 550ml Fuel Tank: 260ml Chain Lubrication: 250ml

Lithium-Ion Chain Saw DL585108



Specification:	
Voltage:	20V
Cutting diameter:	18cm
Battery Capacity:	3000mAh
Pack Qty:	1/-/1
Accessory List: Lithuim Battery Pack ×2 Charger ×1	

Lithium-Ion Chain Saw DL585104



Specification:	
Voltage:	20V
Cutting diameter:	8cm
Battery Capacity:	1500mAh
Pack Qty:	1/-/10

Accessory List: Lithuim Battery Pack ×1 Charger ×1

Lithium-Ion Chain Saw DL585104S



Specification:	
Voltage:	20V
Cutting diameter:	8cm
Battery Capacity:	1500mAh
Pack Qty:	1/-/10

Accessory List: Lithuim Battery Pack ×

Lithium-lon Garden Shears DL582020



Specification:	
Voltage:	20V
Cutting diameter:	25mm
Battery Capacity:	2000mAh
Pack Qty:	1/-/6

Accessory List: Lithuim Battery Pack ×1 Charger ×1

Grass Trimmer DL585213



Specification:	
Power:	1200W
Gas Displacement:	42.7CC
Type:	Side hanging
Blade Material:	High Hardness
Two-stroke	Alloy
Accessory List:	
Paying Straw Head×1 5m Extension Cord×1	

Grass Trimmer DL585408



Specification:			
Power: Gas Displacement: Type: Blade Material: Four-Stroke	700W 31CC Side hanging High Hardness Alloy		

Accessory List: Two Cutter Edge Blade×1 Paying Straw Head×1 5m Extension Cord×1

Grass Trimmer DL585408B



Specification:	-
Power: Gas Displacement: Type:	700W 31CC Piggyback
Four-Stroke	. (66)
Accessory List: Two Cutter Edge Blade×1 Paying Straw Head×1	
5m Extension Cord×1 Shoulder Strap×1	

E)



CUTTING TOOLS





- High-quality ABS handle, abrasion resistance and drop resistance and comfortable grip
 • High quality SK4 blade, 13-section
- · Auto-lock push button for convenient use

Item #	Spec.	Blade Type	Pack Qty
EDL009B	9mm	60° Sliver	1/50/300



Item #	Spec.	Blade Type	Pack Qty
EDL007B	9mm	30° Black	1/50/600




E)



Item #	Spec.	Blade Type	Pack Qty
EDL003	18mm	60° Sliver	1/25/300














Tools

Tools

Tools

Outdoor Equipment



Utility Knife (6-blade)

SK2



- · Zinc alloy blade body, strong and durable, comfortable grip
- Built-in 5 spare blades, easy to replace

Item #	Spec.	Blade Type	Pack Qty
EDL006Z	19mm(T-type)	60° Sliver	1/12/96

Utility Knife (3-blade)

SK2



- Aluminum alloy shell, surface paint treatment, comfortable grip and durable
 Adjustable screws for 3 positions of blades
 SK2 blade for sharp cutting

- Built-in two spare SK2 blades

Item #	Spec.	Blade Type	Pack Qty
EDL4260	19mm(T-type)	60° Sliver	1/12/144

10PCS Blade Set

SK4



- High-quality SK4 carbon tool steel blade, with heat-treated surface
 13-section 2-stage blades design for multiple uses and better cutting performance
- . Built-in 1 black and 9 sliver blades for various workplaces

Item #	Spec.	Blade Type	Pack Qty
DL-DP091	9mm	60° Sliver/60° Black	1/10/300

10PCS Blade Set





- Integrally heat-treated high-quality alloy steel blade
 13-section 2-stage blades design for sharp cutting
 V-shaped engraved line, for flat and smooth cutting surface

Item #	Spec.	Blade Type	Pack Qty
EDL-DP092	9mm	60° Sliver	1/10/240
DL-DP093	9mm	30° Sliver	1/10/240
DL-DP094	9mm	30° Black	1/10/240

10PCS Blade Set





- High-quality 75# carbon steel blade, with heat-treated surface
 15-section 2-stage blade design, it can be broken off in sections for multiple uses and offer better cutting performance
 Built-in 10pcs sliver blades and professional cutting-edge grinding design, suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty
EDL-DP	18mm	60° Sliver	1/24/288

10PCS Blade Set

SK4



- High-quality SK4 carbon tool steel blade, with heat-treated surface
 15-section 2-stage blade design for multiple uses and sharp cutting
 Built-in 10pcs blades (1*balck and 9*sliver) and professional cutting
- -edge grinding design , suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty
DL-DP181	18mm	60° Sliver/60° Black	1/10/240

10PCS Blade Set

SK4



- High-quality SK4 carbon steel blade, with heat-treated surface
- 8-section 2-stage blade design for multiple uses and sharp cutting
 Built-in 10pcs blades (1*balck and 9*sliver)and professional cutting-edge grinding design , suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty
DL-DP182	18mm	60° Sliver/60° Black	1/10/240

10PCS Blade Set

SK4



- High-quality SK4 carbon tool steel blade, with heat-treated surface
 8-section 2-stage blade design for multiple uses and sharp cutting
 Built-in 10pcs black blades and professional cutting-edge grinding design , suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty
DL-DP183	18mm	60° Black	1/10/120

10PCS Blade Set


75#



- High-quality alloy steel blade, with heat-treated surface
 7-section 2-stage blade design, it can be broken off in sections for multiple uses and offer better cutting performance
 Built-in lopes sliver blades and professional cutting-edge grinding
- design, suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty	
EDL-DP05	25mm	60° Sliver	1/10/120	

CUTTING TOOLS



10PCS Blade Set SK4



- High-quality SK4 carbon steel blade, with heat-treated surface
 7-section 2-stage blade design, it can be broken off in sections for multiple uses and offer better cutting performance
 Built-in 10pcs blades (
- -edge grinding design , suitable for various workplaces

Item #	Spec.	Blade Type	Pack Qty
DL-DP251	25mm	60° Sliver/ 60° Black	1/10/120

10PCS Blade Set



- High-quality SK4 carbon steel blade, with heat-treated surface.
- 2-section blade design for better cutting performance
 Built-in 10pcs sliver blades and professional cutting-edge grinding design , suitable for various workplaces

Item # Spec.		Blade Type	Pack Qty
DL-DP30	19mm(T-type)	Sliver	1/20/300

Diamond Glass Knife



- The chisel bit is made of YG8 special tungsten steel, with heat-treated surface, for sharp cutting
 S6# rotated and disassembled carbon steel handle for easy replacement
- Kerosene can be added at the product tail for better cutting performance

E)

Item #	Spec.	Pack Qty
EDL2701	180mm	1/6/120
DI 2702	180mm	1/6/120

16pcs Craft Knife Set



- Forged and high-frequency quenched SK5 steel body, with heat-treated surface for sharp cutting
 TPR coated handle for good appearance and comfortable grip

Item #	Spec.	Pack Qty
DL-DP1	2×Handle 1×Tweeezer 12×Blades 1×Slotted precision screwdriver	1/6/48

12pcs Craft Knife Set



- Forged and high-frequency quenched SK5 steel body, with heat-treated surface for sharp cutting
- Aluminum handle with anti-slip texture, better carving performance

Item #	Spec.	Pack Qty
DL359101A	(Sliver) 1×Handle 10×Blades 1×Blade protection cover	1/200/800
DL359101B	(Black) 1×Handle 10×Blades 1×Blade protection cover	1/200/800

PVC Pipe Cutter



- 65Mn Stainless steel blade, with Teflon-treated surface, for sharp cutting Aluminum alloy body, lightweight and durable
- Pack Otv EDL350042 42 1/6/60

PVC Pipe Cutter

3Cr13



- 3Crl3 stainless steel blade, with heat-treated surface, for strong corrosion resistance and cutting performance
 Aluminum alloy-coated handle for a comfortable grip

Item #	Item # Max. Cutting Capability(mm)	
EDL2507	42	1/6/48

PVC Pipe Cutter

3Cr13



- 3Crl3 stainless steel blade, sharp edge
 The handle is made of aluminum alloy, strong and reliable

Item #	Max. Cutting Capability(mm)	Pack Qty
EDL2509	63	1/5/20

PVC Pipe Cutter



- The knife shell is made of G38W rigid plastic, which is light in weight and convenient to use
 The blade is made of 65Mn, cutting sharp
 The blade adopts Teflon processing technology, the cutting surface is flat, and the cutting is easy

Item #	Max. Cutting Capability(mm)	Pack Qty
EDL350033	33	1/10/100





Sockets & Wrenches

Sets Measuring Tools

Measuring & Layout Tools

Gardening Tools

Protective Equipment

Soldering Tools Storage

Tools

Other Tools Power Tools

Aviation Snip

Metal Pipe Cutter

SiCr



- SiCr alloy steel blade, with heat-treated surface, for high strength, strong corrosion resistance and extented service life
- Suitable for cutting copper and aluminum metal pipes and thin-walled conduits

Item #	Max. Cutting Diameter(mm)	Pack Qty
EDL2504	3-32	1/10/50

Straight Aviation Snip



- 60Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
 Dual-color PVC handle for a good appearance and a comfortable grip

Item #	Spec.	Max. Cutting Capability(mm)		Pack Qty
EDL20030	10"	Cold rolled steel 1.2mm	Stainless steel 0.7mm	1/10/60

Long Straight Aviation Snip



- 60Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
 Dual-color PVC handle for a good appearance and a comfortable grip
- · Lengthened head, suitable for working in small spaces

Item #	Spec.	Max. Cutting Capability(mm)		Pack Qty
DL20033	11"	Cold rolled steel 1.0mm	Stainlesssteel 0.6mm	1/6/36

Left Offset Aviation Snip



- 60Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
- \bullet Dual-color PVC handle for a good appearance and a comfortable grip

Item #	Spec.	Max. Cutting Ca	pability(mm)	Pack Qty
DL20031	10"	Cold rolled steel	Stainlesssteel 0.7mm	1/10/60

Right Offset Aviation Snip





- 60Cr-v cutting edge with high-frequency quenched and polished surface, serrated sides for easy clamping and cutting
- Dual-color PVC handle for a good appearance and a comfortable grip

Item # Spec.		Max. Cutting Ca	Pack Qty	
DL20032	10"	Cold rolled steel	Stainlesssteel 0.7mm	- 1/10/60

Tin Snips



- Cutting Edges shear with alloy steel, surface heat treatment, sharp cutting
- Two color handle comfortable grip with dipped plastic

Item #	Spec.	Max. Cutting Ca	pability(mm)	Pack Qty
DL4370	8"	Cold rolled steel 0.6mm	Stainlesssteel 0.4mm	1/6/60
EDL4371	10"	Cold rolled steel 0.8mm	Stainlesssteel 0.5mm	

American Tin Snips



- Cutting Edges shear with alloy steel, surface heat treatment, sharp cutting
- . Two color handle comfortable grip with dipped plastic

Item #	Spec.	Max. Cutting Ca	pability(mm)	Pack Qty
DL25912	12"	Cold rolled steel 0.9mm	Stainlesssteel 0.6mm	1/6/36

Heavy-Duty Steel Wire Cutter

Cr-V

cables etc



- Forged 60Cr-V steel body with heat-treated surface for sharp cutting
 Q235 steel handle for good robustness and durability
 Suitable for cutting single-strand or multi-strand steel wires, wire ropes,

	Item #	Spec.	Max. Cutting Capability(mm)	Pack Qty
	DL20224	24"	10mm	1/-/10
	DI 20236	36"	14mm	1/-/5

Cable Cutter



- T8 steel head with heat-treated surface for sharp cutting
- . PVC-coated handle for comfortable grip
- Applicable for cutting multi-strand copper, aluminum cables

Item #	Spec.	Max. Cutting Capability(mm)	Pack Qty
DL45018	450mm	175mm²	1/-/12
DL60024	600mm	240mm²	1/-/10
DL80032	800mm	400mm²	1/-/5
DL90036	900mm	500mm²	1/-/5

CUTTING TOOLS














- Using Cr-Mo pliers hardness up to 56HRC, strong and durable
- Shear hardness up to 30HRC, shear sharp
- The pliers are treated with black finish, good anti-rust effect

Item #	Spec.	Max. Cutting Capability(mm)	Pack Qty
EDL2687	12"	φ4mm	1/-/24
EDL2688	14"	φ5mm	1/-/24
EDL2618	18"	φ6mm	1/-/24
EDL2624	24"	φ 8mm	1/-/24
EDL2630	30"	φ 10mm	1/-/24
EDL2636	36"	φ 12mm	1/-/24
EDL2642	42"	φ14mm	1/-/24










Hydraulic Crimper




- Special steel made crimping module for strength and durability
 Widely used in electric power, communications, transportation
 transportation
- petroleum and petrochemical, metallurgy and shipbuilding industries

 Crimping block for easy operation, safety, and strength

Item #	Crimping Range	Crimping Force(KN)	Pack Qty
EDL-YQ70	6mm²-70mm²	45	1/-/5
EDL-YQ120	10mm²-120mm²	70	1/-/4
EDL-YQ240	16mm²-240mm²	85	1/-/4
DL-YQ300	16mm²-300mm²	85	1/-/4





Tools

Tools

Outdoor

Hacksaw

Adjustable Hacksaw



- High-quality carbon steel with quenched saw teeth, for good toughness, high abrasion resistance, and sharp saw cutting QISS steel handle for long lasting and comfortable grip
 Adjustable sizes "8"-10"-12" for different working applications

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
DI BOOR	8"-10"-12"	305	1/10//0

Square Tube Hacksaw



- High-quality carbon steel with quenched saw teeth, for good toughness, high abrasion resistance, and sharp saw cutting
 Q195 steel handle for long lasting and comfortable grip
- Adjustable sizes "8"-10"-12" for different working applications

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
DL6001	12"	305	1/6/24

Mini Hacksaw



- 65Mn saw blade, Saw teeth quenching treatment, good toughness and

- bowlin saw blade, saw teen quenching treath high wear resistance
 Flat steel saw body, Strong and durable
 Handle with rubber coated, comfortable grip

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
DL353106	6"	150	1/25/100

Heavy Duty Hacksaw



- 65Mn saw blade, Saw teeth quenching treatment, good toughness and
- high wear resistance
 Flat steel saw body, Strong and durable
- Handle with rubber coated, comfortable grip

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
DL353812	12"	300	1/10/40

Hacksaw



- Falt steel frame, strong and durable
 65Mn steel saw blade for good toughness, high abrasion resistance, and sharp cutting suitable for decoration, cutting wood boards, plastics, aluminum, copper, stainless steel, and other materials
 Adjustable screw for quick change of saw blades
- PP handle for comfortable grip

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
EDL353712	12"	300	1/6/36

Mini Hacksaw



- Aluminum alloy frame for easy carry and convenient use
 G5Mn steel saw blade for good toughness, high abrasion resistance, and sharp cutting, suitable for decoration, cutting wood boards, plastics, aluminum, copper, stainless steel, and other materials
 Adjustable screw for quick change of saw blades
- Coated handle for comfortable grip

Item #	Spec.	Saw Blade Length(mm)	Pack Qty
EDL6007	6"	150	1/26/104

Saw Blade Set



- High carbon steel with high-frequency guenched surface, for good
- toughness and high abrasion resistance

 Tight saw teeth to ensure the cutting straightness and sawing speed Used for cutting soft materials such as wood, copper, aluminum and others

	-		
Item #	Spec.	Teeth	Pack Qty
DL6104	12"	24T	1/-/10

Saw Blade Set



- 65Mn steel with high-frequency quenched surface, for good toughness and high abrasion resistance

 • Tight saw teeth to ensure the cutting straightness and sawing speed
- Used for cutting soft materials such as wood, copper, aluminum and others
- Pack Qty DL6103 12 24T 1/-/10

Saw Blade Set



- High speed steel and spring steel with high-frequency quenched surface, for good toughness and high abrasion resistance
 Tight saw teeth to ensure the cutting straightness and sawing speed
 Used for cutting hard materials such as wood, stainless steel, carbon steel, copper and others

Item #	Spec.	Teeth	Pack Qty
DL6101	12"	24T	1/-/10

CUTTING TOOLS



- High speed steel and spring steel with high-frequency quenched surface, for good toughness and high abrasion resistance
 Tight saw teeth to ensure the cutting straightness and sawing speed
 Used for cutting hard materials such as wood, stainless steel, carbon steel, copper and others

Item #	Spec.	Teeth	Pack Qty
DL4673	12"	24T	1/20/120



- 65Mn steel with high-frequency quenched surface, for good toughness and high abrasion resistance
 Tight saw teeth to ensure the cutting straightness and sawing speed
 Used for cutting soft materials such as wood, copper, aluminum and others

Item #	Spec.	Teeth	Pack Qty
DL353001	6"	24T	1/60/480



- 65Mn steel with high-frequency quenched surface, for good toughness Solid Steel with high-required purposes and high abrasion resistance
 Tight saw teeth to ensure the cutting straightness and sawing speed
 Used for cutting soft materials such as wood, copper, aluminum and others

	-		
Item #	Spec.	Teeth	Pack Qty

24T

DL353002

12"









Metal scraper handle with a thick tall that for knocking and tapping				
Item #	Pack Qty			
EDL4725	18mm	1/10/60		
EDL4726	18mm	1/10/60		
EDL4727	18mm	1/10/60		
2024/2/	10.11111	., .5, 66		






1/10/60



PROTECTIVE EQUIPMENT



Polyester Gloves







- Light weight operating gloves made of polyester, with a 10-stitch densification process, and PVC dotted surface, making it anti-slip and wear resistant
- Resilient wrist aperture design with an elastic cord that fits the hands, making the gloves light and breathable and facilitating flexibility of use

 The first web section is reinforced, with an improved wear resistance and extended service life
- The product can be reused after washing; washing may lead to slight shrinkage, but it will not affect reuse

Item #	Spec.	Material	Knitting Technology(grams)	Pack Qty
DL521021	8.5 (215mm)	Polyester+Pvc Dots	10-stitch(700g)	1(12 paris/bag)/1/40

Cotton Gloves



- Lightweight operating gloves made of cotton yarn, with a 10-stitch densification process, making it sweat absorbent, wear resistant and resistant to unthreading
- absorbert, wear resistant and resistant to untrievaling Resilient wrist aperture design with an elastic cord that fits the hands, making the gloves light and breathable and facilitating flexibility of use The first web section is reinforced, with an improved wear resistance and extended service life

- The product can be reused after washing; washing may lead to slight shrinkage, but it will not affect reuse

item #	Spec.	Material	Knitting Technology(grams)	Pack Uty
DL521002	8.5 (215mm)	Spun cotton	10-stitch(500g)	1(12 paris/bag)/1/40

Thickened Cotton Gloves



- Lightweight operating gloves made of cotton yarn, with a 7-stitch thi ckening process, making it sweat absorbent,

- Lightweight operating gloves made or cotton yarn, with a /-strich thi ckening process, making it sweat abst wear resistant and resistant to unthreading
 Resilient wrist aperture design with an elastic cord that fits the hands, making the gloves light and breathable and facilitating flexibility of use
 The first web section is reinforced, with an improved wear resistance and extended service life
 The product can be reused after washing; washing may lead to slight shrinkage, but it will not affect reuse

Item #	Spec.	Material	Knitting Technology(grams)	Pack Qty
DL521001	8.5 (215mm)	Spun cotton	7-stitch(700g)	1(12 paris/bag)/1/40

Polyester Nitrile-Coated Gloves





- . Lightweight operating gloves made of polyester fiber, with a 13-stitch densification process, making it resistant to Lightweight operating gloves made of polyester fiber, with a I3-stoch densinication process, making it resistant to unthreading. The surface is coated with butyronitrile, for enhanced response to dry and oily environments and improved wear resistance; The back of the glove is uncoated to make it breathable and comfortable
 Resilient wrist aperture design with an elastic cord that fits the hands, which facilitates flexibility of use
 The product is suitable for operations that require silp resistance, wear resistance, oil resistance, acid and alkali resistance, et
 The product can be reused after washing; washing may lead to slight shrinkage, but it will not affect reuse

Item #	Spec.	Material	Knitting Technology(grams)	Pack Qty
DL521031	9 (230mm)	Polyester+Nitrile	10-stitch(500g)	1(12 paris/bag)/1/40

Polyester Gloves



- . Lightweight operating gloves made of polyester, cotton yarn and more, with a 10-stitch densification process,
- Lightweight operating gloves made or polyester, cotton yam and more, with a IU-stitch densification process, polished surface for softness and comfort
 Resilient wrist aperture design with an elastic cord that fits the hands, making the gloves light and breathable and facilitating flexibility of use
 The first web section is reinforced, with an improved wear resistance and extended service life
 The product can be reused after washing; washing may lead to slight shrinkage,but it will not affect reuse

ı	Item #	Spec.	Material	Knitting Technology(grams)	Pack Qty
	DL521003	8.5 (215mm)	Polyester	10-stitch(500g)	1(12 paris/bag)/1/40

Cut Resistant Nitrile-Coated Gloves





- The product is made of a new fiber material, with a 13-stitch densification process and built-in HPPE for a protection level up to 4543, effectively protecting the safety of users
 The palm of the glove is treated with butyronitrile, for an enhanced ability to respond to dry and oily environments and improved wear resistance; five back of the glove is uncoated to make it breathable and comfortable
 Resilient wrist aperture design that fits the hands, which is comfortable and anti-slip
 The product can be reused after washing; washing may lead to slight shrinkage, but it will not affect reuse

Item #	Spec.	Material	Knitting Technology(grams)	Pack Qty
DL521041	9.5 (240mm)	HPPE+Nitrile	13-stitch(80g)	1/12/72


































SOLDERING TOOLS



- One-piece pure copper for high electrical conductivity
- DMC insulated handle with antislip design for comfortable grip, excellent insulation, heat resistance and impact reisistance

DL23950A

1/-/40

Item #	Spec.	Pack Qty
DL23300A	300A	1/-/30
DL23500A	500A	1/-/30
DL23800A	600-800A	1/-/30



800

DL23800



275×220×190mm

1/-/25



- Two-layer cow leather for good abrasion resistance, heat insulation, cut resistance and fire resistance
 The design of the product seam protection strip prevents the naked car line from leaking and prevents splashes from causing the rope to burn
 The product size is lengthened, which can effectively protect hands

Item #	Spec.	Pack Qty
DL-T2	14"	1/12/72
DL-T1	15"	1/12/72



TOOL STORAGE



Tool Bags



- Densified Oxford cloth for abrasion resistance
 Multifunctional pockets for easy use
 Durable and portable

Item #	Spec.	Pack Qty
EDL430013	13"(310×170×220mm)	1/-/30

Tool Bags



- Densified Oxford cloth for abrasion resistance
 Multifunctional pockets for easy use
 Reinforced steel bar inside to avoid deformation
- Durable and easy to carry

Item #	Spec.	Pack Qty
EDL430113	13"(310×170×220mm)	1/10/20
EDL430116	16"(360×180×250mm)	1/10/20
EDL430117	17.5"(400×200×270mm)	1/10/20
EDL430118	18.5"(430×200×290mm)	1/10/20

Tool Bags



- Thickened plastic bottom, wear-resistant and puncture-proof, anti-seepage
 Densified Oxford cloth for abrasion resistance
 Reinforced steel bar inside to avoid deformation
 Multifunctional pockets for easy use

Item #	Spec.	Pack Qty
DL430316	16"(380×210×280mm)	1/5/10
DL430318	18"(435×240×290mm)	1/5/10
DL430320	20"(480×260×310mm)	1/5/10

Tool Belt Bags



- Material: durable high-grade polyester fabric and high-elasticity EVA
- · Multifunctional pockets for easy use

Item #	Spec.	Pack Qty
DL-P4	220×140×220mm	1/-/30

Tool Belt Bags



- Material: durable high-grade polyester fabric and high-elasticity EVA
- · Multifunctional pockets for easy use

Item #	Spec.	Pack Qty
DL-P5	250×140×220mm	1/-/30

Tool Belt Bags



- Material: high-grade polyester fabric
- Durable and portable

Item #	Spec.	Pack Qty
DL-P6	320×110×310mm	1/-/50

Tool Belt Bags



- Densified Oxford cloth
 Pearl cotton used for comfortable hanging
 Anti-scratch and anti-puncture pocket

Item #	Spec.	Pack Qty
DL5864	600×145×50mm	1/12/48

Tool Belt Bags



- Thickened Oxford cloth material, durable and portable
 PE partition pocket, scratch-resistant and punctured
 Multifunctional pockets for easy use

Item #	Spec.	Pack Qty
DL430003	250×120mm	1/-/30

Tool Belt Bags



- Thickened Oxford cloth material, durable and portable
 PE partition pocket, scratch-resistant and punctured
 Lithium-lon drill special pocket, easy to storage

Item #	Spec.	Pack Qty
DL430004	260×150mm	1/-/30



































Sockets & Wrenches

Fastening Tools

Tool Sets

Measuring Tools

Measuring & Layout Tools

Electrical Tools

Cutting Tools

Protective Equipment

Welding Machine

Tool Storage

Power Tools

Automotive Tools

Outer Equipment









1/-/36

1/-/20

1/-/20

1/-/16







TOOL STORAGE

Stainless Steel Tool Box



- Aluminum alloy body, foldable pulling rod with adjustable height
 Two layers design, excellent storage performance
 Comfortable carrying handle, hold without strangling hands

Item # Spec.		Max. Load Weight Pa	
DL432020	47×22×22cm	20kg	1/-/6

Metal Tool Box



- Cold-rolled steel material
 Orange-peel varnish baking process, for strong rust resistance
 Portable plastic handle for a comfortable grip

Item #	Spec.	Product N.W	Pack Qty
DL-TX017	420×180×160mm	2.6kg	1/-/4

Metal Tool Box



- Cold-rolled steel material
 Orange-peel varnish baking process, for strong rust resistance
- Portable plastic handle for a comfortable grip

Item #	Spec.	Product N.W	Pack Qty
DL6161	355×160×150mm	1.3kg	1/-/6
DL6162	480×160×150mm	1,6kg	1/-/4

Metal Tool Box



- Cold-rolled steel material
 Orange-peel varnish baking process, for strong rust resistance
- Double handles for stronger load bearing capacity

Item # Spec.		Product N.W	
DL6231	420×200×160mm	2.5kg	1/-/4

Metal Tool Box



- Cold-rolled steel material
 Orange-peel varnish baking process, for strong rust resistance
- Double handles for stronger load bearing capacity

Item # Spec.		Product N.W Pac	
DL6232	420×180×160mm	3,1kg	1/-/4

Trolley Tool Box



- Retractable pull rod, high-strength rollers at the bottom, for ease of movement
 Tool boxes of three specifications can be combined or detached as desired
 Dual designs of metal lock and keyhole, making it safe and secure
 The first layer is tilting toolkit; the second is drawer-type toolkit and the
- third is hand-held toolkit

I	Item #	Spec.	Max. Load Weight	Pack Qty
	DL-TS3C-20	520×320×720mm	16kg	1/-/1

Parts Box



- Environmental PP, safe and non-toxic
 Detachable insert, compartmentalized storage
 Firm and durable, can be either hung or placed

Item #	Spec.	Pack Qty
DL432001	138×70×30mm	1/-/64
DL432002	200×135×45mm	1/-/36

Parts Box



- Environmental PP, safe and non-toxic
 Detachable insert, compartmentalized storage
 Firm and durable, can be either hung or placed

Item #	Spec.	Pack Qty
DL432003	315×280×60mm	1/-/24

Parts Cabinet



- 30 small drawers + 9 large drawers Convenient classification and clear storage
- Firm and durable, can be either hung or placed

Item #	Spec.	Pack Qty
DL432039	47.5×38×16cm	1/-/4

































Insulated Combination Pliers



- Forged and specially heat-treated Cr-V for sharp cutting
 Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000 high voltage test, withstand 1000 working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL512006	6"	Mid-hard steel Φ1.6mm	1/6/60
DL512007	7"	Mid-hard steel Φ 2.0mm	1/6/60
DL512008	8"	Mid-hard steel \$\Phi\$2.0mm	1/6/60

Insulated Diagonal Cutting Pliers



- Enrged and specially heat-treated Cr-V for sharp cutting

- Forget and specially relat-deaded cirv for single bottoms insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC6090 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL512207	7*	Mid-hard steel Φ1.6mm	1/6/60

Insulated Diagonal Cutting Pliers





- Forged and specially heat-treated Cr-V for sharp cutting
 Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test,
 withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is
 not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL512206	6"	Mid-hard steel 1.6mm	1/6/60

Insulated Long Nose Pliers





- Forged and specially heat-treated Cr-V for sharp cutting
 Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is
- not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL512106	6"	Mid-hard steelΦ1.6mm	1/6/60
DI 512108	8"	Mid-hard steel 18mm	1/6/60

Insulated Wire Stripper



- Forged and specially heat-treated Cr-V for sharp cutting

- Forged and specially heat-treated Cr-V for sharp cutting
 Insulated dual-color coated handle for comfortable grip
 German VDE ceritified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL515006	6"	100mm²	1/6/60

Insulated Cable Cutter



- · Forged and specially heat-treated Cr-V for sharp cutting

- Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 10,00V working pressure and meet IEC6900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Cutting Range	Pack Qty
DL515106	6"	22mm²	1/6/60
DL515110	10"	60mm²	1/6/60

Insulated Test Pen



- Cr-Vshank with overall heat treatment
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Measurable range: 250V-
- · VED and GS certified

Item #	Spec.	Pack Qty
DL515250	250V~	1/12/360

Insulated Slotted Screwdriver



- Integrally heat-treated Cr-V shank with black finish and strong magnetic blade
 Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC6090 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Pack Qty
DL5120751	2.5*75mm	1/12/480
DL5131001	3.0*100mm	1/12/480
DL5141001	4.0*100mm	1/12/240
DL5151251	5.5*125mm	1/12/240
DL5161501	6.5*150mm	1/12/120

Insulated Phillips Screwdriver



- Integrally heat-treated Cr-V shank with black finish and strong magnetic blade
 Insulated dual-color coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Pack Qty
DL513060	PH0*60mm	1/12/480
DL514080	PH1*80mm	1/12/240
DL516100	PH2*100mm	1/12/240
DL518150	PH3*150mm	1/12/120

































Power

Insulated Billhook Cable Stripping Knife





- Forged and heat-treated stainless steel with a hardness up to

- Forged and heat-treated stainless steel with a hardness up to 58-62HRC, for sharp cutting
 Insulated dual-color rubber-coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Billhook blade with sliding guide block to avoid damage to the inner wires of cables
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Blade Length	Pack Qty
DI 515100	100	00	1/0/00

Insulated Flat Cable Stripping Knife






- Forged and heat-treated stainless steel with a hardness up to 58-62HRC, for sharp cutting
 Insulated dual-color rubber-coated handle for comfortable grip
 German VDE certified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

Item #	Spec.	Blade Length	Pack Qty
DL515185	185mm	50mm	1/6/60

Insulation Tool Set



- Integrally heat-treated Cr-V shank with black finish and strong magnetic blade

- Integrally heat-treated CrV shark with black finish and strong magnetic blade
 Insulated dual-color coated handle for comfortable grip
 German VDE ceritified, pass the insulated 10,000V high voltage test, withstand 1000V working pressure and meet IEC60900 standard
 Please check carefully before use to ensure that the insulation layer is not damaged, clean and dry

	Item #	Pack Qty	
	DL510007	1/6/24	
Insulated Slotted Screwdriver: 2.5*75mm,4,0*100mm, 5.5*125m,6.5*150r Insulated Phillips Screwdriver: Ph0*60mm,Ph1*80mm, Ph2*100mm			
	DL510005	1/6/24	

Insulated Slotted Screwdriver: 2.5*75mm,4,0*100mm, 5.5*125m,6.5*150mm Insulated Phillips Screwdriver: Ph0*60mm,Ph1*80mm,Ph2*100mm

Interchangeable Insulation Tool Set





- . Pass 10000 high voltage test for safety
- Cr-V steel shank with heat treatment and hosphated tip for greater precision
 Rubber-plastic bi-material handle for comfortable grip

Item #	Spec.	Pack Qty
DL510107	Slotted: 1.0x5.5x100mm, 0.8x4.0xx100mm,0.5x0.3x100mm	1/-/24
DL510012	Slotted: 12x6.5x100mm	1/-/12

Single Glass Suction Cup Lifter

Metal Shell



- The body of the cup is made of special steel for strength and durability
 The suction cup is made of natural rubber with a precise formula, providing a strong suction force
- Overall Suction Pack Qty Item # DI -XP01 118mm 50kg 1/-/30

Dual Glass Suction Cup Lifter





- . The body of the cup is made of special steel for strength and durability The suction cup is made of natural rubber with a precise formula, providing a strong suction force
- **Overall Suction** Pack Qty DI-XP02 118mm 100kg 1/-/20

Triple Glass Suction Cup Lifter



The body of the cup is made of special steel for strength and durability
The suction cup is made of natural rubber with a precise formula, providing a strong suction force

Item #	Spec.	Overall Suction	Pack Qty
DL-XP03	118mm	150kg	1/-/10

Triple Glass Suction Cup Lifter



- The body of the cup is made of special steel for strength and durability
 The suction cup is made of natural rubber with a precise formula,
- providing a strong suction force

Item #	Spec.	Overall Suction	Pack Qty
DL-XP13	150mm	225kg	1/-/10

Single Glass Suction Cup Lifter



- Strong suction High stability
- Thicken Suction Cun

Item #	Spec.	Overall Suction	Pack Qty
DL-XP21	118mm	40kg	1/-/40

OTHER TOOLS





















5 E)

Pliers

Sockets & Wrenches

ning

<u>T</u>00 Sets

Measuring Tools Measuring & Layout Tools

> Electrical Gardening

Cutting Tools

Protective Equipment

Soldering Tools Storage

Tools Other Tools

Power ToolsA

utomotive Tools

Claw Hammer with Fiberglass Handle



- High quality carbon steel hammer head for strong impact resistance
 Embedding process to avoid falling of head
- High strength fiberglass handle for comfortable grip

Item #	Spec.	Pack Qty
EDL5001	0.25kg	1/6/36
EDL5002	0.5kg	1/6/36
DL5003	0.75kg	1/6/24

Claw Hammer with Steel Handle



- High-quality high-carbon steel hammer head
- Embedding process to avoid falling of head
 The edge of hammer head is specially tempered for improved safety
- Chrome-plated steel handle

Item #	Spec.	Pack Qty
DL5025	0.25kg	1/6/60
FDI 5050	0.5kg	1/6/36

Claw Hammer with Wooden Handle



- High quality high carbon steel hammer head, special inlay process, good anti-detachment performance
 Green Gump wood hammer handle, comfortable grip
 Hammer head edge steel special tempering treatment, higher safety factor

Item #	Spec.	Pack Qty
EDL5250	0.5kg	1/6/36

Claw Hammer with Fiberglass Handle



- Magnetic staple slot
 Anti-slip percussion surface
 Non-slip fiberglass handle for comfortable grip
 Portable hook design
 Arc-shaped percussion surface to reduce the force-bearing area and save effort

Item #	Spec.	Pack Qty
DL5010F	10oz	1/6/36
DL5013F	13oz	1/6/36

Claw Hammer with Fiberglass Handle



- Magnetic staple slot
 Anti-slip percussion surface
 Non-slip fiberglass handle for comfortable grip
- Portable hook design
 Arc-shaped percussion surface to reduce the force-bearing area and save effort

Item #	Spec.	Pack Qty
DL5010Y	10oz	1/6/36
DL5013Y	13oz	1/6/36

Claw Hammer with Fiberglass Handle



- High quality carbon steel hammer head for strong impact resistance Embedding process to avoid falling of head
- High strength fiberglass handle for comfortable grip

Item #	Spec.	Pack Qty
EDL5027Y	27mm	1/6/24

Ball Peen Hammer with Wooden Handle



- Forged high-carbon steel for impact resistance
 Special embedding process to avoid falling of head Beech wood handle for comfortable grip and good toughness

Item #	Spec.	Pack Qty
DL5145	16oz	1/6/36
DL5168	240z	1/6/24
DL5191	320z	1/6/24

Ball Peen Hammer with Fiberglass Handle



- High quality carbon steel hammer head
 High strength fiberglass handle for comfortable grip
- . Embedding process to avoid falling of head

Item #	Spec.	Pack Qty
EDL443016	0.45kg	1/6/36
FDI 443024	n 68kg	1/6/24

Rubber and Plastic Hammer



- Embedded head to avoid loosening and falling
 High quality PVC hammer for strike resistance, less deformation and easy replacement
- High-quality coated steel handle for comfortable grip


Item #	Spec.	Pack Qty
DL5330	30mm	1/6/36
DL5335	35mm	1/6/36
EDL5340	40mm	1/6/36

OTHER TOOLS



- Special rubber head to avoid damage to the striking surface
 Iron sand inside the head to prevent it from bouncing when striking
 Rubberized steel handle for n comfortable operatio and shock absorption

Item #	Spec.	Pack Qty
DL5612	12oz	1/6/36
EDL5616	16oz	1/6/36
DL5624	240z	1/6/36






- High-carbon-steel hammer head for smoothness and impact resistance
- Wooden handle that for toughness and durability

Item #	Spec.	Pack Qty
DL5203	3lb	1/5/20
DL5204	4lb	1/4/16






Item #	Spec.	Pack Qty
EDL6911	6lb	1/-/4
EDL6912	8lb	1/-/4
EDL6913	10lb	1/-/4
EDL6914	12lb	1/-/4
DL6915	14lb	1/-/4

E)

6



Item #	Spec.	Pack Qty
EDL447010	1kg	1/4/26
EDL447030	3kg	1/-/4





- High quality carbon steel hammer head
 High strength fiberglass handle for comfortable grip
- Embedding process to avoid falling of head

Item #	Spec.	Pack Qty
EDL442003	0.3kg	1/6/36
EDL442005	0.5kg	1/6/36
EDL442010	1kg	1/4/16





- High quality carbon steel hammer head for strong impact resistance
 High-quality beech wood handle for comfortable grip
 Close connection between head and handle with glue filling to avoid falling

Item #	Spec.	Pack Qty
DL442200	200g	1/6/60
DL442300	300g	1/6/60
DL442500	500g	1/6/36
DL442800	800g	1/6/24

Wood Chisel



- The blade is finely polished and durable
 The heat-treated blade is hardened as a whole and can be repeatedly polished and sharpened
- Pack Otv DI 6238 10mm 1/6/60 DL6212 1/6/60 DI 6258 16mm 1/6/60 DL6234 19mm 1/6/60 DL6201 25mm 1/6/60





- Forged high-carbon steel axe head for high hardness, strength and tear resistance
 TPR-coated fiberglass handle for a comfortable grip and anti-slip
 The anti-slip axe head is processed with special embedding process,
- making it not easy to fall off from the handle
- Pack Qty DL5708 600g 1/6/24





- Forged high-carbon steel axe head for high hardness, strength and tear resistance
- Wooden handle for a comfortable grip
 The axe head is processed with special embedding process, making it not easy to fall off from the handle

Item #	Spec.	Pack Qty
DI 5706	6009	1/6/24

Tools

Hollow Hammer



- The spherical design for the hammer head helps to avoid harm to people or objects
 Tretractable sections, with each reinforced
 Sponge handle for a comfortable grip

Item #	Spec.	Pack Qty
DL452002	21.5*2.4*1.2cm	1/25/150
DL452001	24*6*22.4cm	1/25/150
DL452003	27*2.6*1.4cm	1/25/150

Tensioner



- Integrally made of a reinforced steel plate, and the pawl is composed
 of three high-strength steel plates with thick steel rope, making it firm,
 reliable, and convenient to use
 it is suitable for infrastructure sites such as construction sites,
 highways, bridges,metallurgy sites, mines, tunnels, shafts, treatment,
- protection sites and more

Item #	Spec.	Pack Qty
DL4201	ΙΤ	1/-/10
DL4202	2T	1/-/10
DL4204	4T	1/-/4

Strapping Tensioner



- Made of high-strength steel, sturdy and durable; manual tightening, simple
 The surface is chrome-plated, with strong rust resistance

Item #	Spec.	Pack Qty
DL1216	12-16mm	1/-/8

Hydraulic Punch Driver Kit



- The material of the cutter head is 40Cr
- · Working pressure can reach 10T • Standard hole die specifications: 22, 27.5, 34, 43, 49, 60 mm

Item #	Spec.	Pack Qty
DL-YQK8B	3mm steel plate 22-60mm	1/-/2

Ink Fountain



- The total length of the ink line is 15 meters, and the ink line is automatically taken up by 75 meters
 The ink cartridge adopts rubber barrier to prevent ink volatilization and ink leakage, equipped with a pressing device, the ink is evenly applied
 Anti-reversal device to protect the spring
- Threading rod and scribing pencil for thread changing are included

Item #	Spec.	Ink Cartridge	Pack Qty
DL23	15m	20ml	1/4/48

Ink Fountain



- The total length of the ink line is 15 meters, and the line is manually taken up
 Closed ink cartridge design, ink is not easy to volatilize, can be used for a long time
 Equipped with a pressing device, ink evenly
- Convenient to change the line and easy to operate

Item #	Spec.	Ink Cartridge	Pack Qty
DL24	15m	20ml	1/8/64

Thread Pendant



- The line retracts automatically, you can choose different weight plumbs (50~400g)
 Seconds automatic stop
 With strong magnets, positioning pins and fixing holes, suitable for ironwood and concrete surfaces respectively

Item #	Spec.	Bob Weight	Sring Length	Pack Qty
DL21	3m	400g	3m	1/6/36
DL22	6m	400g	6m	1/6/36



- Made of new nylon material
 Good flame retardant performance, UL94-2
- · 200 pcs per bag

Item #	Spec.	Max. Tensile Strength	Size	Pack Qty
DL9446	4*250mm White	130N	250x3.6mm	1/-/100
DL9447	4*250mm Black	130N	250x3.6mm	1/-/100

OTHER TOOLS









B grade copper blade lock cylinder Higher anti-theft factor



Alloy steel one-piece locking beam Shear and saw resistance



keyless lock Convenient

- All-copper B-level blade lock core with higher anti-theft coefficient
 Alloy steel integrated lock beam, overall heat treatment, can resist 8 tons of hydraulic shears
 The lock body is equipped with a dust-proof protective cover to extend the life of the lock cylinder
- Keyless lock, convenient and practical
- The lock body is wrapped in odorless rubber to prevent scratches

Item #	Spec.	Material	Pack Qty
DL508290	200-290mm	COpper	1/10/20
DL508390	290-390mm	COpper	1/10/20

E)



Lithium-Ion Screwdriver H901A / H901B 3.6V





Compact and lightweight

1500mAh Li-lon Battery



Specification

Item #	H901A / H901B
Voltage:	3.6V
Color:	White / Black
Battery Capacity:	1500mAh
Max. Torque:	4N.m
Battery Type:	Li-Ion Battery
Product N.W.:	320g
Pack Qty:	1/-/20
Outer PK. Size:	49x24.5x24cm



- > Cordless Screwdriver x1 > User Manual x1 > 50mm Bit x4 > Flannelette Bag x1
- > 0.5m Type-C Cable x 1
 - ♣ PHO PHI ♣ SL4 SL5



Lithium-Ion Screwdriver H911A / H911B 3.6V





Compact and lightweight

1500mAh Li-lon Battery

Specification

Item #	H911A / H911B
ILCIII #	nallA / nalle
Voltage:	3.6V
Color:	White / Black
Battery Capacity:	1500mAh
Max. Torque:	4N.m
Battery Type:	Li-Ion Battery
Product N.W.:	850g
Pack Qty:	1/-/8

Accessory List:







T10 T15x2 T20x2

Tool Sets

Pack Qty:

Outer PK. Size:

EDL-DP04-E1B2 CORDLESS SCREWDRIVER Specification Item# EDL-DP04-E1B2 3.6V Voltage: SL3 SL4 SL5 Battery Capacity: 2000mAh PH1x2 PH2x3 PH3 5N.m Max. Torque: PZ1 PZ2 290rpm No-load Speed: O S0 S1 S2 Hex Collet Diameter: 1/4" O H3x2 H4x2 H5

1/-/8

25*23*25cm





>Charger ×1

>Instruction Manual ×1

1/-/5

40.5*26.5*22.5cm

52.5*30.5*28.5cm

Pack Qty:

Outer PK. Size:

Outer PK. Size:



>Instruction Manual ×1

-DZ20-EIDI









Specification

Item#	EDL-DZ20-E1D1
Voltage:	20V
Torque Setting:	18+1
Collet Diameter:	10mm
Max. Torque:	29N.m
Battery Capacity:	1500mAh
No-load Speed:	0-350/0-1350rpm
Pack Qty:	1/-/6
Outer PK. Size:	41*31.5*29.5cm



>Lithuim Battery Pack ×2 >Fast Charger ×1 >Instruction Manual ×1

Li-ion Battery ×2





Accessory List:

41*31.5*29.5cm

>Screwdriver Bit ×2 >Li-ion Battery ×2 >Fast Charger ×1 >Instruction Manual ×1

Outer PK. Size:



deli

Pilers

0

Wrenches

Fastening Tools

Sets Meas

Measuring & E

Tools

g Protective Equipment

Soldering

Storage Tools Other Tools

Tools

Outdoor

Electric Drill DL6284 710W















525 27 VA	Wood	Ø30mm	
Max. Drill Diamater	Steel	Ø0mm	
Diamater	Concrete	,	

Specification

Item #	DL6284
Collet Diameter:	Ø10mm
Voltage:	220V
Input Power:	710W
No-load Speed:	3300rpm
Product N.W. :	1.6kg
Pack Qty:	1/-/10
Outer PK. Size:	51x40.5x29.5cm

Impact Drill DL6281 550W

















Item #	DL6281
Voltage:	220V
No-load Speed:	2800rpm
Collet Diameter:	Ø13mm
Input Power:	550W
Impact Frequency:	44800bpm
Pack Qty:	1/-/10
Product N.W.:	1.75kg
Outer PK. Size:	51x35.5x27cm




	Wood	Ø30mm
Max. Drill Diamater	Steel	Ø13mm
Diamacoi	Concrete	Ø13mm



57.5*37*28cm

Outer PK. Size:



Concrete :

Ø13mm

Ø13mm

Concrete:

deli

Sockets & Wrenches

Impact Drill Set DL6011

Utility knife Measure tape (3m) Impact driver (φ13mm) Adjustable wrench (6") Linesman plier (6") Extension rod(6.5mm series) Claw Hammer (250G) Torpedo Spirit Level (225mm) Sockets: 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm 6.3mm series 25mm Adapter 25mm Torx Bits: T20, T25 25mm Hex Bits: H4, H5 25mm Slotted Bits: 4mm, 5.5mm 25mm Pozidriv Bits: PZ1, PZ2 25mm Phillips Bits: PH1, PH2 Wood Drill Bits: 4mm, 5mm, 6mm, 8mm Twist Drill Bits: 2mm, 3mm, 4mm, 5mm, 6mm Construction Drill Bits: 4mm, 5mm, 6mm, 8mm, 10mm



Item#	Spec.	Product Weight	Outer PK. Size	Pack Qty
DL6011	116PCS	4.7kg	59.5x47x37cm	1/-/5



Specification

	Item #	DL601161
Ī	Collet Diameter:	φ16mm
	Voltage:	220V/50Hz
	No-load Speed:	1000rpm
	Input Power:	1200W
	Spindle Thread:	1/2
	Effective Length of Power Cord:	2m
	Pack Qty:	1/-/5
	Product Weight:	4.5kg
	Outer PK. Size:	62x34.5x34.5cm



Carburized and quenched, 44-48 surface hardness, High-precision aluminum case antiabrasion and high tenacity and fine-processed gear box ensures accurate positioning stable running and low noise

Japanese precision

aluminum alloy





Two adjustable speeds with Steel alloy tenon shaft powerful acceleration

340N.m torque with high efficiency, adjusting speed based working conditions to save torque



Large capacity battery ensures extended working hours

Two 5Ah batteries ensure extended working hours. Each battery pack can disassemble 330 #22 nuts



Brushless motor with long-lasting life

Compared with brush motor, it features low noise, long life, high efficiency, free from changing brush, and lower fault ratio



Steel alloy tenon shaft

Aluminum head features fast heat dissipation, long-lasting durability and aging resistance



Pliers

Sockets & Wrenches

Tools

Measuring Tools

leasuring & \ Easuring & \ ayout Tools

Garder

Tools

Equipment

oldering Storage Tools

Other looks

JWei loois A

Equi

Outdoor

Lithium-Ion Ratchet Wrench DL667012A

12V

Specification

Item #	DL667012A
Battery Capacity:	2000mAh
Input Voltage:	12V
No-load Speed:	280rpm
Socket Spec.:	3/8"
Torque:	30N.m
Work Time:	high speed model≥35min
Product Weight:	0.9kg
Pack Qty:	1/-/8
Outer PK. Size:	61×39x 27.5cm



Accessory List:

- > Charger*1
- > Sockets*5
- > Battery*1
- > Plastic packaging box

Lithium-Ion Ratchet Wrench DL667012B

Specification

Item #		DL667012B
Battery capac	city:	2000mAh *2
Input Voltage:		12V
No-load Spee	d:	280rpm
Socket Spec.:		3/8"
Torque:		30N.m
Work time:	high sp	eed model≥35min
Product Weig	ht:	0.9kg
Pack Qty:		1/-/8
Outer PK. Size	6:	61×39x 27.5cm

Accessory List:

- > Charger*1
- > Sockets*5
- > Battery*2 > Plastic packaging box



Rotary Hammer DL6331 500W











trubber Packin





Depth gauge

Specification

Item #	DL6331
Voltage:	220V
Input Power:	500W
No-load Speed:	1100rpm
Impact Frequency:	4900bpm
Impact Energy:	1.7J
Max. Concrete Drill Diameter:	ф 20mm
Recommended Drilling Range :	φ 4mm- φ 12mm
Product Weight :	2.3kg
Pack Qty:	1/-/5
Outer PK. Size:	55x38.5x32.5cm



Accessory List

Name	Specification	Qty
Drill Bits:	6mm,8mm,10mm	1 for each
Depth Scale:	1	1
Connecting Rod:	/	1
Chuck Key:	1	1
Precision Drill Chuck	c: /	1
Carbon Brush:	1	1



Item#	EDL-DC26-E1
Voltage:	220-240V~50/60Hz
Input Power:	800W
Impact Energy:	3J
Impact Frequency:	5500bpm
No-load Speed:	1150rpm
Pack Qty:	1/-/4
Max. Concreta Drill Diamete	r: φ26mm
Outer PK. Size:	49*42.5*32cm

Accessory List:

6mm\8mm\10mm	one of each
1	1
/	1
/	1
/	1
	6mm\8mm\10mm / / /































Storage Tools

Rotary Hammer DL6335 900W



Specification

Item #	DL6335
Collet Diameter :	∳ 28mm
Voltage :	220V/50Hz
Power:	900W
No-load Speed:	750rpm
Impact Frequency :	4700bpm
Effective Length of Power Cord:	2m
Product Weight:	6.5kg
Pack Qty:	1/-/3
Outer PK. Size:	44x41x34.5cm



















Rotary Hammer DL6336 1100W

Item #	DL6336
Collet Diameter :	ф 30mm
Voltage :	220V/50Hz
Power:	1100W
No-load Speed:	750rpm
Impact Frequency :	4550bpm
Effective Length of Power Cord :	2m
Product Weight:	7.4kg
Pack Qty:	1/-/3
Outer PK. Size:	44x41x34.5cm











Easy and fast to change parts



Packing in plastic box

Auxiliary handle

Rotary Hammer(Cluth) DL611026



















change parts









Item #	DL611026
Collet Diameter:	ф 26mm
Voltage:	220V/50Hz
Power:	850W
No-load Speed:	800rpm
Impact Frequency:	4750bpm
Applicable Bits:	4-26mm
Product Features:	Clutch function
Product Weight :	6kg
Pack Qty:	1/-/4
Outer PK. Size:	53x40.5x33cm



Features:

- > Safe clutch for safety protection
- > The trip can be used for more than 10000 times for extended life of clutch
- > Fluoro rubber sealing ring for wear resistance and corrosion resistance and not less oil leakage

Rotary Hammer DL6332 850W

Part List:

>Drill bits: 6mm,8mm,10mm*1 >Needle chisel*1 >Flat chisel*1 >Depth scale*1 >Connecting rod*1 >Chuck key*1 >Precision drill chuck*1 >Carbon brush*1

Specification

Item #	DL6332
Voltage:	220V
Power:	850W
No-load Speed:	0-1300rpm
Impact Frequency:	5100bpm
Impact Energy:	3.2J
Max. Concrete Drill Diameter:	ф 26mm
Recommended Drilling Range:	φ 6mm- φ 18mm
Product Weight :	2.6kg
Pack Qty:	1/-/5
Outer PK. Size:	60x43.5x32.5cm













coated body











Pliers

Measuring Tools

Storage Tools

Dust Collector DL603010











1. Open the rear cover











3. Attach it to the wall 2. Press the power switch

Specification

Item #	DL603010
Name	Dust Collector
Specification	3/8"
Voltage	3V
Battery Specification	2 AA Battery
Pack Qty	1/-/20
Product Weight	190g
Outer PK. Size	37.5×19×34cm

- Note: please clear the collector regularly to avoid dust spillover
- Features: reduce dust pollution, eliminate the hustle of dust cleaning after drilling work
- Applications: home decoration, pendant installation, recommended drilling scope: Φ 4 mm-8 mm

Demolition Breaker DL6327







Specification

Item #		DL6327
Collet Diame	eter:	φ 95mm
Voltage:		220V/50Hz
Input Power	:	1250W
Impact Freq	uency:	1780bpm
Effective Le	ngth of Power Cord:	2m
Drill Bits:	flat, needle and U	-shaped chisel
Product We	ight :	15.87kg
Pack Qty:		1/-/1
Outer PK. Si	ze:	71x17x30.5cm

Suitable for:

Breaking down of breaking down of floor, road surface, bearing beam, marble and more.











Auxiliary handle



Item#	EDL-JM100-E1
Voltage:	220-240V~50/60Hz
Input Power:	750W
No-load Speed:	12000rpm
Switch Type:	Paddle Switch
Disc Diameter:	100mm
Pack Qty:	1/-/10
Spindle Thread:	M10
Outer PK. Size:	57.8*35.2*20.2cm

Switch Type:

Pack Qty:

Disc Diameter:

Spindle Thread:


Outer PK. Size:

Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×l >Protective Cover×l >Instruction Manual×l





Slide Switch

57.8*35.2*20.2cm

115mm

1/-/10

M14

>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×1

EDL-JM100-E2 **ANGLE GRINDER**



HIGH POWER














Specification

Item#	EDL-JM100-E2
Voltage:	220-240V~50/60Hz
Input Power:	900W
No-load Speed:	12000rpm
Disc Diameter:	100mm
Switch Type:	Paddle Switch
Pack Qty:	1/-/10
Spindle Thread:	M10
Outer PK. Size:	57.8*35.2*20.2cm

Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×1

EDL-JM125-E1 **ANGLE GRINDER**

Specification

HIGH POWER

7	
Item#	EDL-JM125-E1
Voltage:	220-240V~50/60Hz
Input Power:	900W
No-load Speed:	12000rpm
Disc Diameter:	125mm
Switch Type:	Slide Switch
Pack Qty:	1/-/10
Spindle Thread:	M14
Outer PK. Size:	57.8*35.2*20.2cm

Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×1



Angle Grinder DL681001

1100W



Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×l >Protective Cover×l >Instruction Manual×l

Specification

Item #	DL681001	
Voltage:	220V	
Input Power:	1100W	
No-load Speed:	11000rpm	
Disc Diameter:	100mm	
Product Weight:	2KG	
Pack Qty :	1/-/10	
Outer PK. Size:	60x34x22cm	













Angle Grinder DL6374 1600W











Specification

Item #	DL6374	
Voltage:	220V	
Rated Power:	1600W	
Switch:	Back Switch	
Rated Speed:	8200rpm	
Wheel Diameter:	150mm	
Spindle Thread:	M14	
Product Weight:		
Pack Qty:	1/-/4	
Package Dimensions:	49x35.5x31.5cm	





>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×1

deli

Measuring Tools

Storage Tools

Angle Grinder DL6375















Specification

Item #	DL6375	
Voltage:	220V	
Input Power.	2500W	
Switch Type:	Paddle Switch	
No-load Speed:	8600rpm	
Disc Diameter:	180mm	
Spindle Thread:	M14	
Product Weight:	'eight: 6.45Ki	
Pack Qty :	1/-/2	
Outer PK. Size:	57x32.5x17.5cm	

Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×1



Item#	EDL-JM180-E1
Voltage:	220-240V~50/60Hz
Input Power:	2000W
No-load Speed:	6500rpm
Disc Diameter:	180mm
Switch Type:	Paddle Switch
Pack Qty:	1/-/2
Spindle Thread:	M14
Outer PK. Size:	49*42.5*32cm

Accessory List:

>Handle×1 >Carbon Brush×1

>Wrench×1 >Protective Cover×1 >Instruction Manual×



Specification

111 112	
Item#	EDL-JM20-E1D4
Voltage:	20V
Battery Capacity:	4.0 Ah
Disc Diameter:	Ø100mm
No-load Speed:	3500/6000/8500rpm
Spindle Thread:	M10
Pack Qty:	1/-/4
Outer PK. Size:	40*39.5*31.5cm
3- Speed Control	

Accessory List:

Name	Spec.	Qty
Handle	/	1
Wrench	/	1
Battery	4.0Ah	2
Charger	/	1

Storage Tools

Lithium-Ion Angle Grinder DL685076

Specification

Item #	DL685076
Voltage:	12V
Battery Capacity:	2.0 Ah
Disc Diameter:	Ø76mm
No-load Speed:	19500rpm
Spindle Thread:	M5
Pack Qty:	1/-/4
Outer PK. Size:	40*39.5*31.5cm

Accessory List:

>Diamond cutter blade*1 >Resin Cutter blade*1 >Charging base*1 >Battery charger*1



Item #	DL639	
Voltage:	220V	
Input Power:	130W	
Collet Diameter:	10mm	
No-load Speed:	10000~32000rpm	
Switch Type:	Side Switch	
Net weight:	2kg	
Pack Qty:	1/-/8	
Outer PK. Size:	56x35x43.5cm	

Flexible shaft	x1	Jade needle	x 2	Rubber wheel	x 1	Resin cutting disc	x 8
Small wrench	x 1	3mm drill	x 1	Felt wheel	x 4	L-type wrench	х1
Abrasive paper	хЗ	2mm drill	x 1	Emerald abrader	хl	Cutting disc connecting rod	х1
Large disc	х 4	2.5mm chuck	x 1	Ruby grinding head	x 10	Felt wheel connecting rod	x 1

Electric Grinder 130W

DL6391B

Specification

Item #	DL6391E	
voltage	220V	
Input Power	130W	
Collet Diameter	10mm	
No-load Speed	10000~32000rpm	
Switch Position	Side	
Product Weight	1.8KG	
Pack Qty	1/-/20	
Outer PK. Size	46.5*30*31cm	



Lithium-Ion Grinder DL6392

Item #	DL6392	
Voltage:	4V	
Battery Capacity:	700mAh	
Collet Diameter:	2.3mm	
Speed Model:	High/Medium/Low	
No-load Speed:	5000-15000rpm	
Pack Qty:	1/6/24	
Product Weight:	0.4KG	
Outer PK. Size:	39.5 x29.5 x25.5cm	



deli

Wren

s & Faster

ling Tool Set

Measuring Me Tools La

& Electrical

ols

Equipmen

Tools

ols Other Tool

Tools

Outdoor

Lithium-Ion Grinder DL6393 4V

Specification

Item #	DL6393
Voltage	4V
Battery Capacity	2000mAh
Collet Diameter	3.2mm
Speed Control	5 models
No-load Speed	5000-25000rpm
Pack Qty	1/-/12
Product Weight	1.5KG
Outer PK. Size	48.5 × 33.5 x 29.5cm



Lithium-Ion Grinders DL6394 8V

Item #	DL6394
Voltage:	8V
Battery Capacity:	2000mAh
Collet Diameter:	3.2mm
Speed Control:	5 models
No-load Speed:	5000-30000rpm
Pack Qty:	1/-/8
Product Weight:	1.8KG
Outer PK. Size: 48	3.5 × 33.5 x 29.5cm





Specification

Item #	DL6446
Voltage:	220V
Input Power:	600W
Frequency:	50Hz
No-load Speed:	800-3100rpm
Max. cutting Capacity:	Wood 65mm, plastics 10mm steel 6mm
Net weight:	1.7KG
Product G.W./N.W.:	14/13.5kg
Pack Qty:	1/-/8
Outer PK. Size:	52x33.5x23cm

Components list

Name	Qty
Hex wrench	×l
Wood blade	×ì
Carbon brush	×ì
Steel blade	×ì
Guide ruler	×l











4 Lifting positio

∠ 45° Angled cuts





Fast-assembly



400W

Specification

Item #	DL661400
Power:	400W
Voltage:	220V
Air Volume:	65m³/h
Running Speed:	16000rpm
Product Weight:	1.07 kg
Pack Qty:	1/-/12
Outer PK. Size:	56*49.5*37cm



Aspirator Blower DL661600

Aspirator Blower DL661400

600W

ltem #	DL661600
Power:	600W
Voltage:	220V
Air Volume:	95m³/h
Running Speed:	12000rpm
Product Weight:	1.6kg
Pack Qty:	1/-/8
Outer PK. Size:	54*50*39cm
Speed Control:	6 models





Specification


Item #	DL6676
Voltage:	220V
Power:	300W
Frequency:	50Hz
Swing Frequency:	15000~21000rpm
Swing Angle:	3.2
Product Weight:	1.8kg
Pack Qty:	1/-/6
Outer PK. Size:	44.5x36.5x18.5cm

Accessory list

Name	Qty
Triangle blade	×ì
Instruction manual	×ì
Straight blade	×1
Shovel blade	×l
Side handle	×ì
Abrasive paper	×3

Suitable for:

cutting plastic and iron nails













P

Colorful case Convenient to Overall soft change parts rubber coated

Storage Tools

Lithium-Ion Multi-tool DL6677



Specification

Item #	DL6677
Voltage :	12V
Swing Frequency :	5000~19000rpm
Battery Capacity :	1500mAh
Swing Angle :	3.2°
Product Weight :	1.65kg
Pack Qty:	1/-/6
Outer PK. Size :	49x30x20.5cm

Accessory list

Name	Qty
Triangle disc :	×1
Abrasive paper :	×3
Straight blade :	×1
Shovel blade :	×1
Side handle :	×1
Instruction manual :	×1
Battery pack :	×1
Charger :	×1

Suitable for:

Wood cutting and grinding, cutting plastic and iron nails











Timher



Colorful case



Convenient to



Convenient to Overall soft change parts rubber coated

25pcs Multi-tool Part Set DL6678



Item #	DL6678
Pack Qty:	1/-/14
Outer PK. Size :	76×35.5×29.5cm ³
Product Weight :	lkg





88mm HCS semicircular blade ×1



88mm Dual metal







32mm Dual metal forked tail straight blade ×1





Triangle alloy ×1



Semicircular allov ×1



60-mesh paper ×5 80-mesh paper ×5 120-mesh paper ×5



Marble Cutter DL6350

1200W

Specification

Item #	DL6350
Voltage :	220V
Rated Power :	1200W
No-load Speed :	12800rpm
Spindle Thread :	M8 (left)
Disc OD :	110mm
Product Weight :	3.1KG
Pack Qty :	1/-/6
Outer PK. Size :	64.5x24.5x37cm



110mm high-efficiency series

Marble Cutter DL6351













Specification

Item #	DL6351
Voltage :	220V
Rated Power :	1250W
No-load Speed:	13500rpm
Spindle Thread :	M8(left)
Disc OD :	110mm
Product Weight :	3.4KG
Pack Qty :	1/-/6
Outer PK. Size :	66.5x24x38cm



































deli

Wrench

Tools

Tool Sets

Measuring & Tools Layout Tools

Tools

Equipm

Soldering Tools

TOOIS CITIES TOOI

Tools

Outdoor

Marble Cutter DL6352











12800r/min No-load



Specification

Item #	DL6352
Voltage:	220V
Rated power:	1450W
Unloaded revolvi	ng speed: 12800rpm
Spindle thread:	M7 left-hand thread
Blade diameter:	110mm
Net weight:	3.7KG
Packing:	1/-/6
Packing size:	69x25x38cm



Specification

Item#	EDL-YJ185-E1
Voltage:	220-240V~50/60Hz
Blade Spec.:	7-1/4"" 24T
Input Power:	1300W
No-load Speed:	5300rpm
Disc Diameter:	185×20mm
Angle Range:	0-45°
Cutting Capacity:	45° : 42mm 90°: 61mm
Spindle Thread:	M8
Pack Qty:	1/-/4
Outer PK. Size:	50.5*34.5*40cm

Accessory List:

>Guide Ruler×1 >Wrench×1 >Instruction Manual ×1

Circular Saw DL631852 1600W











Specification

Item #	DL631852
Voltage:	220V/50Hz
Input Power:	1600W
No-load Speed:	4700rpm
Spindle Thread:	M8
Blade OD:	φ 185mm
Angle Range:	0-45°
Cutting Capacity:	45° 30mm / 90° 55mm
Effective length of power cord:	2m
Product Weight:	5.45KG
Pack Qty:	1/-/4
Outer PK. Size:	68x27x39cm



Accessory List

>Guide Ruler×1 >Wrench×1 >Instruction Manual ×1



Item#	EDL-YJ235-E1
Voltage:	220-240V~50/60Hz
Blade Spec.;	9-1/4"40T
Input Power:	2200W
No-load Speed:	4200rpm
Disc Diameter:	235x25.4mm
	45° ; 52mm
Cutting Capacity:	90°: 80mm
Spindle Thread:	M8
Pack Qty:	1/-/2
Outer PK. Size:	58.5*40.5*23cm

Accessory List:

>Guide Ruler×1 >Wrench×1 >Instruction Manual ×1

Electric Chain Saw DL674052









High revolving Anti auto-lock speed switch

Specification

Item #	DL674052
Size:	405mm/16 Inch
Voltage:	220V/50Hz
Rated Power:	1700W
No-load Speed:	4400rpm
Saw Blade Speed:	588m/min
Oil Supply:	By gear pump
Oiler Capacity:	200ml
Effective length of power cord:	2.8m
Product Weight:	5.2KG
Pack Qty:	1/-/1
Outer PK. Size:	41.5x29x22cm



Anti auto-lock switch To prevent misoperation

Applications:

Lumbering, log cutting, solid wood furniture and artwork treatment, tree trimming, firewood cutting.

Electric Chain Saw DL674053











High revolving Anti auto-lock

Specification

1	tem #	DL674053
S	ize:	405mm/16 Inch
٧	oltage:	220V/50Hz
R	ated Power:	2000W
N	lo-load Speed:	6000rpm
S	aw Blade Speed:	798m/min
0	il Supply:	By gear pump
0	iler Capacity:	175ml
E	ffective length of power cord:	2.8m
P	roduct Weight:	5.8KG
P	ack Qty:	1/-/1
0	luter PK. Size:	44.5x29x22cm



Applications:

Lumbering, log cutting, solid wood furniture and artwork treatment, tree trimming, firewood cutting.

Electric Agitator DL6736

















Specification

Item #	DL6736
Power:	1600W
Voltage:	220V
No-load Speed:	240-850rpm
Specification:	φ 135mm
Effective Length of Power Cord:	1.8m
Pack Qty;	1/-/2
Product Weight:	3.65kg
Outer PK. Size	41×31×21cm




Suitable for

Stirring cement, concrete, coating, putty powder, lime powder and more.



Item #	DL6611
Name:	Electric Drywall Sanders
Power:	850W
Voltage:	220V
No-load Speed:	1500-2600rpm
Disc OD:	ф 180mm
Effective Length of Power Cord:	4m
Pack Qty:	1/-/4
Product Weight	4.2kg
Outer PK. Size:	33.5×29×29.5cm



deli

Electric Drywall Sander DL6612



Specification

Item #	DL6612
Name:	Electric Drywall Sander
Power:	710W
Voltage:	220V
No-load Speed:	1000-1700rpm
Disc OD:	ф 225mm
Power Cord Length:	4m
Pack Qty:	1/-/2
Product Weight:	7.2kg
Outer PK. Size	101×32×21.5cm



deli得力



Specification

Item #	DL659015
Voltage:	220V/50Hz
Power:	1390W
No-load Speed:	2850rpm
Working Pressure:	0.7Mpa
Air Tank Capacity:	15L
Air Displacement:	210L/min
Cycle Time:	248
Effective length of pow	er cord: 1.2m
Product Weight:	5.8KG
Pack Qty:	1/-/1
Outer PK. Size:	50x18x54cm





Auto unloading pump head

Pump head unloads automatically when the cylinder is fully inflated, facilitating second motor startup

Air Compressor













Specification

Item #	DL659030
Voltage:	220V/50Hz
Power:	1390W
No-load Speed:	2850rpm
Working Pressure:	0.7Mpa
Air Tank Capacity:	30L
Air Displacement:	210L/min
Cycle Time:	529
Effective length of power cord:	1.2m
Product Weight:	23.6KG
Pack Qty:	1/-/1
Outer PK. Size:	55.5x24x54.5cm



Air Compressor







Multiple functions





Specification

Item #	DL659050
Voltage:	220V/50Hz
Power:	1390W×2
NO-load Speed:	2850rpm
Working Pressure:	0.7Mpa
Air Tank Capacity:	50L
Air Displacement:	420L/min
Cycle Time:	508
Effective length of power cord:	1.2m
Product Weight:	44KG
Pack Qty:	1/-/1
Outer PK. Size:	70x24x54.5cm



8

P

Storage

Allov Steel Round Dies



Precision ground finish for accurate dimension control

Item #	Spec.	Thread Pitch	OD×Thickness	Pack Qty
DL3612	M12	1.8	38×14	1/10/120/240
DL3614	M14	2	38×14	1/10/120/240
DL3616	M16	2	38×14	1/10/120/240
DL3620	M20	2.5	45×18	1/10/-/160
DL3624	M24	3	55×22	1/2/-/60

Alloy Steel Taps for Hand Use



- 9SiCr alloyed steel
- \bullet CNC processed groove for smooth removal of chip

Item #	Spec.	Thread Pitch	Pack Qty
DL3503	M3	0.5	1/10/200/800
DL3504	M4	0.7	1/10/200/800
DL3505	M5	0.8	1/10/200/800
DL3506	M6	1	1/10/200/800
DL3508	M8	1.3	1/10/200/800
DL3510	M10	1.5	1/10/200/400
DL3512	M12	1.8	1/10/200/400
DL3514	M14	2	1/5/50/200
DL3516	M16	2	1/5/50/200
DL3518	M18	2.5	1/2/20/60
DL3520	M20	2.5	1/2/20/60
DL3522	M22	2.5	1/2/20/60
DL3524	M24	3	1/2/20/60

Screw Tap Wrench



- Knurled handle for slip resistance
- · Zn alloyed wrench holder with power-coated surface

Item #	Spec.	Pack Qty
DL35312	M3-M12	1/5/100
DL35620	M6-M20	1/-/30
DL35625	M6-M25	1/-/20

Die Wrench



- Knurled handle for slip resistance
- Zn alloyed wrench holder with power-coated surface

Item #	Spec.	Pack Qty
DL36007	M7-M9	1/25/100
DL36010	MIO-MII	1/-/80
DL36012	M12-M16	1/-/50
DL36016	M18-M22	1/-/30
DL36022	M24-M27	1/-/20

Tap and Die Set



 Wrench holder is made of Zn alloy
 Screw taps and dies are made of high-quality carbon steel with 56-61 HRC hardness

Item #	Spec.	Pack Qty
DL0027	12PCS	1/-/24

Including: 5 Screw Tap 5 Screw Tap: M6x1,0,M7x1,0,M8x1,25,M10x1,5,M12x1,75 5 Round Die: M6x1,0,M7x1,0,M8x1,25,M10x1,5,M12x1,75 1 Screw Tap Wrench: M3-M12 1 Round Die Wrench: M25

Tap and Die Set



Wrench holder is made of Zn alloy
 Screw taps and dies are made of high-quality carbon steel with 56-61

Item #	Spec.	Pack Qty
DL0028	20PCS	1/-/24

Including:
9 Screw Tap: M3x0.5,M4x0.7,M5x0.8,M6x1.0,M7x1.0,M8x1.25,M9x1.25,M10
x1.5,M12x1.75
9 Round Die: M3x0.5,M4x0.7,M5x0.8,M6x1.0,M7x1.0,M8x1.25,M9x1.25,M10x
1,5,M12x1.75
1 Screw Tap Wrench: M3-M12
1 Round Die Wrench: M25

HRC hardness

Tap and Die Set



- Wrench holder is made of Zn alloy
 Screw taps and dies are made of high-quality carbon steel with 56-61
 HRC hardness

Item #	Spec.	Pack Qty
DL0029	39PCS	1/-/10

Hammer Drill Bit With Square Handle

- 40Cr-V head and YG8C body
 High-temperature quench for high hardness and abrasion resistance
 Sand blasted surface for better look and rust resistance

Item #	Spec.	Pack Qty
DL-F06110	6x110mm	1/10/600
DL-F06150	6x150mm	1/10/300
DL-F08150	8x150mm	1/10/300
DL-F08200	8x200mm	1/10/200
DL-F10150	10x150mm	1/10/300
DL-F10200	10x200mm	1/10/200
DL-F12150	12x150mm	1/10/300
DL-F12200	12x200mm	1/10/200
DL-F14200	14x200mm	1/10/120
DL-F14350	14x350mm	1/10/150
DL-F16160	16x150mm	1/10/300
DL-F16200	16x200mm	1/10/120
DL-F16350	16x350mm	1/10/100
DL-F18200	18x200mm	1/10/120
DL-F20200	20x200mm	1/10/120
DL-F20350	20x350mm	1/5/50
DL-F22350	22x350mm	1/5/50
DL-F25350	25x350mm	1/5/50



- 6542 high-speed steel
 Heat-treated drill with accurate size
 Yellow surface after baking for rust resistance and better look

Item #	Spec.	Pack Qty
DL16030G	3mm	1/10/100/3000
DL16032G	3.2mm	1/10/100/2400
DL16035G	3.5mm	1/10/100/2400
DL16040G	4mm	1/10/100/2400
DL16042G	4.2mm	1/10/100/2400
DL16043G	4.3mm	1/10/100/2400
DL16045G	4.5mm	1/10/100/2400
DL16050G	5mm	1/10/100/1600
DL16052G	5.2mm	1/10/100/1600
DL16055G	5.5mm	1/10/100/1600
DL16060G	6mm	1/10/100/1600
DL16068G	6.8mm	1/10/100/600
DL16070G	7mm	1/10/100/600
DL16080G	8mm	1/10/100/600
DL16082G	8.2mm	1/10/100/600
DL16085G	8.5mm	1/10/100/600
DL16090G	9mm	1/10/100/400
DL16100G	10mm	1/10/100/400
DL16105G	10.5mm	1/10/100/400
DL16110G	11mm	1/10/100/200
DL16115G	11.5mm	1/10/100/200
DL16120G	12mm	1/10/100/200



E)

- 4241 high-speed steel Special Heat treatment

Item #	Spec.	Pack Qty
DL16020	2mm	1/10/100/5000
DL16025	2.5mm	1/10/100/5000
DL16030	3mm	1/10/100/3000
DL16032	3.2mm	1/10/100/3000
DL16035	3.5mm	1/10/100/2000
DL16040	4mm	1/10/100/2000
DL16042	4.2mm	1/10/100/2000
DL16045	4.5mm	1/10/100/2000
DL16050	5mm	1/10/100/1600
DL16052	5.2mm	1/10/100/1600
DL16055	5.5mm	1/10/100/1600
DL16060	6mm	1/10/100/1600
DL16062	6.2mm	1/10/100/1200
DL16065	6.5mm	1/10/100/1400
DL16068	6.8mm	1/10/100/1200
DL16070	7mm	1/10/100/1200
DL16080	8mm	1/5/50/1000
DL16085	8.5mm	1/5/50/1200
DL16090	9mm	1/5/50/600
DL16095	9.5mm	1/5/50/600
DL16100	10mm	1/5/50/500
DL16102	10.2mm	1/10/320
DL16105	10.5mm	1/10/320
DL16110	11mm	1/10/300
DL16115	11.5mm	1/10/300
DL16120	12mm	1/10/300
DL16125	12.5mm	1/10/200
DL16130	13mm	1/10/200
DL16140	14mm	1/10/200



Sockets & Wrenches

Fastening Tools

Tool) Sets

Measuring Tools Measuring & Layout Tools

Gardening Tools

Electrical

Protective Equipment

Soldering Tools Storage

ToolsO

ther Tools

Tools

Automotive Tools

Hammer Drill Bit With Round Handle

- 40Cr-V head and YG9C body
 High-temperature quench for high hardness and abrasion resistance
 Sand blasted surface for better look and rust resistance

Item #	Spec.	Pack Qty
DL-Y06110	6x110mm	1/10/600
DL-Y06160	6x160mm	1/10/300
DL-Y08160	8x160mm	1/10/300
DL-Y10160	10x160mm	1/10/300
DL-Y12160	12x160mm	1/10/300
DL-Y14160	14x160mm	1/10/300




- High-speed quality steel
 Heat-treated drill with accurate size
 Yellow surface after baking for rust resistance and better look

Item #	Spec.	Pack Qty
DL18013	1.5-6.5mm	1/-/60
DL18019	1-10mm	1/-/40
DL18025	1-13mm	1/-20



Pack Qty DL16032S 1/10/100/5000 DL16042S 4.2mm 1/10/100/3000 DL16052S 5.2mm 1/10/100/2000







- High-quality alloy steel sawteeth for easy cutting and impact resistance
 Heat-treated subtrate for high bending resistance
 The product adopts special sawteeth to effectively resist impact and cut easily

Item #	ID(mm)	OD(mm)	Teeth	Pack Qty
DL6604030	20mm	110mm	30T	1/-/200
DL6604040	20mm	110mm	40T	1/-/200
DL6607040	25.4mm	180mm	40T	1/-/100
DL6607060	25.4mm	180mm	60T	1/-/100
DL6608040	25.4mm	200mm	40T	1/-/50
DL6608060	25.4mm	200mm	60T	1/-/50
DL6609040	25.4mm	230mm	40T	1/-/50
DL6609060	25.4mm	230mm	60T	1/-/50
DL6609080	25.4mm	230mm	80T	1/-/50
DL6610060	25.4mm	250mm	60T	1/-/40

Item #	ID(mm)	OD(mm)	Teeth	Pack Qty
DL6610080	25.4mm	250mm	80T	1/-/40
DL6610100	25.4mm	250mm	100T	1/-/40
DL6610120	25.4mm	250mm	120T	1/-/40
DL6612060	30mm	305mm	60T	1/-/20
DL6612080	30mm	305mm	80T	1/-/20
DL6612100	30mm	305mm	100T	1/-/20
DL6612120	30mm	305mm	120T	1/-/20
DL6614060	30mm	355mm	60T	1/-/15
DL6614080	30mm	355mm	80T	1/-/15
DL6614120	30mm	355mm	120T	1/-/15

POWER TOOLS

Cutting Discs



- Sharp blade for cutting alloy steel, stainless steel
 Black abrasion-resistant balde for long durability
 Selected white corundum for easy cutting

- Thickened steel rim for holding strength and crack resistance

Item #	ID(mm)	OD(mm)	Product Color	Pack Qty
DL1071216L	16mm	107mm	Green	1/25/1000
DL1251222H	22mm	125mm	Black	1/25/600
DL1501222H	22mm	150mm	Black	1/10/100/400
DL3502525L	25.4mm	350mm	Green	1/5/-/30
DI /(002832)	32mm	/i00mm	Green	1/5/-/25

Grinding Discs



- Heat-resisting subtrate for higher abrasion resistance, longer durability and high utilization ratio
 High quality emery with fiber glass for execellent cutting performance
 Thickened steel rim for holding strength and crack resistance

- Double layers of fiber mesh for high tensile strength and security

Item #	ID(mm)	OD(mm)	Product Color	Pack Qty
DL1006016H	16mm	100mm	Black	1/5/25/200
DL1806022H	22mm	180mm	Black	1/5/30/60

Asphalt Cutting Blade



- High quality alloyed balde and 65Mn steel sustrate for high hardness, impact and abrasion resistance
 Advanced hot pressing technology ensures for high strength
 According to the different cutting objects, please choose the
- corresponding cutting blade

Item #	ID(mm)	OD(mm)	Pack Qty
DL660400	50mm	418mm	1/-/10
DL660500	50mm	518mm	1/-/5









 Thickened design for polish for various metals, wood, and marbles at high speed 				
Item #	ID(mm)	OD(mm)	Pack Qty	
DL66021	16mm	100mm	1/25/300	




6

E)













E)







Sockets & Wrenches

Fastening Tools

Tool Sets

Measuring & Layout Tools

Tools

Gardening
Tools


Equip

Soldering Tools

Storage ToolsO ther ToolsP

ower Tools

Outdoor



- Made of high-quality Cr-V steel, chrome-coated surface
- Multiple sizes for different working scenarios

Spec.	Pack Qty
8mm	1/20/80
10mm	1/20/80
12mm	1/20/80
13mm	1/20/80
14mm	1/20/80
16mm	1/20/80
17mm	1/20/80
19mm	1/20/80
	8mm 10mm 12mm 13mm 14mm 16mm















Item #	Spec.	Pack Qty
DL7632	6mm	1/-/100
DL7633	9mm	1/-/60
















1 rocco nanalo co provone omading			
Item #	Spec.	Pack Qty	
DL886001	65*125cm	1/6/24	
DL886002	79*145cm	1/6/24	



Item #	Spec.	Pack Qty
DL886003	65cm	1/6/24
DL886004	70cm	1/6/24







Pliers

Sockets & Wrenches

Fastening Tools

<u>o</u> Sets

Tools Measuring Measur Layout

uring & It Tools Electrical

Gardening

Protective Equipment

Soldering Storage

ToolsO ther ToolsP

> ower Tools

Double Laver folding Storage Box



- Convenient folding and tidy storage
 Double layer structure, layered storage
 Reinforced design, strong and fall resistant
 Anti-breaking handle, durable toasting
- · Non-skid bottom, firm and reliable

Item #	Spec.	Pack Qty
DL884245	45L (50*30*29cm)	1/-/4
DL884275	75L (61.5*36*35.5cm)	1/-/1

Pressure Washer Spray Gun



- Wide variety of applications Used to car wash and gardening irrigation
 Zinc ally gun with coated handle for rust resistance and durability
 Sealing ring inside prevents leakage
 8 spray shapes for flexible adjustment.
 8 ms spraying range when connected to household water supply

- . Clin-on switch handle saves labor

Item #	Accessories list	Pack Qty
DL8055	1/2 water joint*2, 1/2 multi-function joint, 1/2 3/4 standard joints, 20m PVC hose	1/-/1

Pressure Washer Spray Gun Kit



- Wide applications like car wash and gardening irrigation
 Electroplated metal gun with cooper spray head and joint, anti-rust and durable
 Sealing ring inside prevents leakage
 Plastic coated spray head and rubber cushion handle fit your palm comfortably
 High water pressure allows for 6-8 m spraying range when connected to household water supply
- Water output can be adjusted freely Clin-on switch handle saves labor

Item #	Accessories list	Pack Qty
DL8072	1/2 water joint*2, 1/2 multi-function joint, 1/2 3/4 standard joint	1/-/48

Pressure Washer Spray Gun Kit



- Wide applications like car wash and gardening irrigation
 Electroplated metal gun with cooper spray head and joint, anti-rust and durable
 Sealing ring inside prevents leakage
 Plastic coated spray head and rubber cushion handle fit your palm comfortable.
 High water pressure allows for 6-8 m spraying range when connected to household water supply
 Water output can be adjusted freely
 Clinane switch handle saves lahor.

- · Clip-on switch handle saves labor

Item #	Accessories list	Pack Qty
DL8073	1/2 water joint*2, 1/2 multi-function joint, 1/2 3/4 standard joint, 20m PVC hose	1/-/1

Pressure Washer Spray Gun Kit



- Wide applications like car wash and gardening irrigation
 Electroplated metal gun with cooper spray head and joint, anti-rust and durable
 Coated handle for a comfortable grip
 High water pressure and 16 cm stainless steel pressure rod allow for 8-10 m spraying range when connected to household water supply
 Water output can be adjusted freely
 Comes with 20-meter nose for long-range operation
 Clinons with handle sayes labor.

- Clip-on switch handle saves labor

Item #	Accessories list	Pack Qty
DL8074	1/2 water joint*2, 1/2 multi-function joint, 1/2 3/4 standard joint, 20m PVC hose	1/-/1

Pressure Washer Spray Gun Kit



- Variable speed, flexible adjustment of spray shape
- Front press-in structure, one button start and one button lock ensure continuous effluent
- Sealing ring inside prevents leakage
- Rubber coated spray head and antiskid handle fit your palm comfortably
- 8m spraying range when connected to household water supply
- · Water output can be adjusted freely

Item #	Accessories list	Pack Qty
DL8083	1/2 water joint*2, 1/2 multi-function joint	1/-/48

Pressure Washer Spray Gun Kit



- Wide applications like car wash and gardening irrigation
 Electroplated metal gun with cooper spray head and joint, anti-rust and durable
 Sealing ring inside prevents leakage
 Coated handle for a comfortable grip
 High water pressure and 16 cm stanless steel pressure rod allow for 8-10 m spraying range when connected to household water supply
 Water output can be adjusted freely
- . Clip-on switch handle saves labor

-		
Item #	Accessories list	Pack Qty
DL8085	1/2 water joint*2, 1/2 multi-function joint, 1/2 3/4 standard joint	1/-/36

PVC Water Hose



- 1/2-inch PVS hose resists freeze and heat and can be used at
- -20°C 50°C
 Soft and less knotted nose does not harden in winter or soften
- in summer 3-layer composited with built-in mesh resistant to over 2 MPa burst pressure

Item #	Spec.	Working Pressure(MPa)	Pack Qty
DL8072-5	5m	2	1/12/24
DL8072-10	10m	2	1/12/24
DL8072-20	20m	2	1/-/12
DL8072-30	30m	2	1/-/6

Air Compressor Pump (Single Cylinder)



- Double (single) 30 mm-diameter metal cylinder with permanent magnet
- provides powerful pump
 Cigar lighter is protected by a fuse to avoid overload and ensure safe
- use

 Double cylinders provide about 30L/min air flow, works continuously for
- up to 20 minutes

 LED lighting for use at night or emergency; powered by cigar lighter or storage battery;easy to use
- Suitable for wide applications like sedan, SUV, van, pickup, minibus and
- other 12V vehicles as well as motorbike, bicycle, balls and air cushion

Item #	Spec.	Power	Pack Qty
DL8058	30L/min	100W	1/-/8

Air Compressor Pump (Dual Cylinder)



- Double (Double) 30 mm-diameter metal cylinder with permanent magnet provides powerful pump
 Cigar lighter is protected by a fuse to avoid overload and ensure safe
- use le vinders provide about 36L/min air flow, and pumping from o bar to 2 bar takes only 25 minutes

 Double-cylinder model works continuously for up to 20 minutes

 LED lighting for use at night or emergency, powered by cigar lighter or storage battery,easy to use

 Suitable for wide applications like sedan, SUV, van, pickup, minibus and

- other 12V vehicles as well as motorbike, bicycle, balls and air cushion

Item #	Spec.	Power	Pack Qty
DL8059	36L/min	160W	1/-/6

Digital Display Air Compressor Pump



- Blue light LCD screen for digital display with less error
 Double 30mm-diameter metal cylinder with permanent magnet provides powerful pump
 Cigar lighter is protected by a fuse to avoid overload and ensure safe

- Preset pressure enables auto pump after starting by pressing one button
 Air flow is around 36L/min, and pumping from 0 bar to 2 bar takes only 2.5 minutes.
 Doublecylinder model works continuously for up to 20 minutes
 LED lighting for use at night or emergency, powered by cigar lighter or storage battery, easy to use
 Suitable for wide applications like sedan, SUV, van, pickup, minibus and
- other 12V vehicles as well as motorbike, bicycle, balls and air cushion

Item #	Spec.	Power	Pack Qty
DL8060	36L/min	160W	1/-/6


Handheld Air Compressor Pump

2000_{mAh}



- Powered by 2000 mAh Li-battery, free from the hustle of plug-in power supply and the worry of blowing fuse
 Preset pressure enables auto pump after starting by pressing one button
 High speed running motor provides about 18 L/min air flow and fast pump
 Frameless backlit digital screen displays values, battery status and units with less error
 LED lighting for use at night
 12 V power cord connects to power supply for emergency
 Compact design is easy for carrying and storage; rotatable handle for support and optable appolications support and portable applications

Item #	Spec.	Power	Pack Qty
DL8071	18L/min	50W	1/-/12







Pliers

Fastening Tools

Tool Sets Measuring Tools

Measuring & Layout Tools Electrical Tools

Gardening Tools

Soldering Tools Storage

ToolsO

Digital Dual-cylinder Air Compressor Pump

Item #	Spec.	Power	Pack Qty
DL880250B	22L/min	90W	1/-/12
DL880250A	22L/min	90W	1/-/12

Inflatable pumps(Black)



- Digital display dial, blue light liquid crystal, intuitive display
 Preset tire pressure, automatic charging and stopping, easy to use
 Cigarette lighter, easy to operate
- Overload power off protection, including fuse, safe use

Item #	Spec.	Power	Pack Qty
DL880180B	20L/min	75W	1/-/12

Cordless Inflatable Pumps


4500_{mAt}



- Digital display dial, white backlight, intuitive display
 Preset tire pressure, automatic charging and stopping, easy to use
- 4500mAh Lithium battery for convenient operation

Item #	Spec.	Power	Pack Qty
DL880181	18L/min	70W	1/-/12





2000_{mAh}



- Touch-sensitive switch for easy operation
 Cyclone suction removes dust and ash fast
 Washable HEPA filter screen for repeated use
 Equipped with straight and brush suction nozzle and soft hose, cleaning corners with ease
- Powered by 2000mAh Li-battery for 15-25min working time

Item #	Spec.	Power	Pack Qty
DL8080	4000pa	55W	1/-/20



- Cyclone suction for stable output up to more than 7500Pa
 Cigarette lighter power supply, built-in fuse
 HEPA filter screen for dry and wet dual use, cleanable and recyclable
 Small and light in size for easy storage in the car
 Included a variety of accessories, such as suction nozzle, brush, easy to clean corners
 Multi-functional applications
 4.5m extended power cord for cleaning everywhere in the car

- DL881280 7500Pa 120W


Cordless Vacuum Cleaner 2500_{mAt}

- . Cyclone suction for stable output up to more than 7500Pa

- Cyclone suction for stable output up to more than 7500Pa
 Lithium battery power display, easy to use
 Used in car or home
 Cordless and handheld design
 HEPA filter screen for dry and wet dual use, cleanable and recyclable
 Large capacity 2500mAh battery for more than 15 mins under full
 charge
 Small and light in size for easy storage in the car
 Included a variety of accessories, such as suction nozzle, brush, easy
 to clean corpers

- to clean corners

Item #	Spec.	Power	Pack Qty
DL881070	5500Pa	70W	1/-/12











deli

Pliers

Sockets & Wrenches

Measuring Tools

Measuring & Layout Tools

Cutting Tools

Protective Equipment

Soldering Tools Storage ToolsO

ther ToolsP

ower



- Gun tip is made of A3 steel, solid and durable
 Brass joint is not easy to get rusty and extends service life. Joint size is 1/4"NPT
 Strong blowing removes dust effectively; extended gun tip is suitable for cleaning works in narrow and deep space
- Wear eye shield, glove and other body armors during operation

Item #	Spec.	Length	Working Pressure	Pack Qty
DL-XQ01	230mm	100mm	5.0-8.0kgf/m ³	1/12/120

Blow Gun



- Gun tip is made of A3 steel, solid and durable
 Brass joint is not easy to get rusty and extends service life. Joint size is 1/4"NPT
 Strong blowing removes dust effectively; extended gun tip is suitable for cleaning works in narrow and deep space
- Wear eye shield, glove and other body armors during operation

Item #	Spec.	Length	Working Pressure	Pack Qty
DL-X002	230mm	100mm	5.0-8.0kgf/m ³	1/25/100

Blow Gun



- Gun tip is made of A3 steel, solid and durable
 Brass joint is not easy to get rusty and extends service life. Joint size is 1/4"NPT
 Strong blowing removes dust effectively; extended gun tip is suitable for cleaning works in narrow and deep space
 Wear eye shield, glove and other body armors during operation

Item #	Spec.	Length	Working Pressure	Pack Qty
DL7631	400mm	250mm	5 • 0-8 • 0kgf/m³	1/10/60



Vertical Jack



- Precision forging gives it lasting durability, tight structure and excellent air tightness
 Suitable for maintenance of railway cars, support of mining and building machineries, ascending and descending of weights

Item #	Spec.	Min Height (mm)	Lifting Height (mm)	Pack Qty
DL-B5T	5T	250mm	130mm	1/-/4
DL-B10T	10T	280mm	150mm	1/-/3
DL-B16T	16T	320mm	180mm	1/-/3
DL-B20T	20T	325mm	180mm	1/-/3
DL-B32T	32T	395mm	200mm	1/-/2
DL-B50T	50T	452mm	250mm	1/-/1

Hydraulic Vertical Jack



- Screw rod is made of high-quality specialty steel for lasting durability;antiskid design and intensified cast iron base ensures safe and reliable operation
 Tight overall structure ensures high air tightness and easy operation
 Height-adjustable head for easy of use

Item #	Spec.	Min Height (mm)	Lifting Height (mm)	Pack Qty
DL-BC2T	2T	80mm	148mm	1/-/10

Hydraulic Puller



- The hydraulic cylinder is made from one-piece steel block with high strength and security
 Pressure relief valve inside the cylinder prevents overload
 Switchable between 2 jaws and 3 jaws depending on various working conditions
- 360° rotatable and detachable handle enables operation in narrow space

Item #	Spec.	Pulling Capacity	Pack Qty
DL-ZL5	50-200mm	5T	1/-/3
DL-ZL10	50-250mm	10T	1/-/2
DL-ZL15	100-350mm	15T	1/-/2
DL-ZL20	100-350mm	20T	1/-/2
DL-ZL30	150-400mm	30T	1/-/1
DL-ZL50	200-500mm	50T	1/-/1

Two Jaws Puller



- Made of 45# carbon steel by forging and pressing, blackened post rod
 Used to dismantle ball bearing and wheel gears

Item #	Spec.	Pulling Capacity	Pack Qty
DL-E102	2"(50mm)	ΙΤ	1/10/60
DL-E104	4" (100mm)	3.5T	1/10/40
DL-E108	8" (200mm)	10T	1/5/20

Three Jaws Puller



- \bullet Made of 45# carbon steel by forging and pressing, blackened post rod
- Used to dismantle ball bearing and wheel gears



Item #	Spec.	Pulling Capacity	Pack Qty
DL-S6	6" (150mm)	5T	1/-/20
DL-S8	8" (200mm)	15T	1/-/15
DL-S10	10" (250mm)	18T	1/-/9
DL-S12	12" (300mm)	22T	1/-/6



OUTDOOR EQUIPMENT



Double Sidelight Hand Lamp



- IP67 protect grade, long service life
 High-performance battery, can work continuously for 14 hours under high light mode
 Multiple modes provide different lighting needs, total have 10 modes

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551205	5W/360lm	4500mAh 18650×3 batteries	14h(High light mode)	1/-/30

Hand Lamp



- Tail downlight, near-light lighting
 Rear suspension design, suitable for camping use
 USB Charging interface, convenient and fast
 Presents strap cord for easy to carry

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551300A	5W/300lm	3600mAh	10h	1/-/30

Hand Lamp



- USB charging interface, convenient and fast
 Multiple modes provide different lighting needs
 Intelligent power display function to monitor the power use in real time
- Glass lens, with a higher light transmittance

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551300B	4W/300lm	4500mAh	12h	1/-/30

Focusing Flashlight



- High-performance battery, can work continuously for 2-3h hours under high light mode
 Multiple modes provide different lighting needs
 Tensile Focus: See far and near

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551115	15W/450lm	2000mAh	2-3h(High light mode)	1/20/80

Mini Flashight



- High-performance battery, can work continuously for 2h hours under high light mode
 USB charging interface, convenient and fast
- Multiple modes provide different lighting needs, High mode, Low mode, Flashing mode

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551002	3W/100lm	400mAh	2h	1/20/80

Flashight



- IPX4 protect grade, long service life inspection
 High-performance battery, can work continuously for 7h hours under high light mode
 Multiple modes provide different lighting needs, High mode, Medium mode, Low mode, Flashing mode, SOS

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL551020	18W/2000lm	8100mAh	7h	1/-/30

OUTDOOR EQUIPMENT

Pliers

Sockets & Wrenches

Fastening Tools

Tool Sets Measuring Tools

Measuring & Layout Tools Electrical Tools

Gardening Tools

Protective Equipment

Soldering Tools Storage

ToolsO ther ToolsP ower

ToolsA utomotive Tools

Red Laser Pointer 3R




- 3R class laser, soft and not dazzling
 USB direct charge, convenient and fast
 4 kinds of entertainment headers and switch freely


- Multifuncation: Anti-counterfeiting, Pet fungus detection, Banknote inspection, Infrared funny cat teasing

Item #	Spec.	Battery Specification	Runtime	Pack Qty
DL552003	≤ 20mw	170mAh	1h	1/12/48











OUTDOOR EQUIPMENT





600D Oxford cloth


1/-/12

37x37x60cm

DI 556101














Store

CUSTOMER INFORMATION Address: 3 0 2 Xuxiake Avenue Tell: +86 0 57 4 59 97 6624








Deli Tools Store Identity

Shop in shop














Shop in shop 2



Size: 3000*350*2400mm



Size: 1000*350*2400mm



Screwdriver Display

Gondola



Size: 700*355*1450mm

Island Display



Size: 1000*700*1450mm

Counter Display



Size: 420*250*620mm



Size: 420*250*620mm



Deli Tools Store Identity

Polo Shirt



Color: Black & Yellow

Working Uniform



Color: Dark blue & Yellow

Gift Bag



Color: Black & Yellow

Parasol



Color: Yellow

Polo Shirt



Color: Yellow

Hat



Color: Black

Tent



Color: Black

Flag



Color: Yellow

TOOLS | INDEX

DLO		DL16045G	137	DL23500A	89	DL290400G	36	DL3440	16
DL0004	3	DL16050	137	DL236031	22	DL2904Z	7	DL3441	16
DL0005	3	DL16050G	137	DL23800	89	DL290500G	36	DL3442	16
DL0024 (4pcs)	138	DL16052	137	DL23800A	89	DL2905Z	7	DL3443	16
DL0025 (5pcs)	138	DL16052G	137	DL23900	89	DL290600G	36	DL3444	16
	138		138		89		36		16
DL0026 (6pcs)		DL16052S		DL23950A		DL290600S		DL3445	
DL0027	136	DL16055	137	DL24	100	DL290600Z	36	DL3446	16
DL0028	136	DL16055G	137	DL240006	19	DL290601	36	DL3447	16
DL0029	136	DL16060	137	DL240011L	20	DL2906Z	7	DL3448	16
DL0103	3	DL16060G	137	DL240025A	19	DL2907	59	DL3449	16
DL0104	3	DL16062	137	DL240025B	19	DL290800G	36	DL3450	16
DL0204	3	DL16065	137	DL240025L	20	DL2908Z	7	DL3451	16
DL0305	59	DL16068	137	DL2402	141	DL291000G	36	DL3452	16
DL0306	59	DL16068G	137	DL2468C	60	DL291001	36	DL3453	17
DL08	142	DL16070	137	DL250039	21	DL2910Z	7	DL3454	17
	142		137		20				17
DL1	160	DL16070G		DL250045		DL2912Z	7	DL3455	
DL10	142	DL16080	137	DL250106	21	DL3	0.5	DL3456	17
DL100008	4	DL16080G	137	DL250202	21	DL302150	35	DL3457	17
DL100106	4	DL16082G	137	DL251103	21	DL302200	35	DL3458	17
DL100107	4	DL16085	137	DL251104	21	DL302250	35	DL3459	17
DL100108	4	DL16085G	137	DL251105	21	DL3086T	13	DL3460	17
DL1006016H	139	DL16090	137	DL251201	21	DL3150T	13	DL3461	17
DL1007R	28	DL16090G	137	DL251202	21	DL3206A	19	DL3462	17
DL101008	4	DL16095	137	DL251202	21	DL331050M	55	DL3463	17
	4		137	DL251203 DL251303	22		55		17
DL101106		DL16100				DL331050Z		DL3464	
DL101108	4	DL16100G	137	DL251304	22	DL332001A	45	DL3465	17
DL1012	29	DL16102	137	DL251305	22	DL332001B	45	DL3502525L	139
DL101214	142	DL16105	137	DL251306	22	DL332102	44	DL3503	136
DL102008	4	DL16105G	137	DL251408	22	DL332202	44	DL3504	136
DL1021	29	DL16110	137	DL251410	22	DL332402	44	DL3505	136
DL102106	4	DL16110G	137	DL251415	22	DL332403	44	DL3506	136
DL102107	4	DL16115	137	DL251420	22	DL332405	44	DL3508	136
DL1021D	19	DL16115G	137	DL251425	22	DL332701	55	DL3510	136
			137		22		45		136
DL1021T	12	DL16120		DL251430		DL332708		DL3512	
DL1026B	13	DL16120G	137	DL251440	22	DL332712	45	DL3514	136
DL103004	5	DL16125	137	DL25912	82	DL332716	45	DL3516	136
DL103005	5	DL16130	137	DL260002B	19	DL333010	57	DL3518	136
DL103006	5	DL16140	137	DL260007	18	DL333011	57	DL3520	136
DL103045	4	DL17	142	DL260016	18	DL333302	54	DL3522	136
DL103105	5	DL18013	138	DL260021	18	DL333380	56	DL3524	136
DL1042	30	DL18019	138	DL260106	18	DL333401	47	DL353001	85
DL1050	30	DL18025	138	DL2602	147	DL333501	47	DL353002	85
DL1058T	12	DL1806022H	139		147		46		84
				DL2602B		DL334005		DL353106	
DL1071216L	139	DL19	142	DL2603	147	DL334006	46	DL35312	136
DL1079	31	DL2		DL260307	18	DL334007	47	DL353812	84
DL1085D	20	DL20016	6	DL260313	18	DL334204	52	DL35620	136
DL1129	20	DL20017	6	DL2607C	61	DL334205	53	DL35625	136
DL1130	20	DL20018	7	DL2613	83	DL334206	53	DL359101A	81
DL12	142	DL2002C	61	DL2614	83	DL334304	48	DL359101B	81
DL121314	142	DL20031	82	DL2615	83	DL334305	48	DL36007	136
DL121417	142	DL20032	82	DL2640751	16	DL334501	49	DL36010	136
DL1216	100	DL20033	82	DL2641001	16	DL334502	49	DL36012	136
DL1251222H	139	DL2006Z	3	DL2641501	16	DL334503	50	DL36016	136
DL13	142	DL2007Z	3	DL2650751	16	DL334504	50	DL36022	136
DL14	142	DL2008Z	3	DL2651001	16	DL334505	51	DL3612	136
DL141719	142	DL2020T	12	DL2651501	16	DL334506	51	DL3614	136
DL1421	11	DL20224	82	DL2661001	16	DL334507	52	DL3616	136
DL1501222H	139	DL20236	82	DL2661501	16	DL335010	57	DL3620	136
DL16	142	DL2026T	13	DL2662001	16	DL336001	44	DL3624	136
DL16020	137	DL2058T	13	DL2681501	16	DL34308	10	DL3800	33
	137				81				
DL16025		DL21	100	DL2702		DL34310	10	DL3801	33
DL16030	137	DL2106Z	3	DL270316G	33	DL34312	10	DL3802	33
DL16030G	137	DL2108Z	3	DL270316T	34	DL34313	10	DL381005	60
DL16032	137	DL2171	23	DL270519G	33	DL34314	10	DL383007	60
DL16032G	137	DL2172	23	DL270519T	34	DL34315	10	DL383009	60
DL16032S	138	DL218	79	DL270525G	33	DL34316	10	DL389115	63
DL16035	137	DL22	100	DL270525T	34	DL34317	10	DL389515	63
DL16035G	137	DL2206Z	3	DL2703251	33	DL34318	10	DL390010A	62
	137		3		34				
DL16040		DL2207Z		DL271025T		DL34319	10	DL390020	62
DL16040G	137	DL23	100	DL277525G	33	DL34321	10	DL390021A	62
DL16042	137	DL2313	22	DL277525T	34	DL34322	10	DL390022A	62
DL16042G	137	DL232509	23	DL2804	72	DL34324	10	DL390050A	62
DL16042S	138	DL232609	23	DL2806	72	DL34327	10	DL390050B	62
DL16043G	137	DL23300A	89	DL290300G	36	DL34330	10	DL390055A	62
DL16045	137	DL23500	89	DL290301	36	DL34332	10	DL390055B	62



deli

DL390055C	62	DL4673	85	DL554102	152	DL611026	115	DL6676	127
DL390960	62	DL468250	141	DL556101	153	DL6161	93	DL6677	128
DL391203	61	DL468500	141	DL556102	153	DL6162	93	DL6678	128
DL394045	64	DL4810	11	DL556103	153	DL6201	99	DL6736	133
	65	DL4810			153		99		132
DL394060			00	DL556104		DL6212		DL674052	
DL394080	65	DL5003	98	DL556105	153	DL6231	93	DL674053	132
DL395075G	65	DL5010F	98	DL556201	153	DL6232	93	DL681001	119
DL395100	65	DL5010Y	98	DL556202	153	DL6234	99	DL685076	122
DL395250	65	DL5013F	98	DL556203	153	DL6238	99	DL685076-1	139
DL395250G	65	DL5013Y	98	DL556301	153	DL625100S	17	DL685076-2	139
DL396003	63	DL5025	98	DL556302	153	DL625150S	17	DL6901	22
DL396003B	63		64		99	DL6258	99		22
		DL5071		DL5612				DL6902	
DL396003F	64	DL508290	101	DL5624	99	DL626002	17	DL6903	22
DL397032	66	DL508390	101	DL563005	152	DL626012	18	DL6907	22
DL397063	66	DL509204	152	DL5706	99	DL626075S	17	DL6915	99
DL397063S	66	DL509205	152	DL5708	99	DL626125S	17	DL7	
DL397132	66	DL510005	96	DL580100A	71	DL6281	108	DL7400B	142
DL397132S	66	DL510007	96	DL580511	72	DL6284	108	DL7408	142
	66		96		72		131		142
DL397232		DL510012		DL580511A		DL631852		DL7410	
DL398040	65	DL510107	96	DL580512	72	DL6322	115	DL7461	141
DL398060	65	DL512006	95	DL580513	72	DL6327	116	DL7611	142
DL398700	65	DL512007	95	DL580701	73	DL6331	113	DL7631	148
DL398740	65	DL512008	95	DL580803	74	DL6335	114	DL7632	142
DL4		DL5120751	95	DL580803B	74	DL6336	114	DL7633	142
	120								142
DL4002832L	139	DL512106	95	DL580804	74	DL6350	129	DL8	
DL401100	62	DL512108	95	DL580811	74	DL6351	129	DL8002	59
DL4107	10	DL512206	95	DL580812	74	DL6352	130	DL80032	82
DL4161-2	45	DL512207	95	DL580813	74	DL636002	17	DL8008	59
DL4161-2	45	DL513060	95	DL580814	74	DL636009B	18	DL8055	144
DL4172A	35	DL5131001	95	DL580924	73	DL6374	119	DL8058	144
	10	DL514080	95		73		120		145
DL4185				DL580927		DL6375		DL8059	
DL4186	10	DL5141001	95	DL581005	75	DL6391	122	DL8060	145
DL4188	10	DL5145	98	DL581005A	75	DL6391B	123	DL8065	145
DL4189	10	DL515006	95	DL581005B	75	DL6392	123	DL8071	145
DL4190	10	DL515106	95	DL581007	75	DL6393	124	DL8072	144
DL4191	10	DL515110	95	DL581020	75	DL6394	124	DL8072-10	144
	10		95		75		125		144
DL4192		DL5151251		DL581030		DL6446		DL8072-20	
DL4193	10	DL515180	96	DL581120A	75	DL6541	111	DL8072-30	144
DL4194	10	DL515185	96	DL581120B	75	DL659015	134	DL8072-5	144
DL4195	10	DL515250	95	DL582004	76	DL659030	135	DL8073	144
DL4196	10	DL516100	95	DL582020	77	DL659050	135	DL8074	144
DL4197	10	DL5161501	95	DL585020	76	DL66001	139	DL8080	146
	100		98		76		139		144
DL4201		DL5168		DL585022		DL66021		DL8083	
DL4202	100	DL518150	95	DL585104	77	DL660400	139	DL8085	144
DL4204	100	DL5191	98	DL585104S	77	DL6604030	138	DL81012	142
DL4207	10	DL5203	99	DL585108	76	DL6604040	138	DL82032C	66
DL430003	91	DL5204	99	DL585213	77	DL660500	139	DL8491	54
DL430004	91	DL521001	87	DL585408	77	DL6607040	138	DL8530	142
	91		87		77				66
DL430316		DL521002		DL585408B		DL6607060	138	DL8720	
DL430318	91	DL521003	87	DL5864	91	DL6608040	138	DL880004	143
DL430320	91	DL521021	87	DL5866	92	DL6608060	138	DL880006	143
DL432001	93	DL521031	87	DL5961	28	DL6609040	138	DL880180B	146
DL432002	93	DL521041	87	DL5962	28	DL6609060	138	DL880181	146
0L432003	93	DL5261	63	DL5963	28	DL6609080	138	DL880250A	146
	92		63		28		138		146
DL432013A		DL5261-10		DL5964		DL6610060		DL880250B	
DL432013B	92	DL5261B	63	DL5965	29	DL6610080	138	DL88035A	64
DL432020	93	DL5262	63	DL5966	31	DL6610100	138	DL88050A	64
DL432039	93	DL5263	63	DL5967	31	DL6610120	138	DL88075	64
DL432050	92	DL5264	63	DL5968	30	DL661075	139	DL88100	64
DL432117	92	DL5265	63	DL5969	30	DL6611	133	DL881070	146
	92		63		29		139		146
DL432214		DL5266		DL5970		DL661143		DL881280	
DL432218	92	DL5271	63	DL5971	28	DL661144	139	DL88150	64
DL432220	92	DL5272	63	DL5972	29	DL661145	139	DL88200	64
DL4370	82	DL5330	98	DL5973	29	DL6612	134	DL882010	142
DL441008	97	DL5335	98	DL6		DL6612060	138	DL8820W	64
DL4414	142	DL551002	151	DL6001	84	DL6612080	138	DL88300	64
DL4416	142	DL551020	151	DL60024	82	DL6612100	138	DL8830C	64
DL442200	99	DL551115	151	DL6005	73	DL6612120	138	DL884055	143
DL442300	99	DL551205	151	DL6008	84	DL661400	126	DL884135	143
0L442500	99	DL551300A	151	DL6011	110	DL6614060	138	DL884160	143
DL442800	99	DL551300B	151	DL601161	110	DL6614080	138	DL884245	144
DL45018	82	DL552003	152	DL603010	116	DL6614120	138	DL884275	144
DL452001	100	DL552004	152	DL6101	84	DL661600	126	DL88500	64
	100	DI EESOOE	152	DL6103	84	DL667012A	112	DL886001	143
DL452002	100	DL552005	102	DLUIUU	0 1	DEGG/012/1	112	DEGGGGGG	, ,,

TOOLS | INDEX

DL886003 DL886004 DL886005 DL886100	143								
DL886005		DL-F08150	137	EDL006Z	80	EDL236906	23	EDL302500	35
DL886005	143	DL-F08200	137	EDL007B	79	EDL236910	22	EDL303150	35
0.01999	143	DL-F10150	137	EDL008A	9	EDL236910T	22	EDL303200	35
	143	DL-F10200	137	EDL009	79	EDL236911	22	EDL3080	23
DL886101	143	DL-F12150	137	EDL009B	79	EDL236913	22	EDL3088	24
DL8901	19	DL-F12200	137	EDL010A	9	EDL2370	97	EDL3089	24
	142				9		97		
DL8910	142	DL-F14200	137	EDL012A		EDL2370A		EDL3090	24
DL9	_	DL-F14350	137	EDL015A	9	EDL2380	97	EDL3091	24
	82		137		9	EDL238001	23		23
DL90036		DL-F16160		EDL018A				EDL3100	
DL90150	36	DL-F16200	137	EDL018B	79	EDL238010	23	EDL3206	18
DL9030	34		137	EDL018Z	79	EDL238011	23		37
		DL-F16350						EDL330060	
DL9030G	35	DL-F18200	137	EDL024A	9	EDL238012	23	EDL330112	37
DL9050	34	DL-F20200	137	EDL025	79	EDL2401	141	EDL332302	39
DL9050G	35	DL-F20350	137	EDL0305A	60	EDL2403	141	EDL332303	39
DL9100	34	DL-F22350	137	EDL0306A	60	EDL2404	141	EDL332305	39
DL9100G	35	DL-F25350	137	EDL0341	5	EDL2421	11	EDL333380A	41
DL91100	34	DL-G		EDL0342	5	EDL2422	11	EDL333550	40
			7						
DL9130	34	DL-G202	7	EDL0343	6	EDL2468	60	EDL334201	42
DL9150	34	DL-G203	7	EDL0344	6	EDL2504	82	EDL334301	40
DL92200B	37	DL-G204	7	EDL1		EDL2507	81	EDL334302	43
L92300B	37	DL-G205	7	EDL1008J	27	EDL2508	7	EDL334303	42
DL932-2	11	DL-G206	7	EDL1011J	27	EDL2509	81	EDL350033	81
DL932-21	11	DL-G208	7	EDL1018J	27	EDL2510	7	EDL350042	81
DL932-22	11	DL-P		EDL1028J	27	EDL2512	7	EDL352085	83
DL932-2A	11	DL-P4	91	EDL1032	13	EDL2514	7	EDL3525	21
DL9325	37	DL-P5	91	EDL1033D	21	EDL2518	7	EDL353712	84
DL9350	37	DL-P6	91	EDL1038J	27	EDL2521	11	EDL3565	21
DL9405	35	DL-PQ1	101	EDL104407	6	EDL2522	11	EDL3590	23
DL9410	35	DL-PQ2	101	EDL104506	6	EDL2524	7	EDL359204	85
DL9415	35	DL-PQ4	101	EDL1046	12	EDL2536	7	EDL359210	85
DL9420	35	DL-S		EDL1048J	27	EDL2548	7	EDL3795Y	33
			1/0						
DL9430	35	DL-S10	149	EDL130008A	9	EDL25506	7	EDL3796Y	33
DL9446	100	DL-S12	149	EDL130012A	9	EDL25508	7	EDL3797Y	33
DL9447	100	DL-S6	149	EDL130014A	9	EDL25510	7	EDL3798Y	33
DL9715	57	DL-S8	149	EDL130014B	9	EDL2560	62	EDL3799Y	33
DL97984	146	DL-T		EDL1313	23	EDL2601B	147	EDL381008	60
DL98030	34	DL-TI	89	EDL150008A	10	EDL2602A	147	EDL391201	61
DL98030B	34	DL-T2	89	EDL150012A	9	EDL2607	61		61
								EDL391202	OI
DL98050	34	DL-TS3C-20	93	EDL160008A	10	EDL2610	7	EDL4	_
DL98050B	34	DL-TX017	93	EDL160012A	9	EDL2612	7	EDL4168	56
			00						
DL9810	34	DL-X	_	EDL1919	5	EDL2616	7	EDL4169	56
DL98100	34	DL-XP01	96	EDL2		EDL2618	83	EDL4170	56
JESOIOU					-				
			96	EDL2001	6	EDL2624	83	EDL4171	56
DL98100B	34	DL-XP02	00		0		83		
	34			EDI 20011		EDI 2630		EDI 7:179	37
DL-B	0.00	DL-XP03	96	EDL20011	6	EDL2630		EDL4179	37
DL-B	149			EDL20011 EDL20015B	6	EDL2630 EDL2636	83	EDL4179 EDL4255	37 79
DL-B DL-B10T	149	DL-XP03 DL-XP13	96 96	EDL20015B	6	EDL2636	83	EDL4255	79
DL-B DL-B10T DL-B16T	149 149	DL-XP03 DL-XP13 DL-XP21	96 96 96	EDL20015B EDL2001-7	6	EDL2636 EDL2642	83 83	EDL4255 EDL4260	79 80
DL-B DL-B10T DL-B16T	149	DL-XP03 DL-XP13	96 96	EDL20015B	6	EDL2636	83	EDL4255	79
DL-B DL-B10T DL-B16T DL-B20T	149 149 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22	96 96 96 97	EDL20015B EDL2001-7 EDL20025	6 6 5	EDL2636 EDL2642 EDL2685C	83 83 83	EDL4255 EDL4260 EDL430013	79 80 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T	149 149 149 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23	96 96 96 97 97	EDL20015B EDL2001-7 EDL20025 EDL20026	6 6 5 4	EDL2636 EDL2642 EDL2685C EDL2687	83 83 83 83	EDL4255 EDL4260 EDL430013 EDL430113	79 80 91 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T	149 149 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22	96 96 96 97	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003	6 6 5	EDL2636 EDL2642 EDL2685C	83 83 83	EDL4255 EDL4260 EDL430013	79 80 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T DL-B5005T	149 149 149 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32	96 96 96 97 97	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003	6 6 5 4 61	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688	83 83 83 83	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116	79 80 91 91 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T DL-B5005T DL-B50T	149 149 149 149 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01	96 96 96 97 97 97	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030	6 6 5 4 61 82	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701	83 83 83 83 83	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117	79 80 91 91 91
DL98100B DL-B DL-B10T DL-B16T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T	149 149 149 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32	96 96 96 97 97	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003	6 6 5 4 61	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688	83 83 83 83	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116	79 80 91 91 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T	149 149 149 149 138 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02	96 96 96 97 97 97 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006	6 6 5 4 61 82 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705	83 83 83 83 83 81 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118	79 80 91 91 91 91
DL-B DL-B10T DL-B16T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B5125T	149 149 149 149 138 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03	96 96 96 97 97 97 148 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007	6 6 5 4 61 82 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706	83 83 83 83 83 81 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412	79 80 91 91 91 91 91 91
DL-B DL-B10T DL-B10T DL-B10T DL-B20T DL-B20T DL-B20T DL-B5005T DL-B50T DL-B5125T DL-B51 DL-B51	149 149 149 149 138 149 138 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XQ03 DL-XS-30081	96 96 96 97 97 97 148 148 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008	6 6 5 4 61 82 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715	83 83 83 83 83 81 59 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413	79 80 91 91 91 91 91 92 92
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B5125T DL-B5125T DL-B5005T	149 149 149 149 138 149 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03	96 96 96 97 97 97 148 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008	6 6 5 4 61 82 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715	83 83 83 83 83 81 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413	79 80 91 91 91 91 91 91
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B5125T DL-B5105T DL-B5105T DL-B6106T	149 149 149 149 138 149 138 149 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825	96 96 96 97 97 97 148 148 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL2008	6 6 5 4 61 82 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778	83 83 83 83 83 81 59 59 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414	79 80 91 91 91 91 91 92 92 92
DL-B DL-B10T DL-B16T DL-B20T DL-B22T DL-B5005T DL-B5125T DL-B5125T DL-B6106T DL-B6106T DL-B6124T	149 149 149 149 138 149 138 149 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825	96 96 97 97 97 148 148 148 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL2008 EDL2008-3 EDL2010T	6 6 5 4 61 82 3 3 3 4	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779	83 83 83 83 83 81 59 59 59 71 72	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432414	79 80 91 91 91 91 91 92 92 92
DL-B DL-B10T DL-B16T DL-B20T DL-B22T DL-B5005T DL-B5125T DL-B5125T DL-B6106T DL-B6106T DL-B6124T	149 149 149 149 138 149 138 149 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825	96 96 96 97 97 97 148 148 148	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL2008 EDL2008-3 EDL2010T	6 6 5 4 61 82 3 3 3 4	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779	83 83 83 83 83 81 59 59 59	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432414	79 80 91 91 91 91 91 92 92 92
DL-B DL-B10T DL-B10T DL-B20T DL-B22T DL-B5005T DL-B5125T DL-B5125T DL-B6106T DL-B6124T DL-B6005T	149 149 149 149 138 149 138 149 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-YD6110	96 96 97 97 97 148 148 148 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL2008 EDL2008-3 EDL2010T EDL2012T	6 6 5 4 61 82 3 3 3 4 12	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779	83 83 83 83 83 81 59 59 71 72 71	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL432417	79 80 91 91 91 91 92 92 92 92 92 82
DL-B DL-B10T DL-B16T DL-B20T DL-B22T DL-B5005T DL-B5125T DL-B5125T DL-B6106T DL-B6106T DL-B6124T	149 149 149 149 138 149 138 149 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825	96 96 97 97 97 97 148 148 148 65 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL20006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T	6 6 5 4 61 82 3 3 3 4 12 11	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779 EDL2789A EDL280316Y	83 83 83 83 83 81 59 59 59 71 72 71 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K	79 80 91 91 91 91 92 92 92 92 92 141
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B5005T DL-B50T DL-B5125T DL-B6005T DL-B6106T DL-B6124T DL-B8005T DL-B8005T	149 149 149 149 138 149 138 149 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160	96 96 97 97 97 148 148 148 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL20006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T	6 6 5 4 61 82 3 3 3 4 12	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779 EDL2789A EDL280316Y	83 83 83 83 83 81 59 59 59 71 72 71 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K	79 80 91 91 91 91 92 92 92 92 92 82
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B5005T DL-B50T DL-B5125T DL-B5125T DL-B6106T DL-B6106T DL-B6124T DL-B8005T DL-B8005T DL-B8005T DL-B8005T DL-B8005T DL-B8005T DL-B8005T DL-B8005T DL-B8005T	149 149 149 149 138 149 138 149 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06160 DL-Y08160	96 96 97 97 97 148 148 148 65 65 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2007 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308	6 6 5 4 61 82 3 3 3 4 12 11	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y	83 83 83 83 81 59 59 71 72 71 33 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003	79 80 91 91 91 91 92 92 92 92 92 141 99
DL-B DL-B10T DL-B10T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B5T DL-B6106T DL-B6106T DL-B6124T DL-B8005T DL-B005T DL-B005T DL-B005T DL-B005T	149 149 149 149 138 149 138 149 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160	96 96 97 97 97 97 148 148 148 65 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL20006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T	6 6 5 4 61 82 3 3 3 4 12 11	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779 EDL2789A EDL280316Y	83 83 83 83 83 81 59 59 59 71 72 71 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K	79 80 91 91 91 91 92 92 92 92 92 141
DL-B DL-B10T DL-B16T DL-B20T DL-B20T DL-B5005T DL-B505T DL-B5125T DL-B5106T DL-B6106T	149 149 149 149 138 149 138 149 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06160 DL-Y06160 DL-Y0160	96 96 97 97 97 148 148 148 65 65 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL20308 EDL20166	6 6 5 4 61 82 3 3 3 4 12 11	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y	83 83 83 83 81 59 59 71 72 71 33 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005	79 80 91 91 91 91 92 92 92 92 92 141 99
DL-B DL-B10T DL-B20T DL-B20T DL-B32T DL-B505T DL-B5025T DL-B5125T DL-B6106T DL-B6106T DL-B6124T DL-B6124T DL-B605T DL-BC2T DL-B005T DL-B005T DL-B005T	149 149 149 149 138 149 138 149 138 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20208 EDL20308 EDL20106 EDL2012006 EDL2012006 EDL2012006 EDL2012006 EDL2012006 EDL20120	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL281025Y	83 83 83 83 81 59 59 59 71 72 71 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430118 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL437 EDL437 EDL4416K EDL442003 EDL442005 EDL442010	79 80 91 91 91 91 92 92 92 92 92 141 99 99
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B505T DL-B505T DL-B5125T DL-B5106T DL-B6106T DL-B6106T DL-B6104T DL-B605T DL-B605T DL-B6005T DL-B6005T DL-B6005T DL-B6005T DL-B6006T DL-B6006T DL-B6006T DL-B6005T	149 149 149 149 138 149 138 149 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06160 DL-Y06160 DL-Y0160	96 96 96 97 97 97 148 148 148 65 65 65	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL20308 EDL20166	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33	EDL4255 EDL4260 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005	79 80 91 91 91 91 92 92 92 92 92 141 99
DL-B DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B5106T DL-B6005T D	149 149 149 149 138 149 138 149 138 138 138 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06160 DL-Y06160 DL-Y0160 DL-Y10160 DL-Y12160 DL-Y14160	96 96 96 97 97 97 148 148 148 65 65 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL20030 EDL2006 EDL2007 EDL2008 EDL20007 EDL2010T EDL2012T EDL2024T EDL20308 EDL20308 EDL20106 EDL20308 EDL20106 EDL20308 EDL20308 EDL20106 EDL2108 EDL2106	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL280525Y	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430118 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016	79 80 91 91 91 92 92 92 92 92 141 99 99
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B6005T DL-B6006T DL-	149 149 149 149 138 149 138 149 138 138 138 138 138 138 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y08160 DL-Y12160 DL-Y12160 DL-Y12160 DL-Y1220	96 96 96 97 97 97 148 148 65 65 65 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL20007 EDL2001 EDL2010T EDL2012T EDL2024T EDL20308 EDL20106 EDL2106 EDL2106 EDL2106 EDL2206 EDL2206 EDL2207	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL2807525Y EDL2807525Y EDL2807525Y EDL2807525Y	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443024	79 80 91 91 91 92 92 92 92 92 141 99 99 98
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B6005T DL-B6106T DL-B6106T DL-B6124T DL-B6005T DL-B005T DL-B005T DL-B005T DL-D0091 DL-D0091 DL-D0993 DL-D0994 DL-D01	149 149 149 149 138 149 138 138 138 138 138 138 138 138 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y08160 DL-Y12160 DL-Y12160 DL-Y12160 DL-Y1200 DL-Y020 DL-Y0300	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL2807525Y EDL2807525Y EDL290230 EDL290300	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430118 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016	79 80 91 91 91 92 92 92 92 92 141 99 99 99 98
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B6005T DL-B6106T DL-B6106T DL-B6124T DL-B6005T DL-B005T DL-B005T DL-B005T DL-D0091 DL-D0091 DL-D0993 DL-D0994 DL-D01	149 149 149 149 138 149 138 138 138 138 138 138 138 138 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y08160 DL-Y12160 DL-Y12160 DL-Y12160 DL-Y1200 DL-Y020 DL-Y0300	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL2807525Y EDL2807525Y EDL290230 EDL290300	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443024 EDL443010	79 80 91 91 91 92 92 92 92 92 141 99 99 99 98
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B505T DL-B505T DL-B6106T DL-B6106T DL-B6124T DL-B6005T DL-B6124T DL-B7 DL-D7 DL-	149 149 149 149 138 149 138 138 138 138 138 138 138 138 138 149	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06160 DL-Y06160 DL-Y10160 DL-Y12160	96 96 96 97 97 97 148 148 65 65 65 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2108 EDL2108 EDL2206 EDL2207 EDL2206 EDL2207 EDL230308 EDL2207	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 4 12 11 12 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL281025Y EDL281025Y EDL287525Y EDL290230 EDL290300 EDL290400	83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 35 36	EDL4255 EDL4260 EDL430013 EDL430118 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443016 EDL443010 EDL447010 EDL447030	79 80 91 91 91 92 92 92 92 92 92 92 99 99 99 99
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B505T DL-B5125T DL-B5125T DL-B6106T DL-B6124T DL-B6005T DL-B005T DL-B005T DL-D01-B01-D01-D01-D01-D01-D01-D01-D01-D01-D01-D	149 149 149 149 138 149 138 138 138 138 138 138 149 80 80 80 80 80	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2108 EDL2206 EDL2207 EDL2207 EDL2207 EDL230308 EDL2207 EDL230308 EDL2207	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 4 12 25 24 24	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280519Y EDL280525Y EDL280525Y EDL280250 EDL290230 EDL290300 EDL290400 EDL290500	83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443024 EDL443010	79 80 91 91 91 92 92 92 92 92 92 92 99 99 99 99 99
DL-B DL-B10T DL-B10T DL-B10T DL-B20T DL-B32T DL-B5005T DL-B5125T DL-B5125T DL-B6106T DL-B6106T DL-B6124T DL-B6005T DL-DP091 DL-DP091 DL-DP091 DL-DP181 DL-DP182 DL-DP183	149 149 149 149 138 149 138 138 138 138 138 138 149 80 80 80 80 80	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2108 EDL2206 EDL2207 EDL2207 EDL2207 EDL230308 EDL2207 EDL230308 EDL2207	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 4 12 25 24 24	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280519Y EDL280525Y EDL280525Y EDL280250 EDL290230 EDL290300 EDL290400 EDL290500	83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443016 EDL443016 EDL443010 EDL447010 EDL447010 EDL447030 EDL4468300	79 80 91 91 91 92 92 92 92 92 92 92 99 99 99 99 99
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B5005T DL-B5005T DL-B5125T DL-B5106T DL-B6005T DL-B009T DL-D09091	149 149 149 149 138 149 138 149 138 138 138 138 138 138 80 80 80 80 80 81	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-YD6160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-Y14160 DL-YQ20 DL-YQ300 DL-YQX8B	96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2206 EDL2207 EDL2207 EDL2207 EDL230308 EDL2207 EDL230308 EDL2207 EDL230308 EDL2207 EDL230308 EDL2309H EDL231309H EDL231209H	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 4 4 12 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280525Y EDL280525Y EDL280225Y EDL2802300 EDL290300 EDL290400 EDL290500 EDL290600	83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 35 36 36	EDL4255 EDL4260 EDL43013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442010 EDL443016 EDL443016 EDL443016 EDL443024 EDL447010 EDL447030 EDL447030 EDL447030 EDL468300 EDL4723	79 80 91 91 91 92 92 92 92 82 141 99 99 98 98 99 99 141 85
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B5005T DL-B5005T DL-B5125T DL-B6005T DL-D010D-B010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D01D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D010D-D	149 149 149 149 138 149 138 138 138 138 138 138 149 80 80 80 80 80	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2108 EDL2206 EDL2207 EDL2207 EDL2207 EDL230308 EDL2207 EDL230308 EDL2207	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 4 12 25 24 24	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280519Y EDL280525Y EDL280525Y EDL280250 EDL290230 EDL290300 EDL290400 EDL290500	83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 33 33	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL443016 EDL443016 EDL443010 EDL447010 EDL447010 EDL447030 EDL4468300	79 80 91 91 91 92 92 92 92 92 92 92 99 99 99 99 99
DL-B DL-B10T DL-B20T DL-B20T DL-B32T DL-B50ST DL-B50ST DL-B512ST DL-B6106T DL-B6106T DL-B6106T DL-B6124T DL-B6124T DL-B0124T DL-D019 DL-D093 DL-D093 DL-D093 DL-D091 DL-D0180	149 149 149 149 138 149 138 149 138 138 138 138 138 138 80 80 80 81 80 80 81 81	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-Y14160 DL-Y14160 DL-Y14160 DL-Y0800 DL-ZD15	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308 EDL2209 EDL231309H EDL231209H EDL2323	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 4 12 12 11 12 5 5 3 3 3 3 2 4 2 2 5 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 1 2 1 2	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2776 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL280525Y EDL290300 EDL290300 EDL290400 EDL290500 EDL290800 EDL290800	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL44616K EDL442003 EDL442005 EDL442010 EDL443016 EDL447030 EDL447030 EDL447030 EDL447030 EDL447030 EDL4723 EDL4723	79 80 91 91 91 92 92 92 92 92 141 99 99 98 98 99 99 141 85 85
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B20T DL-B502T DL-B502T DL-B502T DL-B5005T DL-B5005T DL-B6005T DL-B6006T DL-DP001 DL-DP0101	149 149 149 149 138 149 138 149 138 138 138 138 138 138 80 80 80 80 80 81	DL-XP03 DL-XP13 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y12160	96 96 96 97 97 97 148 148 65 65 65 138 138 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL20007 EDL20017 EDL2012T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2206 EDL2207 EDL231209H EDL231209H EDL2323 EDL23239H	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 4 12 25 11 25	EDL2636 EDL2642 EDL2687 EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2779 EDL2789 EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL290230 EDL290400 EDL290500 EDL290600 EDL2908	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 36 60 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL44616K EDL442003 EDL442005 EDL442010 EDL443016 EDL443016 EDL443016 EDL447010 EDL447010 EDL447030 EDL447030 EDL447230 EDL4723 EDL4723C EDL4725	79 80 91 91 91 92 92 92 92 92 92 94 99 99 99 98 99 99 141 85 85
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B50ST DL-B50ST DL-B512ST DL-B600ST DL-B610GT DL-B610GT DL-B610GT DL-B610GT DL-B6124T DL-B6124T DL-B6124T DL-B6124T DL-B6124T DL-B6124T DL-B6124T DL-B610GT DL-B6124T DL-D01B1 DL-D01B1 DL-D01B2 DL-D01B2 DL-D01B3 DL-D02S1 DL-D02S1 DL-D02S1 DL-D030	149 149 149 149 138 149 138 149 138 138 138 138 138 138 80 80 80 81 80 80 81 81	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-Y14160 DL-Y14160 DL-Y14160 DL-Y0800 DL-ZD15	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 138	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2008-3 EDL2010T EDL2012T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308 EDL2209 EDL231309H EDL231209H EDL2323	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 4 12 12 11 12 5 5 3 3 3 3 2 4 2 2 5 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 1 2 1 2	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2776 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL280525Y EDL290300 EDL290300 EDL290400 EDL290500 EDL290800 EDL290800	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL44616K EDL442003 EDL442005 EDL442010 EDL443016 EDL447030 EDL447030 EDL447030 EDL447030 EDL447030 EDL4723 EDL4723	79 80 91 91 91 92 92 92 92 92 141 99 99 98 98 99 99 141 85 85
DL-B DL-BIOT DL-BIOT DL-BIOT DL-B2OT DL-B2OT DL-B505T DL-B505T DL-B5125T DL-B6005T DL-B6106T DL-B6124T DL-B6124T DL-B0091 DL-DP091 DL-DP091 DL-DP091 DL-DP181 DL-DP181 DL-DP181 DL-DP182 DL-DP182 DL-DP30 DL-DP30 DL-DP30 DL-DP30 DL-DP30 DL-DP4723 DL-E	149 149 149 149 149 138 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 80 80 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP23 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-Y12160 DL-Y12160 DL-Y12160 DL-Y08160 DL-Y08160 DL-Y12160 DL-ZL10	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL20007 EDL20007 EDL20007 EDL20017 EDL201207 EDL2012007 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL21000 EDL21000 EDL21000 EDL22000 EDL230000 EDL230000 EDL2300000 EDL23000000 EDL23000000000000000000000000000000000000	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 3 2 5 2 4 2 5 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1	EDL2636 EDL2642 EDL2687 EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2775 EDL2778 EDL2779 EDL2789A EDL280519Y EDL280525Y EDL280525Y EDL290230 EDL290400 EDL290500 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 36 60 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL44371 EDL444005 EDL442005 EDL442010 EDL4447010 EDL447010 EDL447030 EDL447030 EDL468300 EDL44723 EDL4723 EDL4723 EDL4725 EDL4726	79 80 91 91 91 92 92 92 92 92 92 92 141 99 99 98 98 99 141 85 85 85
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B20T DL-B5005T DL-B50T DL-B5125T DL-B6005T DL-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010L-D010	149 149 149 149 138 149 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 80 80 81 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y06160 DL-Y10160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2008 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2207 EDL2208 EDL2209 EDL230308 EDL231209H EDL231309H EDL2323309H EDL2323	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 3 25 24 24 25 11 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2779 EDL2789A EDL2803169 EDL2805159 EDL2805259 EDL290230 EDL290300 EDL290400 EDL290600 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800	83 83 83 83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 35 36 36 36 60 36 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL447010 EDL447010 EDL447030 EDL447030 EDL4723 EDL4723 EDL4723 EDL4723 EDL4725 EDL4726 EDL4727	79 80 91 91 91 92 92 92 92 92 141 99 99 98 98 99 141 85 85 85
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B5125T DL-B6106T DL-B6106T DL-B6124T DL-B8005T DL-B6106T DL-D091	149 149 149 149 149 138 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 80 80 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP23 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y08160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL20007 EDL20007 EDL20007 EDL20017 EDL201207 EDL2012007 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL2012000 EDL21000 EDL21000 EDL21000 EDL22000 EDL230000 EDL230000 EDL2300000 EDL23000000 EDL23000000000000000000000000000000000000	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 3 2 5 2 4 2 5 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1	EDL2636 EDL2642 EDL2687 EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2775 EDL2778 EDL2779 EDL2789A EDL280519Y EDL280525Y EDL280525Y EDL290230 EDL290400 EDL290500 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800	83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 36 60 36	EDL4255 EDL4260 EDL430013 EDL430013 EDL430116 EDL430117 EDL430118 EDL432412 EDL432413 EDL432414 EDL432417 EDL44371 EDL444005 EDL442005 EDL442010 EDL4447010 EDL447010 EDL447030 EDL447030 EDL468300 EDL44723 EDL4723 EDL4723 EDL4725 EDL4726	79 80 91 91 91 92 92 92 92 92 92 92 141 99 99 98 98 99 141 85 85 85
DL-B DL-B10T DL-B10T DL-B20T DL-B20T DL-B32T DL-B5005T DL-B50T DL-B512ST DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-D0191 DL-D0191 DL-D0191 DL-D0191 DL-D0181 DL-D0181 DL-D0182 DL-D0182 DL-D0183 DL-D0182 DL-D0183 DL-D0182 DL-D0183 DL-E104	149 149 149 149 138 149 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP23 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y08160 DL-Y12160	96 96 96 97 97 97 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2206 EDL2207 EDL2208 EDL2209 EDL232309H EDL232209H EDL232309H	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 25 24 24 24 25 11 25 11 25 11 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2779 EDL2789A EDL280316Y EDL280525Y EDL280525Y EDL290230 EDL290300 EDL290400 EDL290600 EDL290800 EDL290800 EDL290800 EDL290800 EDL290800 EDL291000	83 83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 35 36 36 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL4416K EDL442003 EDL442005 EDL442010 EDL443016 EDL447030 EDL447030 EDL447030 EDL447030 EDL4723 EDL4723 EDL4723 EDL4723 EDL4725 EDL4725 EDL4727 EDL4971	79 80 91 91 91 92 92 92 92 92 141 99 99 98 98 99 141 85 85 85
DL-B DL-B10T DL-B20T DL-B20T DL-B32T DL-B50T DL-B50T DL-B55T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010DL-D010	149 149 149 149 138 149 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 80 80 81 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP23 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y06160 DL-Y12160 DL-ZL15 DL-ZL15 DL-ZL15 DL-ZL15	96 96 96 97 97 97 148 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2008 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308 EDL2209H EDL231209H EDL233209H EDL2323 EDL232309H EDL232309H EDL23234 EDL2324 EDL2324 EDL2324 EDL233108 EDL233208 EDL233208 EDL233208 EDL233208 EDL233208 EDL233208	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 25 24 24 24 25 11 25 11 25 11 25 25 25 25 25 25 25 25 25 25 25 25 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2778 EDL2779 EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL290230 EDL290400 EDL290600 EDL29080 EDL290800 EDL290800 EDL290800 EDL290800 EDL291000	83 83 83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 35 36 36 36 36 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL441616 EDL442003 EDL442005 EDL442010 EDL442010 EDL447010 EDL447030 EDL447030 EDL447030 EDL4723 EDL4723 EDL4725 EDL4725 EDL4726 EDL4727 EDL4971	79 80 91 91 91 92 92 92 92 92 94 99 99 98 99 99 141 85 85 85 85 60
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B505T DL-B505T DL-B5125T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-DP091 DL-DP091 DL-DP093 DL-DP093 DL-DP094 DL-DP1 DL-DP181 DL-DP182 DL-DP183 DL-DP251 DL-DP30 DL-DP4723 DL-E104 DL-E104 DL-E104 DL-E108	149 149 149 149 149 138 138 149 138 138 138 138 138 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-	96 96 96 97 97 97 148 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2108 EDL2108 EDL2206 EDL2207 EDL232308 EDL232309H EDL233209H EDL23233 EDL232309H EDL23234 EDL232309H EDL23234 EDL232309H EDL23234 EDL233108 EDL233108 EDL233108 EDL233108 EDL233409H EDL233409H EDL233409H EDL233409H EDL233409H	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 25 24 24 24 25 11 25 11 25 25 25 25 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL280316Y EDL280316Y EDL280525Y EDL280250 EDL290400 EDL290400 EDL290800 EDL2908 EDL29080 EDL29080 EDL290800 EDL290800 EDL291000 EDL30108 EDL30108 EDL30108	83 83 83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 33 33 36 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL441616 EDL442003 EDL442005 EDL442010 EDL442010 EDL447010 EDL447010 EDL447030 EDL447030 EDL4723 EDL4723 EDL4725 EDL4726 EDL4727 EDL4971	79 80 91 91 91 92 92 92 92 92 92 94 99 99 99 141 85 85 85 85 86
DL-B DL-B10T DL-B20T DL-B20T DL-B20T DL-B505T DL-B505T DL-B5125T DL-B6106T DL-B6106T DL-B6106T DL-B6106T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-B005T DL-DP091 DL-DP091 DL-DP093 DL-DP093 DL-DP094 DL-DP1 DL-DP181 DL-DP182 DL-DP183 DL-DP251 DL-DP30 DL-DP4723 DL-E104 DL-E104 DL-E104	149 149 149 149 149 138 138 149 138 138 138 138 138 138 138 138 138 138	DL-XP03 DL-XP13 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP32 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y DL-Y06160 DL-Y06160 DL-Y10160 DL-Y10160 DL-Y12160 DL-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-ZU-	96 96 96 97 97 97 148 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2108 EDL2108 EDL2108 EDL2206 EDL2207 EDL232308 EDL232309H EDL233209H EDL23233 EDL232309H EDL23234 EDL232309H EDL23234 EDL232309H EDL23234 EDL233108 EDL233108 EDL233108 EDL233108 EDL233409H EDL233409H EDL233409H EDL233409H EDL233409H	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 25 24 24 24 25 11 25 11 25 25 25 25 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2715 EDL2778 EDL2779 EDL280316Y EDL280316Y EDL280525Y EDL280250 EDL290400 EDL290400 EDL290800 EDL2908 EDL29080 EDL29080 EDL290800 EDL290800 EDL291000 EDL30108 EDL30108 EDL30108	83 83 83 83 83 83 83 81 59 59 71 72 71 33 33 33 33 33 33 33 33 36 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL441616 EDL442003 EDL442005 EDL442010 EDL442010 EDL447010 EDL447010 EDL447030 EDL447030 EDL4723 EDL4723 EDL4725 EDL4726 EDL4727 EDL4971	79 80 91 91 91 92 92 92 92 92 92 94 99 99 99 141 85 85 85 85 86
DL-B DL-B10T DL-B20T DL-B20T DL-B22T DL-B25T DL-B50T DL-B5125T DL-B6106T DL-B6124T DL-B6124T DL-B6124T DL-DP091 DL-DP091 DL-DP091 DL-DP181 DL-DP182 DL-DP183 DL-DP183 DL-DP183 DL-DP251 DL-DP30 DL-DP30 DL-DP423 DL-DP423 DL-E102 DL-E104 DL-E108	149 149 149 149 138 149 138 149 138 138 138 138 138 138 189 80 80 80 81 80 80 81 80 80 81 81 85	DL-XP03 DL-XP13 DL-XP21 DL-XP22 DL-XP23 DL-XP23 DL-XQ01 DL-XQ02 DL-XQ03 DL-XS-30081 DL-XS-300825 DL-Y06110 DL-Y06160 DL-Y06160 DL-Y12160 DL-ZL15 DL-ZL15 DL-ZL15 DL-ZL15	96 96 96 97 97 97 148 148 148 148 65 65 65 138 138 138 138 138 138 138 149 149 149 149 149 149	EDL20015B EDL2001-7 EDL20025 EDL20026 EDL2003 EDL2003 EDL2006 EDL2007 EDL2008 EDL2007 EDL2008 EDL2010T EDL2012T EDL2024T EDL20308 EDL2106 EDL2106 EDL2108 EDL2206 EDL2207 EDL230308 EDL2209H EDL231209H EDL233209H EDL2323 EDL232309H EDL232309H EDL23234 EDL2324 EDL2324 EDL2324 EDL233108 EDL233208 EDL233208 EDL233208 EDL233208 EDL233208 EDL233208	6 6 5 4 61 82 3 3 3 4 12 11 12 5 3 3 3 3 3 3 25 24 24 24 25 11 25 11 25 11 25 25 25 25 25 25 25 25 25 25 25 25 25	EDL2636 EDL2642 EDL2685C EDL2687 EDL2688 EDL2701 EDL2705 EDL2706 EDL2778 EDL2778 EDL2779 EDL280316Y EDL280519Y EDL280525Y EDL280525Y EDL290230 EDL290400 EDL290600 EDL29080 EDL290800 EDL290800 EDL290800 EDL290800 EDL291000	83 83 83 83 83 83 83 81 59 59 59 71 72 71 33 33 33 33 33 33 35 36 36 36 36 36 36 36 36	EDL4255 EDL4260 EDL430013 EDL430113 EDL430116 EDL430117 EDL430118 EDL432412 EDL432414 EDL432417 EDL4371 EDL441616 EDL442003 EDL442005 EDL442010 EDL442010 EDL447010 EDL447030 EDL447030 EDL447030 EDL4723 EDL4723 EDL4725 EDL4725 EDL4726 EDL4727 EDL4971	79 80 91 91 91 92 92 92 92 82 141 99 99 98 88 89 99 141 85 85 85 85 60

EDL5042	62	EDL633075	15	EDL9820ZY	34
EDL5043	62	EDL6330751	15	EDL9830ZY	34
EDL5044	62	EDL633100	15	EDL9850ZY	34
EDL5045	62	EDL6331001	15	EDL-C	0-4
EDL5050	98	EDL633150	15	EDL-CZ13-E1	109
EDL5200	61	EDL6331501	15	EDL-CZ13-E2	109
EDL5250	98	EDL635075	15	EDL-CZ20-EID2	106
EDL5261	62	EDL6350751	15	EDL-D	
EDL5318	61	EDL635100	15	EDL-DC26-E1	113
EDL5340	98	EDL6351001	15	EDL-DP	80
EDL5616	99	EDL635125	15	EDL-DP04-E1B2	104
	73		15		17.00
EDL580002		EDL6351251		EDL-DP04-E2B1	104
EDL580003	73	EDL635150	15	EDL-DP05	80
EDL580101	71	EDL6351501	15	EDL-DP092	80
EDL580200	71	EDL636009	18	EDL-DZ10-E1	107
EDL580203	71	EDL636038	15	EDL-DZ12-E1A1	105
EDL580204	71	EDL6360381	15	EDL-DZ12-E2D1	105
EDL580205	71	EDL636100	15	EDL-DZ20-EIDI	106
	71		15		100
EDL580206		EDL6361001		EDL-H	
EDL580321	72	EDL636125	15	EDL-HD2	85
EDL580421	72	EDL6361251	15	EDL-HD3	85
EDL580618	73	EDL636150	15	EDL-HD4	85
EDL580933	73	EDL6361501	15	EDL-J	
EDL6		EDL636200	15	EDL-JM100-E1	117
EDL6007	84	EDL6362001	15	EDL-JM100-E2	118
EDL623075	16	EDL638200	15	EDL-JM115-E1	117
EDL6230751	15	EDL6382001	15	EDL-JM125-E1	118
EDL623100	16	EDL638250	15	EDL-JM180-E1	120
EDL6231001	15	EDL6382501	15	EDL-JM20-E1D4	121
EDL623150	16	EDL638300	15	EDL-Y	
EDL6231501	15	EDL6383001	15	EDL-YJ185-E1	130
	16		73		
EDL625075		EDL6840		EDL-YJ235-E1	131
EDL6250751	15	EDL6840A	73	EDL-YQ120	83
EDL625100	16	EDL6845A	73	EDL-YQ16	83
EDL6251001	15	EDL6850	73	EDL-YQ240	83
EDL625125	16	EDL6911	99	EDL-YQ70	83
	15		00	-	
FDL625[25]	15	FH 6912	99		_
EDL6251251	15	EDL6912	99	H9	10.2
EDL625150	16	EDL6913	99	H901A	103
EDL625150 EDL6251501	16 15	EDL6913 EDL6914		H901A H901B	103
EDL625150	16 15 16	EDL6913	99 99	H901A H901B H911A	
EDL625150 EDL6251501	16 15	EDL6913 EDL6914	99	H901A H901B	103
EDL625150 EDL6251501 EDL625200	16 15 16	EDL6913 EDL6914 EDL7	99 99	H901A H901B H911A	103 103
EDL625150 EDL6251501 EDL625200 EDL6252001	16 15 16 15	EDL6913 EDL6914 EDL7 EDL7001000B	99 99 36	H901A H901B H911A H911B	103 103 103
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010	16 15 16 15 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B	99 99 36 36 36	H901A H901B H911A H911B T18202	103 103 103 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626011	16 15 16 15 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B	99 99 36 36	H901A H901B H911A H911B T18202 T18203	103 103 103 103 68 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626011 EDL626038	16 15 16 15 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8	99 99 36 36 36 36 36	H901A H901B H911A H911B T18202 T18203 T18204	103 103 103 68 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626011 EDL626038 EDL6260381	16 15 16 15 17 17 17 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8 EDL8	99 99 36 36 36 36 36	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206	103 103 103 68 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626011 EDL626038 EDL6260381 EDL626100	16 15 16 15 17 17 17 16 15	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL700800B EDL8 EDL8001 EDL8003	99 99 36 36 36 36 36 59	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210	103 103 103 68 69 69 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626011 EDL626038 EDL6260381	16 15 16 15 17 17 17 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8 EDL8	99 99 36 36 36 36 36 59 59	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206	103 103 103 68 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626011 EDL626038 EDL6260381 EDL626100	16 15 16 15 17 17 17 16 15	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL700800B EDL8 EDL8001 EDL8003	99 99 36 36 36 36 36 59	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210	103 103 103 68 69 69 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626038 EDL6260381 EDL626100 EDL6261001 EDL6261001 EDL626125	16 15 16 15 17 17 17 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8 EDL8 EDL8001 EDL8003 EDL8011 EDL8015Y	99 99 36 36 36 36 36 59 59	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210 T18217 T18248-03	103 103 103 103 68 69 69 69 69 67 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626038 EDL6260381 EDL626100 EDL6261001 EDL626125	16 15 16 15 17 17 17 16 15 16 15 16	EDL6913 EDL6914 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y	99 99 36 36 36 36 36 59 59 59 35 35	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05	103 103 103 103 68 69 69 69 69 67 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626038 EDL6260381 EDL626100 EDL6261001 EDL6261001 EDL6261051 EDL626151	16 15 16 15 17 17 17 16 15 16 15 16 15	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y	99 99 36 36 36 36 36 59 59 59 35 35 35	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251	103 103 103 103 68 69 69 69 69 67 69 69 69 69
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626010 EDL626010 EDL626011 EDL626038 EDL6260381 EDL626100 EDL6261001 EDL6261501 EDL626150 EDL626150	16 15 16 15 17 17 17 16 15 16 15 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y	99 99 36 36 36 36 36 59 59 59 59 35 35 35	H901A H901B H911A H911B T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03	103 103 103 103 68 69 69 69 69 69 69 69 69 69
EDL625150 EDL625200 EDL6252001 EDL6262001 EDL626010 EDL626010 EDL626011 EDL626038 EDL626000 EDL626100 EDL6261001 EDL6261251 EDL6261501 EDL6261501 EDL6261501 EDL6261501	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8030Y EDL8030Y EDL8050Y EDL8050Y EDL8050Y	99 99 36 36 36 36 36 36 35 35 35 35 35	H90IA H90IB H91IA H91IB T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252	103 103 103 103 68 69 69 69 69 69 69 69 69 69 69
EDL625150 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626011 EDL626038 EDL626000 EDL626100 EDL626125 EDL6261501 EDL6261501 EDL6261501 EDL6261501 EDL6261508 EDL6261508 EDL6261508 EDL626200	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 16	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700800B EDL700800B EDL8001 EDL8003 EDL8001 EDL8015 EDL8015 EDL8020Y EDL8050Y EDL8050Y EDL800Y EDL8820	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253	103 103 103 103 68 69 69 69 69 69 69 69 69 69 69 69 69
EDL625150 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626038 EDL626000 EDL626100 EDL6261001 EDL626125 EDL626125 EDL626125 EDL6261501 EDL6261501 EDL6261501 EDL6261500 EDL6262000 EDL6262000	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 17 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8015 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8010Y EDL8820 EDL8830	99 99 36 36 36 36 36 59 59 59 35 35 35 35 35 36 44 64	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251-03 T18251-03 T18252 T18253 T18254	103 103 103 103 68 69 69 69 69 69 69 69 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626038 EDL626038 EDL626100 EDL6261001 EDL626125 EDL626150 EDL626150 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700800B EDL700800B EDL8001 EDL8003 EDL8001 EDL8015 EDL8015 EDL8020Y EDL8050Y EDL8050Y EDL800Y EDL8820	99 99 36 36 36 36 36 35 59 59 59 59 35 35 35 35 35 46 64 64	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253	103 103 103 103 68 69 69 69 69 69 69 69 69 69 69 69 69
EDL625150 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626038 EDL626000 EDL626100 EDL6261001 EDL626125 EDL626125 EDL626125 EDL6261501 EDL6261501 EDL6261501 EDL6261500 EDL6262000 EDL6262000	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 17 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8015 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8010Y EDL8820 EDL8830	99 99 36 36 36 36 36 59 59 59 35 35 35 35 35 36 44 64	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251-03 T18251-03 T18252 T18253 T18254	103 103 103 103 68 69 69 69 69 69 69 69 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626038 EDL626038 EDL626100 EDL6261001 EDL626125 EDL626150 EDL626150 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500 EDL6261500	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8000 EDL8003 EDL8001 EDL8010 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8040 EDL8820 EDL8820 EDL8840	99 99 36 36 36 36 36 35 59 59 59 59 35 35 35 35 35 46 64 64	H90IA H90IB H91IA H91IB TI T18202 T18202 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18252 T18253 T18254 T18256 T18257	103 103 103 103 68 69 69 69 69 69 69 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626038 EDL626038 EDL6261001 EDL626125 EDL6261501 EDL626150 EDL626150 EDL6261500 EDL6262001 EDL6262001 EDL6262001 EDL6262001 EDL6262501 EDL6262501 EDL6262501 EDL626300	16 15 16 15 17 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 17 17 16 15 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8050Y EDL8820 EDL8830 EDL8840 EDL8860	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 46 64 64 64	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18252 T18253 T18254 T18256 T18256 T18257 T18260	103 103 103 103 68 69 69 69 67 69 69 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626010 EDL626038 EDL6260381 EDL626100 EDL6261001 EDL6261501 EDL6261501 EDL6261505 EDL6261500 EDL6262001 EDL6262001 EDL6262001 EDL6262501 EDL6262501 EDL6263001 EDL6263001	16 15 16 15 17 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16 15 16	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8003 EDL8001 EDL8003 EDL8001 EDL8005V EDL8030V EDL8050V EDL800V	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 44 64 64 64	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18252 T18253 T18254 T18256 T18256 T18257 T18260 T18261	103 103 103 103 68 69 69 69 67 69 69 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626000 EDL626100 EDL6261001 EDL6261251 EDL6261251 EDL6261501 EDL6261501 EDL6261500 EDL6262000 EDL6262000 EDL62620001 EDL6262001 EDL6262501 EDL6262501 EDL62625001 EDL62625001 EDL6263000 EDL62630001 EDL62630001 EDL62630001 EDL62630001	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 16 15 17 16 15 17 16 15 17 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8040 EDL8840 EDL8840 EDL8840 EDL8860 EDL9 EDL9002B EDL9003B	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 46 64 64 64	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18252 T18253 T18254 T18256 T18256 T18260 T18261 T18261	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL6262001 EDL626001 EDL626001 EDL626000 EDL626000 EDL626000 EDL6261001 EDL626125 EDL6261501 EDL6261505 EDL6261505 EDL6261505 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6262501 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6262500 EDL6263000 EDL6263000 EDL6263000 EDL6263000 EDL6263000 EDL62670044	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 16 15 17 16 15 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	EDL6913 EDL6914 EDL7 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8040 EDL8840 EDL8880 EDL8860 EDL9 EDL9002B EDL9003B EDL9003Y	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 44 64 64 64	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18256 T18260 T18261 T18265 T18265 T18273	103 103 103 103 68 69 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626000 EDL626000 EDL626100 EDL6261001 EDL6261251 EDL6261251 EDL6261501 EDL6261505 EDL6261500 EDL6262001	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 16 15 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8050Y EDL8050Y EDL8040Y EDL8820 EDL8840 EDL8840 EDL8860 EDL9 EDL9002B EDL9003B EDL9003B	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 44 64 64 64 64	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253 T18254 T18256 T18257 T18260 T18261 T18265 T18263 T18265 T18273 T18274	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626000 EDL626000 EDL626100 EDL6261001 EDL626125 EDL6261251 EDL6261251 EDL6261501 EDL6261501 EDL6262500 EDL6262501 EDL6262501 EDL6262501 EDL6263001 EDL6263001 EDL6263001 EDL6263001 EDL627004 EDL6270041 EDL6270061	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 16 15 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8010Y EDL8040Y EDL8840 EDL8840 EDL8860 EDL9002B EDL9003B EDL9003B EDL9005Y	99 99 36 36 36 36 36 59 59 59 35 35 35 35 35 44 64 64 64 64 33 33 33 33 33	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253 T18254 T18256 T18257 T18260 T18261 T18265 T18273 T18274 T18281	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626010 EDL626010 EDL626000 EDL626000 EDL626100 EDL6261001 EDL6261251 EDL6261251 EDL6261501 EDL6261505 EDL6261500 EDL6262001	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8050Y EDL8050Y EDL8040Y EDL8820 EDL8840 EDL8840 EDL8860 EDL9 EDL9002B EDL9003B EDL9003B	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 44 64 64 64 64 83 33 33 33 33 33 33	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253 T18254 T18256 T18257 T18260 T18261 T18265 T18263 T18265 T18273 T18274	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626000 EDL626000 EDL626100 EDL6261001 EDL626125 EDL6261251 EDL6261251 EDL6261501 EDL6261501 EDL6262500 EDL6262501 EDL6262501 EDL6262501 EDL6263001 EDL6263001 EDL6263001 EDL6263001 EDL627004 EDL6270041 EDL6270061	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 16 15 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8010Y EDL8040Y EDL8840 EDL8840 EDL8860 EDL9002B EDL9003B EDL9003B EDL9005Y	99 99 36 36 36 36 36 59 59 59 35 35 35 35 35 44 64 64 64 64 33 33 33 33 33	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253 T18254 T18256 T18257 T18260 T18261 T18265 T18273 T18274 T18281	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626010 EDL626000 EDL6261001 EDL626125 EDL626150 EDL6261501 EDL6261501 EDL6261500 EDL6262001 EDL6262001 EDL6263001 EDL6262001 EDL6263001 EDL6263001 EDL6263001 EDL627004 EDL6270041 EDL627006 EDL6270061 EDL6270061	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8001 EDL8005Y EDL8000Y EDL8800 EDL8840 EDL8860 EDL9 EDL9002B EDL9003B EDL9003B EDL9005P EDL9005B EDL9005B EDL9010B EDL90109	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 44 64 64 64 64 83 33 33 33 33 33 33	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251 T18252 T18252 T18253 T18254 T18256 T18256 T18260 T18261 T18261 T18261 T18262 T18263 T18262 T18263 T18263 T18292	103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626038 EDL626038 EDL626100 EDL626100 EDL6261001 EDL626125 EDL626150 EDL626150 EDL626150 EDL6262001 EDL627004 EDL627004 EDL6270061 EDL6270061 EDL6270081 EDL6270081	16 15 16 15 17 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8820 EDL8840 EDL8860 EDL9 EDL9003B EDL9005B EDL9010B EDL9010B EDL9010B EDL9010B	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 64 64 64 64 64 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB TI T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252-03 T18252 T18253 T18254 T18256 T18256 T18257 T18260 T18261 T18261 T18265 T18273 T18281 T18283 T18292 T18293	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL6262001 EDL626010 EDL626010 EDL626010 EDL626001 EDL626100 EDL6261001 EDL6261251 EDL6261251 EDL6261501 EDL6261501 EDL6262001 EDL6270061 EDL6270061 EDL6270081 EDL6270081	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8030Y EDL8030Y EDL8050Y EDL8820 EDL8840 EDL8840 EDL8860 EDL9003B EDL9003B EDL9003B EDL9003B EDL9003B EDL9005P EDL9010B EDL9010P EDL9010B EDL9010P EDL9025B EDL9025Y	99 99 36 36 36 36 36 35 59 59 59 35 35 35 35 35 35 35 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18253 T18254 T18256 T18256 T18256 T18260 T18261 T18265 T18273 T18274 T18283 T18292 T18293 T18296	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL6262001 EDL626001 EDL626001 EDL626001 EDL626000 EDL626000 EDL6261001 EDL626125 EDL626125 EDL626125 EDL6261501 EDL6261505 EDL6261505 EDL626200 EDL6262001 EDL6263001 EDL6263001 EDL627004 EDL627006 EDL6270061 EDL6270061 EDL6270081 EDL6270101 EDL6270101	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL70010008 EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8050Y EDL8820 EDL8840 EDL8880 EDL902B EDL9002B EDL9003B EDL9003B EDL9005P EDL9005B EDL9010B EDL9010B EDL9010P EDL9025B EDL9035B	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 34 64 64 64 64 64 33 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18252 T18253 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18274 T18281 T18283 T18292 T18293 T18296 T18297	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL626001 EDL626001 EDL626001 EDL626000 EDL626000 EDL626000 EDL626100 EDL626150 EDL626150 EDL626150 EDL626150 EDL626150 EDL626250 EDL626250 EDL626200 EDL627004 EDL627006 EDL627006 EDL627006 EDL627008 EDL627008 EDL627010 EDL627010 EDL627012	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8000Y EDL8820 EDL8840 EDL8840 EDL8860 EDL9003B EDL9003B EDL9003B EDL9003B EDL9005B EDL9010B EDL9025B EDL9035B EDL9035B	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 35 36 4 64 64 64 64 64 33 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL626001 EDL626001 EDL626010 EDL626010 EDL626000 EDL626000 EDL626100 EDL626100 EDL626125 EDL6261251 EDL6261501 EDL6261505 EDL6261505 EDL6262001 EDL627004 EDL627004 EDL6270081 EDL6270101 EDL6270101 EDL6270121 EDL6270121	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8005Y EDL8009 EDL9009 EDL9008 EDL9003B EDL9003B EDL90059 EDL9010B EDL9010P EDL9010P EDL9010P EDL9025B EDL9010P EDL9035B EDL9035B EDL90759 EDL9075B EDL9075B EDL9075B	99 99 99 36 36 36 36 36 37 59 59 59 59 35 35 35 35 35 35 35 35 35 35 35 35 35	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18252 T18253 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18274 T18281 T18283 T18292 T18293 T18296 T18297	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL626001 EDL626001 EDL626001 EDL626000 EDL626000 EDL626000 EDL626100 EDL626150 EDL626150 EDL626150 EDL626150 EDL626150 EDL626250 EDL626250 EDL626200 EDL627004 EDL627006 EDL627006 EDL627006 EDL627008 EDL627008 EDL627010 EDL627010 EDL627012	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700800B EDL8001 EDL8003 EDL8011 EDL8015Y EDL8020Y EDL8030Y EDL8050Y EDL8000Y EDL8820 EDL8840 EDL8840 EDL8860 EDL9003B EDL9003B EDL9003B EDL9003B EDL9005B EDL9010B EDL9025B EDL9035B EDL9035B	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 35 36 4 64 64 64 64 64 33 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL626001 EDL626001 EDL626010 EDL626010 EDL626000 EDL626000 EDL626100 EDL626100 EDL626125 EDL6261251 EDL6261501 EDL6261505 EDL6261505 EDL6262001 EDL627004 EDL627004 EDL6270081 EDL6270101 EDL6270101 EDL6270121 EDL6270121	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700600B EDL700800B EDL8001 EDL8003 EDL8001 EDL8005Y EDL8009 EDL9009 EDL9008 EDL9003B EDL9003B EDL90059 EDL9010B EDL9010P EDL9010P EDL9010P EDL9025B EDL9010P EDL9035B EDL9035B EDL90759 EDL9075B EDL9075B EDL9075B	99 99 99 36 36 36 36 36 37 59 59 59 59 35 35 35 35 35 35 35 35 35 35 35 35 35	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626000 EDL626000 EDL6260001 EDL6261001 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626250 EDL6262001 EDL627004 EDL627006 EDL6270061 EDL6270081 EDL6270100 EDL6270101 EDL6270101 EDL627012 EDL6270121 EDL6282001 EDL6282001 EDL6282001 EDL6282001 EDL6282001	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 17 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700600B EDL700600B EDL8003 EDL8011 EDL8015 EDL8015 EDL8016 EDL8016 EDL8020Y EDL8030Y EDL8050Y EDL8000Y EDL8800 EDL8800 EDL8800 EDL8840 EDL8860 EDL9002B EDL9002B EDL9003B EDL9003B EDL9003B EDL9005Y EDL9010B EDL9010Y EDL9025B EDL9010Y EDL9025B EDL9010Y EDL9025B EDL9075Y EDL903B EDL9075Y EDL903B EDL9075B	99 99 36 36 36 36 36 59 59 59 35 35 35 35 35 36 44 64 64 64 64 64 33 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL625200 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626000 EDL626000 EDL626100 EDL6261001 EDL626125 EDL626150 EDL626150 EDL626150 EDL626150 EDL626150 EDL626150 EDL6262000 EDL6263001 EDL6262001 EDL6263001 EDL6262001 EDL6263001 EDL6263001 EDL6263001 EDL6270006 EDL6270006 EDL6270006 EDL6270006 EDL6270006 EDL6270007 EDL627010 EDL627010 EDL6270101 EDL6270101 EDL6282001 EDL6282001 EDL6282501 EDL6282501 EDL6282501 EDL6282501	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7001000B EDL700400B EDL700600B EDL700600B EDL700600B EDL8003 EDL8001 EDL8001 EDL8003 EDL8001 EDL8005Y EDL8020Y EDL8050Y EDL8050Y EDL8000 EDL8800 EDL8800 EDL8800 EDL9002B EDL9002B EDL9003B EDL9003B EDL9005Y EDL9005B EDL9005Y EDL9010B EDL9010Y EDL9025B EDL9075B EDL9075B EDL9075B EDL9075B EDL9075Y EDL91150 EDL92150 EDL92200	99 99 99 36 36 36 36 36 37 36 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68
EDL625150 EDL6251501 EDL625200 EDL6252001 EDL626001 EDL626001 EDL626010 EDL626000 EDL626000 EDL6260001 EDL6261001 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626125 EDL626250 EDL6262001 EDL627004 EDL627006 EDL6270061 EDL6270081 EDL6270100 EDL6270101 EDL6270101 EDL627012 EDL6270121 EDL6282001 EDL6282001 EDL6282001 EDL6282001 EDL6282001	16 15 16 15 17 17 17 16 15 16 15 16 15 16 15 16 15 16 15 17 17 17 17 17 17 17 17 17 17 17 17 17	EDL6913 EDL6914 EDL7 EDL7 EDL7001000B EDL700400B EDL700600B EDL700600B EDL700600B EDL8003 EDL8011 EDL8015 EDL8015 EDL8016 EDL8016 EDL8020Y EDL8030Y EDL8050Y EDL8000Y EDL8800 EDL8800 EDL8800 EDL8840 EDL8860 EDL9002B EDL9002B EDL9003B EDL9003B EDL9003B EDL9005Y EDL9010B EDL9010Y EDL9025B EDL9010Y EDL9025B EDL9010Y EDL9025B EDL9075Y EDL903B EDL9075Y EDL903B EDL9075B	99 99 36 36 36 36 36 59 59 59 59 35 35 35 35 35 36 44 64 64 64 64 64 33 33 33 33 33 33 33 33 33 33 33 33 33	H90IA H90IB H91IA H91IB T1 T18202 T18203 T18204 T18206 T18210 T18217 T18248-03 T18248-05 T18251 T18251-03 T18252 T18254 T18256 T18256 T18257 T18260 T18261 T18265 T18273 T18281 T18283 T18283 T18292 T18293 T18296 T18297 T18298	103 103 103 103 103 68 69 69 69 69 69 68 68 68 68 68 68 68 68 68 68 68 68 68